	PROPOSAL SCHEDULE				
ITEM NO.	ITEMS	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
202.0100	SIGN H1EB-112 (18 feet span at bridge) Removal of Existing Sign Structure	L.S.	L.S.	L.S.	\$
209.0101	Installation, Maintenance, Monitoring, Removal of BMP	L.S.	L.S.	L.S.	\$
209.0102	Additional Water Pollution, Dust, and Erosion Control	FA	FA	FA	\$ 5,000.00
503.0100	Concrete for new sign post support at bridge pier cap	L.S.	L.S.	L.S.	\$
622.0101	Remove Conductors, Provide hot tap	L.S.	L.S.	L.S.	\$
622.0102	1" Flex Conduit	L.S.	L.S.	L.S.	\$
622.0103	Junction Box 6" SQ, 4"D, NEMA 4X 316 SS	L.S.	L.S.	L.S.	\$
630.0101	Destination Sign Panel	L.S.	L.S.	L.S.	\$
630.0102	Type "A" Sign Structure	L.S.	L.S.	L.S.	\$
645.0100	Traffic Control (furnishing, installing, maintaining and subsequently removing work zone traffic control devices and personnel, including cost for portable variable message sign and 4 police officers, also include all temporary signage, detouring, side street closures, freeway lane closures and ramp closures associated with the freeway closure as shown on the plans.)	L.S.	L.S.	L.S.	\$
		S	ubtotal of	Sign H1EB-112:	\$

	PROPOSAL SCHEDULE							
ITEM NO.	ITEMS	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT			
	SIGN H1EB-113 (18 feet span at bridge)	L.S.	L.S.	L.S.	\$			
202.0200	Removal of Existing Sign Structure		*	L.S.	\$			
209.0201	Installation, Maintenance, Monitoring, Removal of BMP	L.S.	L.S.					
209.0202	Additional Water Pollution, Dust, and Erosion Control	FA	FA	FA	\$ 5,000.00			
503.0200	Concrete for new sign post support at bridge pier cap	L.S.	L.S.	L.S.	\$			
622.0201	Remove Conductors, Provide hot tap	L.S.	L.S.	L.S.	\$			
622.0202	1" Flex Conduit	L.S.	, L.S.	L.S.	\$			
622.0203	Junction Box 6" SQ, 4"D, NEMA 4X 316 SS	L.S.	L.S.	L.S.	\$			
630.0201	Destination Sign Panel	L.S.	L.S.	L.S.	\$			
630.0202	Type "A" Sign Structure	L.S.	L.S.	L.S.	\$			
645.0200	Traffic Control (furnishing, installing, maintaining and subsequently removing work zone traffic control devices and personnel, including cost for portable variable message sign and 4 police officers, also include all temporary signage, detouring, side street closures, freeway lane closures and ramp closures associated with the freeway closure as shown on the plans.)	L.S.	L.S.	L.S.	\$			
		S	ubtotal of	Sign H1EB-113:	\$			

	PROPOSAL SCHEDULE							
ITEM NO.	· ITEMS	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT			
202.0300	SIGN H1EB-114 (18 feet span at bridge) Removal of Existing Sign Structure	L.S.	L.S.	L.S.	\$			
209.0301	Installation, Maintenance, Monitoring, Removal of BMP	L.S.	L.S.	L.S.	\$			
209.0302	Additional Water Pollution, Dust, and Erosion Control	FA	FA	FA	\$ 5,000.00			
503.0300	Concrete for new sign post support at bridge pier cap	L.S.	L.S.	L.S.	\$			
622.0301	Remove Conductors, Provide hot tap	L.S.	L.S.	L.S.	\$			
622.0302	1" Flex Conduit	L.S.	L.S.	L.S.	\$			
622.0303	Junction Box 6" SQ, 4"D, NEMA 4X 316 SS	L.S.	L.S.	L.S.	\$			
630.0301	Destination Sign Panel	L.S.	L.S.	L.S.	\$			
630.0302	Type "A" Sign Structure	L.S.	L.S.	L.S.	\$			
645.0300	Traffic Control (furnishing, installing, maintaining and subsequently removing work zone traffic control devices and personnel, including cost for portable variable message sign and 4 police officers, also include all temporary signage, detouring, side street closures, freeway lane closures and ramp closures associated with the freeway closure as shown on the plans.)	L.S.	L.S.	L.S.	\$			
		S	ubtotal of	Sign H1EB-114:	\$			

	PROPOSAL SCHEDULE				
ITEM NO.	ITEMS	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
	SIGN H1EB-308 (58 feet span w/ drilled shaft)				
201.0400	Clearing and Grubbing	L.S.	L.S.	L.S.	\$
202.0401	Removal of Existing Sign Structure	L.S.	L.S.	L.S.	\$
202.0402	Removal of Existing Concrete Barrier	L.S.	L.S.	L.S.	\$
209.0401	Installation, Maintenance, Monitoring, Removal of BMP	L.S.	L.S.	L.S.	\$
209.0402	Additional Water Pollution, Dust, and Erosion Control	FA	FA	FA	\$ 5,000.00
211.0400	Exploratory Work at Structure Footings	FA	FA	FA	\$ 50,000.00
301.0400	Hot Mix Asphalt Base Course (ACB)	22	Ton	\$	\$
304.0400	Aggregate Base for Pavement Repair	L.S.	L.S.	L.S.	\$
305.0400	Aggregate Subbase	L.S.	L.S.	L.S.	\$
401.0400	HMA Pavement, Mix No. IV	22	Ton	\$	\$
503.0401	Concrete for Pedestal to be Mounted to top of drilled shaft	L.S.	L.S.	L.S.	\$
503.0402	Concrete for Extended Pedestal on top of drilled shaft	L.S.	L.S.	L.S.	\$
			н		
		<u> L</u>	L' 8	L	

	PROPOSAL SCHEDULE							
ITEM NO.	ITEMS	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT			
	SIGN H1EB-308 (Cont.)							
503.0403	Concrete for New Concrete Barrier	L.S.	L.S.	L.S.	\$			
511.0401	Furnishing Drilled Shaft Drilling Equipment	L.S.	L.S.	L.S.	\$			
511.0402	Drilled Shaft (48-Inch Diameter), 2 total	50	Lin. Ft.	\$	\$.			
511.0403	Unclassified Shaft Excavation	50	Lin. Ft.	\$	\$			
511.0404	Obstruction in Drilled Shaft	16	Hour	\$	\$			
622.0401	Remove Conductors, Provide hot tap	L.S.	L.S.	L.S.	\$			
622.0402	Concrete for Underground Conduit Encasement	L.S.	L.S.	L.S.	\$			
622.0403	Pull box Penetration	L.S.	L.S.	L.S.	\$			
622.0404	1" Conduit, PVC 40	L.S.	L.S.	L.S.	\$			
629.0400	Restore Pavement Striping and Marker	L.S.	L.S.	L.S.	\$			
630.0401	Destination Sign Panel	L.S.	L.S.	L.S.	\$			
630.0402	Type "C" Sign Structure	L.S.	Ĺ.S.	L.S.	\$			

	PROPOSAL SCHEDULE				
ITEM NO.	ITEMS	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
	SIGN H1EB-308 (Cont.)				
645.0400	Traffic Control (furnishing, installing, maintaining and subsequently removing work zone traffic control devices and personnel, including cost for portable variable message sign and 4 police officers, also include all temporary signage, detouring, side street closures, freeway lane closures and ramp closures associated with the freeway closure as shown on the	L.S.	L.S.	L.S.	\$
	plans.)			·	
		S	ubtotál of S	ign H1EB-308:	\$

	PROPOSAL SCHEDULE						
ITEM NO.	ITEMS	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT		
202.0500	SIGN H1WB-402 (18 feet span at bridge) Removal of Existing Sign Structure	L.S.	L.S.	L.S.	\$		
209.0501	Installation, Maintenance, Monitoring, Removal of BMP	L.S.	L.S.	L.S.	\$		
209.0502	Additional Water Pollution, Dust, and Erosion Control	FA	FA	FA	\$ 5,000.00		
503.0500	Concrete for new sign post support at bridge pier cap	L.S.	L.S.	L.S.	\$		
622.0501	Remove Conductors, Provide hot tap	L.S.	L.S.	L.S.	\$		
622.0502	1" Flex Conduit	L.S.	L.S.	L.S.	\$		
622.0503	Junction Box 6" SQ, 4"D, NEMA 4X 316 SS	L.S.	L.S.	L.S.	\$		
630.0501	Destination Sign Panel	L.S.	L.S.	L.S.	\$		
630.0502	Type "A" Sign Structure	L.S.	L.S.	L.S.	\$		
645.0500	Traffic Control (furnishing, installing, maintaining and subsequently removing work zone traffic control devices and personnel, including cost for portable variable message sign and 4 police officers, also include all temporary signage, detouring, side street closures, freeway lane closures and ramp closures associated with the freeway closure as shown on the plans.)	L.S.	L.S.	L.S.	\$		
		Sı	ubtotal of S	ign H1WB-402:	\$		

	PROPOSAL SCHEDULE						
ITEM NO.	ITEMS	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT		
201.0600	SIGN H1WB-418 (29 feet span w/ spread footing) Clearing and Grubbing	L.S.	L.S.	L.S.	\$		
202.0601	Removal of Existing Sign Structure	L.S.	L.S.	L.S.	\$		
202.0602	Removal of Existing Concrete Foundation	L.S.	L.S.	L.S.	\$		
205.0601	Structural Excavation for New Spread Footing	L.S.	L.S.	L.S.	\$		
205.0602	Structural Backfill for New Spread Footing	L.S.	L.S.	L.S.	\$		
209.0601	Installation, Maintenance, Monitoring, Removal of BMP	L.S.	L.S.	L.S.	\$		
209.0602	Additional Water Pollution, Dust, and Erosion Control	FA	FA	FA	\$ 5,000.00		
503.0600	Concrete for New Spread Footing	L.S.	L.S.	L.S.	\$		
606.0601	Reset Guardrail	L.S.	L.S.	L.S.	\$		
622.0601	Remove Conductors, Provide hot tap	L.S.	L.S.	L.S.	\$		
622.0602	Pull box A	L.S.	L.S.	L.S.	\$		
622.0603	1" Conduit, PVC 40	L.S.	L.S.	L.S.	\$		
622.0604	#10 RHW Copper	L.S.	L.S.	L.S.	\$		

	PROPOSAL SCHEDULE				
ITEM NO.	ITEMS	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
	SIGN H1WB-418 (Cont.)				
630.0601	Destination Sign Panel	L.S.	L.S.	L.S.	\$
630.0602	Type "A" Sign Structure	L.S.	L.S.	L.S.	\$
645.0600	Traffic Control (furnishing, installing, maintaining and subsequently removing work zone traffic control devices and personnel, including cost for portable variable message sign and 4 police officers, also include all temporary signage, detouring, side street closures, freeway lane closures and ramp closures associated with the freeway closure as shown on the plans.)	L.S.	L.S.	L.S.	\$
	·	Su	btotal of Si	gn H1WB-418:	\$
		_			

	PROPOSAL SCHEDULE							
ITEM NO.	ITEMS	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT			
201.0700	SIGN H1WB-424 (33 feet span w/ drilled shaft) Clearing and Grubbing	L.S.	L.S.	L.S.	\$			
202.0701	Removal of Existing Sign Structure	L.S.	L.S.	L.S.	\$			
202.0702	Removal of Portion of Existing Concrete Foundation	L.S.	L.S.	L.S.	\$			
202.0703	Removal of Existing Concrete Barrier	L.S.	L.S.	L.S.	\$			
209.0701	Installation, Maintenance, Monitoring, Removal of BMP	L.S.	L.S.	L.S.	\$			
209.0702	Additional Water Pollution, Dust, and Erosion Control	FA	FA	FA	\$ 5,000.00			
211.0700	Exploratory Work at Structure Footings	FA	FA	FA	\$ 50,000.00			
301.0700	Hot Mix Asphalt Base Course (ACB)	3	Ton	\$	\$			
304.0700	Aggregate Base for Pavement Repair	L.S.	L.S.	L.S.	\$			
305.0700	Aggregate Subbase	L.S.	L.S.	L.S.	\$			
401.0700	HMA Pavement, Mix No. IV	3	Ton	\$	\$			
503.0701	Concrete for Pedestal to be Mounted to top of drilled shaft	L.S.	L.S.	L.S.	\$			

	PROPOSAL SCHEDULE							
ITEM NO.	. ITEMS	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT			
503.0702	SIGN H1WB-424 (Cont.) Concrete for Extended Pedestal on top of drilled shaft	L.S.	L.S.	L.S.	\$			
503.0703	Concrete for New Concrete Barrier	L.S.	L.S.	L.S.	\$			
503.0704	Concrete for Repairing Existing CRM Slab	L.S.	L.S.	L.S.	\$			
511.0701	Furnishing Drilled Shaft Drilling Equipment	L.S.	L.S.	L.S.	\$			
511.0702	Drilled Shaft (48-Inch Diameter)	16	Lin. Ft.	\$	\$			
511.0703	Unclassified Shaft Excavation	16	Lin. Ft.	\$	\$			
511.0704	Obstruction in Drilled Shaft	16	Hour	\$	\$			
622.0701	Remove Conductors, Provide hot tap	L.S.	L.S.	L.S.	\$			
622.0702	Pull box Penetration	L.S.	L.S.	L.S.	\$			
622.0703	1" Conduit, PVC 40	L.S.	L.S.	L.S.	\$			
630.0701	Destination Sign Panel	L.S.	L.S.	L.S.	\$			
·								

	PROPOSAL SCHEDULE				
ITEM NO.	ITEMS	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
630.0702	SIGN H1WB-424 (Cont.) Type "A" Sign Structure	L.S.	L.S.	L.S.	\$
645.0700	Traffic Control (furnishing, installing, maintaining and subsequently removing work zone traffic control devices and personnel, including cost for portable variable message sign and 4 police officers, also include all temporary signage, detouring, side street closures, freeway lane closures and ramp closures associated with the freeway closure as shown on the plans.)	L.S.	L.S.	L.S.	\$
		Su	btotal of Si	gn H1WB-424:	\$
		·			

	PROPOSAL SCHEDULE							
ITEM NO.	ITEMS	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT			
	SIGN H1WBR-451 (21/19 feet span w/ spread footing)							
201.0800	Clearing and Grubbing	L.S.	L.S.	L.S.	\$			
202.0801	Removal of Existing Sign Structure	L.S.	L.S.	L.S.	\$			
202.0802	Removal of Portion of Existing Concrete Foundation	L.S.	L.S.	L.S.	\$			
205.0801	Structural Excavation for New Spread Footing and barrier	L.S.	L.S.	L.S.	\$			
205.0802	Structural Backfill for New Spread Footing	L.S.	L.S.	L.S.	\$			
209.0801	Installation, Maintenance, Monitoring, Removal of BMP	L.S.	L,S.	L.S.	\$			
209.0802	Additional Water Pollution, Dust, and Erosion Control	FA	FA	FA	\$ 5,000.00			
301.0800	Hot Mix Asphalt Base Course (ACB)	15	Ton	\$	\$			
304.0800	Aggregate Base for Pavement Repair	L.S.	L.S.	L.S.	\$			
305.0800	Aggregate Subbase	L.S.	L.S.	L.S.	\$			
401.0800	HMA Pavement, Mix No. IV	15	Ton	\$	\$			
503.0800	Concrete for Pedestal to be Mounted to top of drilled shaft	L.S.	L.S.	L.S.	\$			

	PROPOSAL SCHEDULE							
ITEM NO.	ITEMS	APPROX.1 QUANTITY	UNIT	UNIT PRICE	AMOUNT			
503.0801	SIGN H1WBR-451 (Cont.) Concrete for New Spread Footing	L.S.	L.S.	L.S.	\$			
503.0802	Concrete for New Concrete Barrier	L.S.	L.S.	L.S.	\$			
606.0801	Guardrail Type Thrie Beam	L.S.	L.S.	L.S.	\$			
606.0802	Transition Section Type 3 Thrie Beam and Connections	L.S.	L.S.	L.S.	\$			
606.0803	Reset Guardrail	L.S.	L.S.	L.S.	\$			
622.0801	Remove Conductors, Provide hot tap	L.S.	L.S.	L.S.	\$			
622.0802	Concrete Stub Out Marker	L.S.	L.S.	L.S.	\$			
622.0803	Pull box Penetration	L.S.	L.S.	L.S.	\$			
622.0804	1" Conduit, PVC 40	L.S.	L.S.	L.S.	\$			
630.0801	Destination Sign Panel	L.S.	L.S.	L.S.	\$			
630.0802	Type "B" Sign Structure	L.S.	L.S.	L.S.	\$			

	PROPOSAL SCHEDULE				
ITEM NO.	ITEMS	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
	SIGN H1WBR-451 (Cont.) Traffic Control (furnishing, installing, maintaining and subsequently				
645.0800	removing work zone traffic control devices and personnel, including cost for portable variable message sign and 4 police officers, also include all temporary signage, detouring, side street closures, freeway lane closures and ramp closures associated with the freeway closure as shown on the plans.)	L.S.	L.S.	L.S.	\$
693.0800	Terminal Impact Attenuator (QuadGuard QS 6906Y with Concrete Backup and Concrete Pad or Equivalent)	L.S.	L.S.	L.S.	\$
		Sub	total of Sig	n H1WBR-451:	\$

	PROPOSAL SCHEDULE							
ITEM NO.	ITEMS	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT			
201.0900	SIGN H1WB-605 (80 feet span w/ spread footing) Clearing and Grubbing	L.S.	L.S.	L.S.	\$			
202.0901	Removal of Existing Sign Structure	L.S.	L.S.	L.S.	\$			
202.0902	Removal of Existing Concrete Foundation	L.S.	L.S.	L.S.	\$			
205.0901	Structural Excavation for New Spread Footing	L.S.	L.S.	L.S.	\$			
205.0902	Structural Backfill for New Spread Footing	L.S.	L.S.	L.S.	\$			
209.0901	Installation, Maintenance, Monitoring, Removal of BMP	L.S.	L.S.	L.S.	\$			
209.0902	Additional Water Pollution, Dust, and Erosion Control	FA	FA	FA	\$ 5,000.00			
503.0900	Concrete for New Spread Footing	L.S.	L.S.	L.S.	\$			
606.0901	Reset Guardrail	L.S.	L.S.	L.S.	\$			
622.0901	Remove Conductors, Provide hot tap	L.S.	L.S.	L.S.	\$			
622.0902	Pull box Penetration	L.S.	L.S.	L.S.	\$			
622.0903	1" Conduit, PVC 40	L.S.	L.S.	L.S.	\$			

	PROPOSAL SCHEDULE				
ITEM NO.	ITEMS	APPROX. QUANTITY UNIT PRICE AMOUNT			
620.0004	SIGN H1WB-605 (Cont.)	L.S.	L.S.	L.S.	\$
630.0901	Destination Sign Panel				
630.0902	Type "C" Sign Structure	L.S.	L.S.	L.S.	\$
645.0900	Traffic Control (furnishing, installing, maintaining and subsequently removing work zone traffic control devices and personnel, including cost for portable variable message sign and 4 police officers, also include all temporary signage, detouring, side street closures, freeway lane closures and ramp closures associated with the freeway closure as shown on the plans.)	L.S.	L.S.	L.S.	\$
		Su	btotal of Si	gn H1WB-605:	\$

	PROPOSAL SCHEDULE							
ITEM NO.	ITEMS	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT			
201.1000	SIGN 78EBR-822 (31/31 feet span w/ spread footing) Clearing and Grubbing	L.S.	L.S.	L.S.	\$			
202.1001	Removal of Existing Sign Structure	L.S.	L.S.	S	\$			
202.1002	Removal of Existing Concrete Foundation	L.S.	L.S.	L.S.	\$			
202.1003	Removal of Existing Concrete Barrier	L.S.	L.S.	L.S.	\$			
205.1001	Structural Excavation for Footing	L.S.	L.S.	L.S.	\$			
205.1002	Structural Backfill for Footing	L.S.	L.S.	L.S.	\$			
209.1001	Installation, Maintenance, Monitoring, Removal of BMP	L.S.	L.S.	L.S.	\$			
209.1002	Additional Water Pollution, Dust, and Erosion Control	FA	FA	FA	\$ 5,000.00			
301.1000	Hot Mix Asphalt Base Course (ACB)	5	Ton	\$	\$			
304.1000	Aggregate Base for Pavement Repair	L.S.	L.S.	L.S.	\$			
305.1000	Aggregate Subbase	L.S.	L.S.	L.S.	\$			
401.1000	HMA Pavement, Mix No. IV	5	Ton	\$	\$			
				,				

	PROPOSAL SCHEDULE				
ITEM NO.	ITEMS	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
503.1001	SIGN 78EBR-822 (Cont.) Concrete for New Spread Footing	L.S.	L.S.	L.S.	\$
503.1002	Concrete for New Concrete Barrier	L.S.	L.S.	L.S.	\$
622.1001	Remove Conductors, Provide hot tap	L.S.	L.S.	L.S.	\$
622.1002	Pull box Penetration	L.S.	L.S.	L.S.	\$
622.1003	1" Conduit, PVC 40	L.S.	L.S.	L.S.	\$
629.1000	Restore Pavement Striping and Marker	L.S.	L.S.	L.S.	\$
630.1001	Type "B" Sign Structure	L.S.	L.S.	L.S.	\$
630.1002	Destination Sign Panel	L.S.	L.S.	L.S.	\$
645.1000	Traffic Control (furnishing, installing, maintaining and subsequently removing work zone traffic control devices and personnel, including cost for portable variable message sign and 4 police officers, also include all temporary signage, detouring, side street closures, freeway lane closures and ramp closures associated with the freeway closure as shown on the plans.)	L.S.	L.S.	L.S.	\$
		Su	btotal of Si	gn 78EBR-822:	\$
	• •				

	PROPOSAL SCHEDULE							
ITEM NO.	ITEMS	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT			
	SIGN 78WB-851 (24 feet span w/ spread footing)			,	,			
201.1100	Clearing and Grubbing	L.S.	L.S.	L.S.	\$			
202.1101	Removal of Existing Sign Structure	L.S.	L.S.	L.S.	\$			
202.1102	Removal of Existing Concrete Foundation	L.S.	L.S.	L.S.	\$ /			
202.1103	Removal of Existing Concrete Barrier	L.S.	L.S.	L.S.	\$			
205.1101	Structural Excavation for New Spread Footing	L.S.	L.S.	L.S.	\$			
205.1102	Structural Backfill for New Spread Footing	L.S.	L.S.	L.S.	\$			
209.1101	Installation, Maintenance, Monitoring, Removal of BMP	L.S.	L.S.	L.S.	\$			
209.1102	Additional Water Pollution, Dust, and Erosion Control	FA	FA	FA	\$ 5,000.00			
301.1100	Hot Mix Asphalt Base Course (ACB)	5	Ton	\$	\$			
304.1100	Aggregate Base for Pavement Repair	L.S.	L.Ş.	L.S.	\$			
305.1100	Aggregate Subbase	L.S.	L.S.	L.S.	\$			
401.1100	HMA Pavement, Mix No. IV	5	Ton	\$	\$			

	PROPOSAL SCHEDULE							
ITEM NO.	ITEMS	APPROX.	UNIT	UNIT PRICE	AMOUNT			
503.1101	SIGN 78WB-851 (Cont.) Concrete for New Spread Footing	L.S.	L.S.	L.S.	\$			
503.1101	Concrete for New Concrete Barrier	L.S.	L.S.	L.S.	\$			
622.1101	Remove Conductors, Provide hot tap	L.S.	L.S.	L.S.	\$			
622.1102	1" Conduit, PVC 40	L.S.	L.S.	L.S.	\$			
630.1101	Destination Sign Panel	L.S.	L.S.	L.S.	\$			
630.1102	Type "A" Sign Structure	L.S.	L.S.	L.S.	\$			
645.1100	Traffic Control (furnishing, installing, maintaining and subsequently removing work zone traffic control devices and personnel, including cost for portable variable message sign and 4 police officers, also include all temporary signage, detouring, side street closures, freeway lane closures and ramp closures associated with the freeway closure as shown on the plans.)	L.S.	L.S.	L.S.	\$			
		Sı	btotal of S	ign 78WB-851:	\$			

	PROPOSAL SCHEDULE							
ITEM NO.	ITEMS	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT			
	SIGN 78WBR-871 (76 feet span w/ spread footings)							
201.1200	Clearing and Grubbing	L.S.	L.S.	L.S.	\$			
202.1201	Removal of Existing Sign Structure	L.S.	L.S.	L.S.	\$			
202.1203	Removal of Portion of Existing Concrete Foundation	L.S.	L.S.	L.S.	\$			
205.1201	Structural Excavation for New Spread Footing	L.S.	L.S.	L.S.	\$			
205.1202	Structural Backfill for New Spread Footing	L.S.	L.S.	L.S.	\$			
209.1201	Installation, Maintenance, Monitoring, Removal of BMP	L.S.	L.S.	L.S.	\$			
209.1202	Additional Water Pollution, Dust, and Erosion Control	FA	FA	FA	\$ 5,000.00			
503.1201	Concrete for New Spread Footing	L.S.	L.S.	L.S.	\$			
606.0201	Reset Guardrail	L.S.	L.S.	L.S.	\$			
622.1201	Remove Conductors, Provide hot tap	L.S.	L.S.	L.S.	\$			
622.1202	Trenching and Backfill	L.S.	L.S.	L.S.	\$			
622.1203	Concrete for underground Conduit Encasement	L.S.	L.S.	L.S.	\$			
622.1204	Pull box Penetration	L.S.	L.S.	L.S.	\$			

	PROPOSAL SCHEDULE				
ITEM NO.	ITEMS	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
622.1205	<u>SIGN 78WBR-871 (Cont.)</u> 1" Conduit, PVC 40	L.S.	L.S.	L.S.	\$
630.1201	Destination Sign Panel	L.S.	L.S.	L.S.	\$
630.1202	Type "C" Sign Structure	L.S.	L.S.	L.S.	\$
645.1200	Traffic Control (furnishing, installing, maintaining and subsequently removing work zone traffic control devices and personnel, including cost for portable variable message sign and 4 police officers, also include all temporary signage, detouring, side street closures, freeway lane closures and ramp closures associated with the freeway closure as shown on the plans.)	L.S.	L.S.	L.S.	\$
		Sub	total of Sig	n 78WBB-871:	\$

	PROPOSAL SCHEDULE				
ITEM NO.	ITEMS	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
For All Sign	Structures				
209.0000	Additional Water Pollution, Dust and Erosion Control	FA	FA	FA	\$ 150,000.00
622.0000	Relocation of Existing Highway Lighting Conduits	FA	ĘΑ	FA	\$ 50,000.00
631.0000	Restore All Traffic Control Regulatory, Warning, and Misc. Signs	L.S.	L.S.	L.S.	\$
643.0000	Maintenance of Existing Landscape Areas	FA	FA	FA	\$ 50,000.00
644.0000	Relocation of Existing Sprinkler System	FA	FA	FA	\$ 20,000.00
645.0000	Additional Police Officers, Additional Traffic Control Devices, And Advertisement	FA	FA	FA	\$ 300,000.00
648.0000	Field Posted Drawings	L.S.	L.S.	L.S.	\$
696.1000	Maintenance of Field Office	FA	FA	FA	\$ 30,000.00
699.0000	Mobilization (Not to exceed 6% of the sum of all items excluding bid price of this item and force account items)	L.S.	L.S.	L.S.	\$
e e		Subtot	al For All Si	gn Structures:	\$

PROPOSAL SCHEDULE					
EM NO.	ITEMS	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
		Subtotal of Sign H1EB-11			
			Subtotal o	f Sign H1EB-113	\$
			Subtotal o	f Sign H1EB-114	\$
		• -	Sub <u>ŧ</u> otal o	f Sign H1EB-308	\$
			Subtotal of	Sign H1WB-402	\$
			Subtotal of	Sign H1WB-418	\$
			Subtotal of	Sign H1WB-424	\$
		S	ubtotal of S	ign H1WBR-451	\$
			Subtotal of	Sign H1WB-605	\$
			Subtotal of	Sign 78EBR-822	\$
			Subtotal of	Sign 78WB-851	\$
		5	Subtotal of S	Sign 78WBR-871	\$
		Sub	total For Al	l Sign Structures	\$
			a. Sum	of All Subtotals	\$
	Either Furnish Foreign Steel Not to Exceed Minimal Amount (F	ill in "0") or Furnish Foreig	n Steel in E Amoun	ccess of Minimal t (Fill in 25% x a)	\$
		Total S	Sum for Cor	nparison of Bids	\$

PROPOSAL SCHEDULE

The bidder is directed to Subsection 105.16 – Subcontracts.

The bidder's attention is directed to Sections 696 - Field Office and Project Site Laboratory and 699 - Mobilization for the limitation of the amount bidders are allowed to bid.

If the bid price for any proposal item having a maximum allowable bid indicated therefore in any of the contract documents is in excess of such a maximum amount, the bid price for such proposal item shall be adjusted to reflect the limitation thereon. The comparison of bids to determine the successful bidder and the amount of contract to be awarded shall be determined after such adjustments are made, and such adjustments shall be binding upon the bidder.

The bidder is directed to Section 717 – Cullet and Cullet-Made Materials regarding recycling of waste glass.

INSTRUCTIONS TO COMPUTE THE AMOUNT FOR COMPARISON OF BIDS FOR FOREIGN STEEL

Each bidder shall indicate its intention to furnish foreign steel on this project by initialing after the AMOUNT for each of the items the bidder intends to use such foreign steel including lump sum items. A bidder not indicating such usage certifies that the bidder will furnish and use only domestic steel on this project. Also, the bidder shall add an additional 25% to the SUM OF ALL ITEMS if the bid submitted is based on furnishing foreign steel in excess of the minimal use specified in Subsection 106.11 - Steel and Iron Construction Material.