Attachment I – Corrective Action Reports

Hawaii Department of Transportation Corrective Action Report

Section 10.1 "Corrective Actions" Defined

Corrective actions are actions taken in compliance with this section to:

- a. Repair, modify, or replace any storm water control used at the site
- b. Clean up and properly dispose of spills, releases, or other deposits
- c. Remedy a permit violation

Section 10.2.1. Triggering Events

The following are triggers that require corrective action be taken (this triggering condition is to be documented within 24 hours of discovering the occurrence):

\[
\sum A \text{ required storm water control was never installed, was installed incorrectly, or not in accordance with the requirements in HAR Chapter 11-55, sections 5 and/or 6.}\]

The Contractor/Engineer becomes aware that the storm water controls installed and
being maintained are not effective enough for the discharge to meet applicable water
quality standards or applicable requirements in HAR Chapter 11-55, section 6.1.
The Contractor shall notify the Engineer immediately. The Engineer will notify the
Department of Health by the end of the next work day.
Date/time Engineer notified by Contractor

Date/time DOH notified by Engineer

	One of the p	orohibited	discharges	below is	occurring	or has	occurred:
_	one of me p	, o , i i o i i c ci	criberrett geb	octon is	00000000	O' ITOUS	occur, cu.

 F		. 0			
Wastewater	from was	shout of	conci	rete	

- ☐ Wastewater from washout and cleanout of stucco, paint, form release oils, curing compounds and other construction materials
- ☐ Fuels, oils, or other pollutants used in vehicle and equipment operation and maintenance
- ☐ Soaps, solvents, or detergents used in vehicle and equipment washing
- ☐ Toxic or hazardous substances from a spill or other release

Section 10.2. Requirements for Taking Corrective Actions

The Contractor shall complete corrective actions in accordance with the deadlines specified below. In all circumstances, the Contractor shall immediately take all reasonable steps to minimize or prevent the discharge of pollutants until a permanent solution is installed and made operational, including cleaning up any contaminated surfaces so that the material will not discharge in subsequent storm events. Immediately means the same day the condition is discovered, unless it is too late in the day, in which initiation of corrective action must begin on the following work day.

Following any of the above triggering events, the Contractor shall install a new or modified control and make it operational, or complete the repair, by no later than 7 calendar days from the time of discovery. If it is infeasible to complete the installation or repair within 7 calendar days, the Contractor shall document and submit to the Engineer, for his agreement, why it is infeasible to complete the installation or repair within the 7 calendar day timeframe and

	at a schedule for installing the storm water control(s) and making it operational as soon cable after the 7-day timeframe.
Date inst	tallation/repair completed or date/time prohibited discharge ceased
	t is infeasible to complete installation or repair within 7 calendar days and proposed (if applicable)
Within 24 Chapter	nitial Report (24 Hours) 4 hours of discovering the occurrence of one of the triggering conditions in HAR 11-55, section 10.2.1. at the site, the Contractor must complete the following:
• T	The nature of the condition identified
• T	The date and time of the condition identified and how it was identified
Within 7	Final Report (7 Days) <u>calendar days</u> of discovering the occurrence of one of the triggering conditions in HAR 11-55, section 10.2.1. at the site, the Contractor must complete a report of the g:
	ny follow-up actions taken to review the design, installation, and maintenance of storm vater controls, including the dates such actions occurred
So	a summary of storm water control modifications taken or to be taken, including a chedule of activities necessary to implement changes, and the date the modifications are ompleted or expected to be completed
	Notice of whether SWPPP modifications are required as a result of the condition dentified or corrective action
Where co	10.2.2. SWPPP Modification Due to Corrective Actions orrective actions result in changes to any of the storm water controls or procedures tted in the SWPPP, modify the SWPPP accordingly within 7 calendar days of completing

corrective action work.

Date SWPPP modified
ection 10.3 Corrective Actions Required by the Department of Health (DOH)
he Contractor shall comply with any corrective actions required by the department as a result fermit violations found during an inspection by DOH or EPA.
Vas the Corrective Action triggered by a DOH/EPA inspection? Yes No Date of DOH/EPA Inspection
ection 10.4.3. Certification he certifying person and duly authorized representative shall meet the requirements of Hawaii dministrative Rules 11-55, Appendix A, Section 15.
certify under penalty of law that this document and all attachments were prepared under my irection or supervision in accordance with a system designed to assure that qualified personnel roperly gather and evaluate the information submitted. Based on my inquiry of the person or ersons who manage the system, or those persons directly responsible for gathering the aformation, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, accluding the possibility of fine and imprisonment for knowing violations.
ignature:Date:
erson Name: <u>Pratt Kinimaka</u>
erson Position Title: <u>District Engineer</u>
erson Company or Agency: <u>State of Hawaii</u>
pepartment: <u>Department of Transportation</u> Division: <u>Highways Division</u>
hone Number: <u>(808) 831-6700 Ext. 126</u> Fax No.: <u>(808) 831-6725</u>
erson Email: <u>Pratt.Kinimaka@hawaii.gov</u>