


ATTACHMENT A-4

HDOT Drainage Mapping


(This page intentionally left blank.)

(This page intentionally left blank.)


FED. ROAD DIST. NO.	STATE	PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW.	HWY-0-02-18M	2018	11	33



FED. ROAD DIST. NO.	STATE	PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW.	HWY-0-02-18M	2018	12	33






FED. ROAD DIST. NO.	STATE	PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW.	HWY-0-02-18M	2018	18	33



NOTES:


1. For boring log data, see Sheet EC-22 & EC-23

LEGEND

-  A.C. Pavement Demolition, Approx. 2" to 3.5" Thick (Exist. Base Course to Remain)
-  Direction of Flow
-  Approx. Boring Location and ID Number

TEMPORARY BMP AND DEMOLITION PLAN WINDWARD BASEYARD

Scale: 1" = 30'-0"

 LICENSED PROFESSIONAL ENGINEER NO. 13360-C HAWAII 4/30/18 EXP. DATE This work was prepared by me or under my supervision.	STATE OF HAWAII DEPARTMENT OF TRANSPORTATION HIGHWAYS DIVISION TEMPORARY BMP AND DEMO PLAN WINDWARD BASEYARD STORM WATER BEST MANAGEMENT PRACTICES IMPROVEMENTS AT MAINTENANCE BASEYARDS ON OAHU Project No. HWY-0-02-18M Scale: 1" = 30'-0" Date: March 2018
	SHEET No. EC-08 OF 23 SHEETS
	18

HDOT HIGHWAYS OAHU CONSTRUCTION DISCHARGE RESPONSE FLOW CHART

