

PROPOSAL SCHEDULE - AREA 1

ITEM NO.	ITEM DESCRIPTION	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
209.0100	Installation, Maintenance, Monitoring, and Removal of BMP	F.A.	F.A.	F.A.	\$ 600,000.00
401.0100	HMA Pavement, Mix No. V Leveling	500	Ton	\$ _____	\$ _____
401.0300	2 Inch HMA Pavement Overlay, Mix No. IV	3,600	Ton	\$ _____	\$ _____
401.0420	2 Inch HMA Pavement, Mix No. IV	30,000	SY	\$ _____	\$ _____
401.0510	3 Inch HMA Pavement, Mix No. IV	30,000	SY	\$ _____	\$ _____
401.0610	4 Inch HMA Pavement, Mix No. IV	10,000	SY	\$ _____	\$ _____
401.0700	2 Inch PMA Pavement	30,000	SY	\$ _____	\$ _____
401.0710	Third-Party Profile Testing and Equipment	Allow	Allow	Allow	\$ 335,000.00
401.0720	Third-Party Dispute Resolution Profile Testing	Allow	Allow	Allow	\$ 200,000.00
401.0730	Pavement Smoothness Incentive	Allow	Allow	Allow	\$ 27,000.00
401.0800	Overtime Labor Premium	F.A.	F.A.	F.A.	\$ 5,000.00
404.0100	Slurry Seal	40,000	SY	\$ _____	\$ _____
406.0420	2 Inch SMA Pavement	30,000	SY	\$ _____	\$ _____
406.0510	3 Inch SMA Pavement	30,000	SY	\$ _____	\$ _____
406.0610	4 Inch SMA Pavement	10,000	SY	\$ _____	\$ _____
406.0710	Third-Party Profile Testing and Equipment	Allow	Allow	Allow	\$ 600,000.00
406.0720	Third-Party Dispute Resolution Profile Testing	Allow	Allow	Allow	\$ 360,000.00

PROPOSAL SCHEDULE - AREA 1

ITEM NO.	ITEM DESCRIPTION	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
406.0730	Pavement Smoothness Incentive	Allow	Allow	Allow	\$ 72,000.00
414.0110	Reconstruction of Weakened Pavement Areas, 6 Inch	10,000	SY	\$ _____	\$ _____
414.0111	Reconstruction of Weakened Pavement Areas, 8 Inch	10,000	SY	\$ _____	\$ _____
414.0112	Reconstruction of Weakened Pavement Areas, 12 Inch	10,000	SY	\$ _____	\$ _____
416.0150	Scarify Existing Pavement	30,000	SY	\$ _____	\$ _____
417.1000	Cut Cores in Existing Pavement	5	Each	\$ _____	\$ _____
604.0100	Adjusting Manhole Cast Iron Frame and Cover	20	Each	\$ _____	\$ _____
621.0100	Vehicular Counting and Classification System Sensor Replacement	F.A.	F.A.	F.A.	\$ 15,000.00
623.0100	Loop Detector Sensing Unit (6 Ft. x 6 Ft. Square or 6 Ft. Diameter)	20	Each	\$ _____	\$ _____
623.0300	Approach-Only Microwave Vehicle Detector	5	Each	\$ _____	\$ _____
645.0100	Traffic Control (Shoulder Closure, per day)	50	Each	\$ _____	\$ _____
645.0200	Traffic Control (Flagging Operation, per day)	50	Each	\$ _____	\$ _____
645.0300	Traffic Control (Single-Lane Closure, per day)	50	Each	\$ _____	\$ _____
645.1000	Electronic Message Board (per day)	2	Each	\$ _____	\$ _____
a. Sum of All Items - Area 1					\$ _____
NOTE: Bidders must complete all unit prices and amounts. Failure to do so may be grounds for rejection of bids.					

PROPOSAL SCHEDULE - AREA 2

ITEM NO.	ITEM DESCRIPTION	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
209.0100	Installation, Maintenance, Monitoring, and Removal of BMP	F.A.	F.A.	F.A.	\$ 600,000.00
401.0100	HMA Pavement, Mix No. V Leveling	500	Ton	\$ _____	\$ _____
401.0300	2 Inch HMA Pavement Overlay, Mix No. IV	3,600	Ton	\$ _____	\$ _____
401.0420	2 Inch HMA Pavement, Mix No. IV	30,000	SY	\$ _____	\$ _____
401.0510	3 Inch HMA Pavement, Mix No. IV	30,000	SY	\$ _____	\$ _____
401.0610	4 Inch HMA Pavement, Mix No. IV	10,000	SY	\$ _____	\$ _____
401.0700	2 Inch PMA Pavement	30,000	SY	\$ _____	\$ _____
401.0710	Third-Party Profile Testing and Equipment	Allow	Allow	Allow	\$ 335,000.00
401.0720	Third-Party Dispute Resolution Profile Testing	Allow	Allow	Allow	\$ 200,000.00
401.0730	Pavement Smoothness Incentive	Allow	Allow	Allow	\$ 27,000.00
401.0800	Overtime Labor Premium	F.A.	F.A.	F.A.	\$ 5,000.00
404.0100	Slurry Seal	40,000	SY	\$ _____	\$ _____
406.0420	2 Inch SMA Pavement	30,000	SY	\$ _____	\$ _____
406.0510	3 Inch SMA Pavement	30,000	SY	\$ _____	\$ _____
406.0610	4 Inch SMA Pavement	10,000	SY	\$ _____	\$ _____
406.0710	Third-Party Profile Testing and Equipment	Allow	Allow	Allow	\$ 600,000.00
406.0720	Third-Party Dispute Resolution Profile Testing	Allow	Allow	Allow	\$ 360,000.00

PROPOSAL SCHEDULE - AREA 2

ITEM NO.	ITEM DESCRIPTION	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
406.0730	Pavement Smoothness Incentive	Allow	Allow	Allow	\$ 72,000.00
414.0110	Reconstruction of Weakened Pavement Areas, 6 Inch	10,000	SY	\$ _____	\$ _____
414.0111	Reconstruction of Weakened Pavement Areas, 8 Inch	10,000	SY	\$ _____	\$ _____
414.0112	Reconstruction of Weakened Pavement Areas, 12 Inch	10,000	SY	\$ _____	\$ _____
416.0150	Scarify Existing Pavement	30,000	SY	\$ _____	\$ _____
417.1000	Cut Cores in Existing Pavement	5	Each	\$ _____	\$ _____
604.0100	Adjusting Manhole Cast Iron Frame and Cover	20	Each	\$ _____	\$ _____
621.0100	Vehicular Counting and Classification System Sensor Replacement	F.A.	F.A.	F.A.	\$ 15,000.00
623.0100	Loop Detector Sensing Unit (6 Ft. x 6 Ft. Square or 6 Ft. Diameter)	20	Each	\$ _____	\$ _____
623.0300	Approach-Only Microwave Vehicle Detector	5	Each	\$ _____	\$ _____
645.0100	Traffic Control (Shoulder Closure, per day)	50	Each	\$ _____	\$ _____
645.0200	Traffic Control (Flagging Operation, per day)	50	Each	\$ _____	\$ _____
645.0300	Traffic Control (Single-Lane Closure, per day)	50	Each	\$ _____	\$ _____
645.1000	Electronic Message Board (per day)	2	Each	\$ _____	\$ _____
a. Sum of All Items - Area 2					\$ _____
NOTE: Bidders must complete all unit prices and amounts. Failure to do so may be grounds for rejection of bids.					

PROPOSAL SCHEDULE - AREA 3

ITEM NO.	ITEM DESCRIPTION	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
209.0100	Installation, Maintenance, Monitoring, and Removal of BMP	F.A.	F.A.	F.A.	\$ 600,000.00
401.0100	HMA Pavement, Mix No. V Leveling	500	Ton	\$ _____	\$ _____
401.0300	2 Inch HMA Pavement Overlay, Mix No. IV	3,600	Ton	\$ _____	\$ _____
401.0420	2 Inch HMA Pavement, Mix No. IV	30,000	SY	\$ _____	\$ _____
401.0510	3 Inch HMA Pavement, Mix No. IV	30,000	SY	\$ _____	\$ _____
401.0610	4 Inch HMA Pavement, Mix No. IV	10,000	SY	\$ _____	\$ _____
401.0700	2 Inch PMA Pavement	30,000	SY	\$ _____	\$ _____
401.0710	Third-Party Profile Testing and Equipment	Allow	Allow	Allow	\$ 335,000.00
401.0720	Third-Party Dispute Resolution Profile Testing	Allow	Allow	Allow	\$ 200,000.00
401.0730	Pavement Smoothness Incentive	Allow	Allow	Allow	\$ 27,000.00
401.0800	Overtime Labor Premium	F.A.	F.A.	F.A.	\$ 5,000.00
404.0100	Slurry Seal	40,000	SY	\$ _____	\$ _____
406.0420	2 Inch SMA Pavement	30,000	SY	\$ _____	\$ _____
406.0510	3 Inch SMA Pavement	30,000	SY	\$ _____	\$ _____
406.0610	4 Inch SMA Pavement	10,000	SY	\$ _____	\$ _____
406.0710	Third-Party Profile Testing and Equipment	Allow	Allow	Allow	\$ 600,000.00
406.0720	Third-Party Dispute Resolution Profile Testing	Allow	Allow	Allow	\$ 360,000.00

PROPOSAL SCHEDULE - AREA 3

ITEM NO.	ITEM DESCRIPTION	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
406.0730	Pavement Smoothness Incentive	Allow	Allow	Allow	\$ 72,000.00
414.0110	Reconstruction of Weakened Pavement Areas, 6 Inch	10,000	SY	\$ _____	\$ _____
414.0111	Reconstruction of Weakened Pavement Areas, 8 Inch	10,000	SY	\$ _____	\$ _____
414.0112	Reconstruction of Weakened Pavement Areas, 12 Inch	10,000	SY	\$ _____	\$ _____
416.0150	Scarify Existing Pavement	30,000	SY	\$ _____	\$ _____
417.1000	Cut Cores in Existing Pavement	5	Each	\$ _____	\$ _____
604.0100	Adjusting Manhole Cast Iron Frame and Cover	20	Each	\$ _____	\$ _____
621.0100	Vehicular Counting and Classification System Sensor Replacement	F.A.	F.A.	F.A.	\$ 15,000.00
623.0100	Loop Detector Sensing Unit (6 Ft. x 6 Ft. Square or 6 Ft. Diameter)	20	Each	\$ _____	\$ _____
623.0300	Approach-Only Microwave Vehicle Detector	5	Each	\$ _____	\$ _____
645.0100	Traffic Control (Shoulder Closure, per day)	50	Each	\$ _____	\$ _____
645.0200	Traffic Control (Flagging Operation, per day)	50	Each	\$ _____	\$ _____
645.0300	Traffic Control (Single-Lane Closure, per day)	50	Each	\$ _____	\$ _____
645.1000	Electronic Message Board (per day)	2	Each	\$ _____	\$ _____
a. Sum of All Items - Area 3					\$ _____
NOTE: Bidders must complete all unit prices and amounts. Failure to do so may be grounds for rejection of bids.					

PROPOSAL SCHEDULE - AREA 4

ITEM NO.	ITEM DESCRIPTION	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
209.0100	Installation, Maintenance, Monitoring, and Removal of BMP	F.A.	F.A.	F.A.	\$ 600,000.00
401.0100	HMA Pavement, Mix No. V Leveling	500	Ton	\$ _____	\$ _____
401.0300	2 Inch HMA Pavement Overlay, Mix No. IV	3,600	Ton	\$ _____	\$ _____
401.0420	2 Inch HMA Pavement, Mix No. IV	30,000	SY	\$ _____	\$ _____
401.0510	3 Inch HMA Pavement, Mix No. IV	30,000	SY	\$ _____	\$ _____
401.0610	4 Inch HMA Pavement, Mix No. IV	10,000	SY	\$ _____	\$ _____
401.0700	2 Inch PMA Pavement	30,000	SY	\$ _____	\$ _____
401.0710	Third-Party Profile Testing and Equipment	Allow	Allow	Allow	\$ 335,000.00
401.0720	Third-Party Dispute Resolution Profile Testing	Allow	Allow	Allow	\$ 200,000.00
401.0730	Pavement Smoothness Incentive	Allow	Allow	Allow	\$ 27,000.00
401.0800	Overtime Labor Premium	F.A.	F.A.	F.A.	\$ 5,000.00
404.0100	Slurry Seal	40,000	SY	\$ _____	\$ _____
406.0420	2 Inch SMA Pavement	30,000	SY	\$ _____	\$ _____
406.0510	3 Inch SMA Pavement	30,000	SY	\$ _____	\$ _____
406.0610	4 Inch SMA Pavement	10,000	SY	\$ _____	\$ _____
406.0710	Third-Party Profile Testing and Equipment	Allow	Allow	Allow	\$ 600,000.00
406.0720	Third-Party Dispute Resolution Profile Testing	Allow	Allow	Allow	\$ 360,000.00

PROPOSAL SCHEDULE - AREA 4

ITEM NO.	ITEM DESCRIPTION	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
406.0730	Pavement Smoothness Incentive	Allow	Allow	Allow	\$ 72,000.00
414.0110	Reconstruction of Weakened Pavement Areas, 6 Inch	10,000	SY	\$ _____	\$ _____
414.0111	Reconstruction of Weakened Pavement Areas, 8 Inch	10,000	SY	\$ _____	\$ _____
414.0112	Reconstruction of Weakened Pavement Areas, 12 Inch	10,000	SY	\$ _____	\$ _____
416.0150	Scarify Existing Pavement	30,000	SY	\$ _____	\$ _____
417.1000	Cut Cores in Existing Pavement	5	Each	\$ _____	\$ _____
604.0100	Adjusting Manhole Cast Iron Frame and Cover	20	Each	\$ _____	\$ _____
621.0100	Vehicular Counting and Classification System Sensor Replacement	F.A.	F.A.	F.A.	\$ 15,000.00
623.0100	Loop Detector Sensing Unit (6 Ft. x 6 Ft. Square or 6 Ft. Diameter)	20	Each	\$ _____	\$ _____
623.0300	Approach-Only Microwave Vehicle Detector	5	Each	\$ _____	\$ _____
645.0100	Traffic Control (Shoulder Closure, per day)	50	Each	\$ _____	\$ _____
645.0200	Traffic Control (Flagging Operation, per day)	50	Each	\$ _____	\$ _____
645.0300	Traffic Control (Single-Lane Closure, per day)	50	Each	\$ _____	\$ _____
645.1000	Electronic Message Board (per day)	2	Each	\$ _____	\$ _____
a. Sum of All Items - Area 4					\$ _____
NOTE: Bidders must complete all unit prices and amounts. Failure to do so may be grounds for rejection of bids.					

PROPOSAL SCHEDULE - SUMMARY

	ITEM DESCRIPTION				AMOUNT
	TOTAL OF ALL ITEMS - AREA 1				\$ _____
	TOTAL OF ALL ITEMS - AREA 2				\$ _____
	TOTAL OF ALL ITEMS - AREA 3				\$ _____
	TOTAL OF ALL ITEMS - AREA 4				\$ _____

1 **PROPOSAL SCHEDULE**

2
3 If the bid price for any proposal item having a maximum allowable bid
4 indicated therefore in any of the contract documents is in excess of such a
5 maximum amount, the bid price for such proposal item shall be adjusted to
6 reflect the limitation thereon. The comparison of bids to determine the
7 successful bidder and the amount of contract to be awarded shall be determined
8 after such adjustments are made, and such adjustments shall be binding upon
9 the bidder.

10
11 The "TOTAL OF ALL ITEMS" will be used to determine the lowest
12 responsible bidder per area.

13
14 **Notes:**

- 15
16 1. Bid prices are for travel time, mileage and furnishing all labor, tools,
17 traffic controls, all applicable taxes, fees and equipment necessary
18 for all work shown and called for in accordance with the true intent
19 and meaning of the specifications.
20
21 2. Bidder may bid on any or all areas. To be considered, bidder must
22 submit a bid for all items within an area. Separate contracts will be
23 awarded for each area. If a bidder is determined the lowest bidder
24 for multiple areas, one combined contract will be awarded.
25
26 3. Any contract which is awarded shall be an open-ended contract
27 since the exact value of work to be performed during the contract
28 period cannot be determined beforehand. The unit price for each
29 item of work on any particular work order shall be that which
30 corresponds to the quantity of work for that item actually performed
31 for each work order.
32
33 4. The sum of all work and materials required to perform the required
34 repairs are issued on a "single work order." A single work order
35 shall be a work order submitted by the Engineer for work that can
36 be performed by the Contractor without relocating a distance of
37 more than 1 mile between any two adjacent repair locations.
38
39 5. The "Approx. Quantity" on the proposal schedule is for bidding
40 purposes only, and this is no guarantee of the quantity of work that
41 will be issued.

42
43 The bidder is directed to Subsection 105.16 – Subcontracts.

44
45 The bidder is directed to Section 717 – Cullet and Cullet-Made Materials
46 regarding recycling of waste glass.