	PROPOSAL SCHEDULE							
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT		AMOUNT			
201.0400	Clearing and Grubbing	L.S.	L.S.	L.S.	\$			
202.0420	Removal of Existing Traffic Signs	L.S.	L.S.	L.S.	\$			
202.0050	Removal of Existing Curb and Gutter	L.S.	L.S.	L.S.	\$			
202.0030	Removal of Existing Sidewalk	L.S.	L.S.	L.S.	\$			
202.0430	Removal of Existing Grassed Median	L.S.	L.S.	L.S.	\$			
202.0440	Removal of Existing Pavement	L.S.	L.S.	L.S.	\$			
209.0100	Installation, Maintenance, Monitoring, and Removal of BMP	L.S.	L.S.	L.S.	\$			
209.0200	Additional Water Pollution, Dust, and Erosion Control	F.A.	F.A.	F.A.	\$ <u>50,000.00</u>			
212.0100	Archaeological Monitoring	F.A.	F.A.	F.A.	\$ <u>100,000.00</u>			
301.0400	Hot Mix Asphalt Base Course	L.S.	L.S.	L.S.	\$			
401.0400	Asphalt Concrete Pavement Mix No. IV	135	S.Y.	\$	\$			
415.0400	Cold Planing of Existing Pavement	370	S.Y.	\$	\$			
607.0400	Green Vinyl Coated Chain Link Fence	60	L.F.	\$	\$			
617.0400	Imported Planting Soil	L.S.	L.S.	L.S.	\$			
619.0400	Arborist Services	F.A.	F.A.	F.A.	\$ <u>50,000.00</u>			

	PROPOSAL SCHEDULE								
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT		AMOUNT				
621.0001	Street Light Sawcut, Trench, Excavation, and Backfill	400	L.F.	\$	\$				
621.0002	HECO Sawcut, Trench, Excavation and Backfill	150	L.F.	\$	\$				
621.0003	HECO Metering Equipment	2	Each	\$	\$				
621.0004	1-3" HECO Concrete Encased Conduit	100	L.F.	\$	\$				
621.0005	1-2" Secondary Concrete Encased Conduit	50	L.F.	\$	\$				
621.0006	1-1.5" Street Light Concrete Encased Conduit	400	L.F.	\$	\$				
621.0007	2' x 4' HECO Handhole	2	Each	\$	\$				
621.0008	State Street Light Standard, Base, and Single Arm and 120W Luminaire	8	Each	\$	\$				
621.0009	State Street Light Standard, Base, and Dual Arm and 120W Luminaire	1	Each	\$	\$				
621.0010	Street Light Conductors	400	L.F.	\$	\$				
621.0011	Secondary Cables 2#8, #8 Gnd XHHW CU Cable	50	L.F.	\$	\$				
621.0012	Service Cables 3#2, #8 Gnd XHHW CU Cable	10	L.F.	\$	\$				
621.0013	Hawaiian Electric Co. Charges	F.A.	F.A.	F.A.	\$ <u>20,000.00</u>				

PROPOSAL SCHEDULE							
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT		AMOUNT		
623.1000	Furnish and Install Controller Assembly with Firmware (Model 2070 Traffic Signal Controller Unit, Type 332A Cabinet and Auxiliary Equipment)	2	Each	\$	\$		
623.2001	Type I Traffic Signal Standard, H=8 Ft	2	Each	\$	\$		
623.2002	Type I Traffic Signal Standard, H=10 Ft	12	Each	\$	\$		
623.2003	Type II Traffic Signal Standard With 30-Foot Mast Arm	4	Each	\$	\$		
623.2011	Foundation For Type I Signal Standard	14	Each	\$	\$		
623.2012	Foundation For Type II Signal Standard	4	Each	\$	\$		
623.2013	Foundation For Controller Cabinet	2	Each	\$	\$		
623.3001	Traffic Signal Assembly, (1-Way, 12-Inch, 1-3 Section Vertical With Type Tp-1w Mounting)	9	Each	\$	\$		
623.3002	Traffic Signal Assembly, (1-Way, 12-Inch, 1-3 Section Vertical With Type B-1w Mounting)	3	Each	\$	\$		
623.3003	Traffic Signal Assembly, (1-Way, 12-Inch, 1-3 Section Vertical With Type Ma-1w(1) Mounting)	8	Each	\$	\$		
623.3004	Traffic Signal Assembly, (1-Way, 12-Inch, 1-3 Section Vertical, Programmable Visibility Head With Type With Type Tp-1w Mounting)	2	Each	\$	\$		

PROPOSAL SCHEDULE							
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT		
623.3005	Traffic Signal Assembly, (1-Way, 12-Inch, 1-3 Section Vertical, Programmable Visibility Head With Type Ma- 1w(1) Mounting)	1	Each	\$	\$		
623.3006	Traffic Signal Assembly, (2-Way, 12-Inch, 1-3 Section Vertical with Type TP-2w Mounting)	1	Each	\$	\$		
623.3011	Evp Optical Receiver With Mast Arm Mounting	4	Each	\$	\$		
623.3012	Evp Optical Receiver With Top Of Pole Mounting	3	Each	\$	\$		
623.3021	Pedestrian Signal Assembly, (1-Way, 12-Inch, One Vertical With Type B-1w Mounting)	2	Each	\$	\$		
623.3022	Pedestrian Signal Assembly, (1-Way, 12-Inch, One Vertical With Type C-1w Mounting)	7	Each	\$	\$		
623.3023	Pedestrian Signal Assembly, (2-Way, 12-Inch, One Vertical With Type C-2w Mounting)	1	Each	\$	\$		
623.3024	Pedestrian Signal Assembly, (1-Way, 12-Inch, One Vertical With Type Tp-1w Mounting)	1	Each	\$	\$		
623.3025	Pedestrian Signal Assembly, (2-Way, 12-Inch, One Vertical With Type Tp-2w Mounting)	1	Each	\$	\$		
623.4001	Pedestrian Push Button With Instruction Sign	13	Each	\$	\$		
623.5001	Traffic Signal Ductline, One 2-Inch Conduit, Sch 40 Pvc, Concrete Encased	50	L.F.	\$	\$		

PROPOSAL SCHEDULE							
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT		
623.5002	Traffic Signal Ductline, Two 2-Inch Conduit, Sch 40 Pvc, Concrete Encased	2,600	L.F.	\$	\$		
623.5003	Traffic Signal Ductline, Four 2-Inch Conduit, Sch 40 Pvc, Concrete Encased	400	L.F.	\$	\$		
623.5004	Traffic Signal Ductline, Five 2-Inch Conduit, Sch 40 Pvc, Concrete Encased	250	L.F.	\$	\$		
623.5005	Traffic Signal Ductline, Six 2-Inch Conduit, Sch 40 Pvc, Concrete Encased	200	L.F.	\$	\$		
623.5006	Traffic Signal Ductline, Seven 2-Inch Conduit, Sch 40 Pvc, Concrete Encased	125	L.F.	\$	\$		
623.5007	Traffic Signal Ductline, Eight 2-Inch Conduit, Sch 40 Pvc, Concrete Encased	125	L.F.	\$	\$		
623.5008	Traffic Signal Ductline, Four 2-Inch Conduit And Two 3- Inch Conduit, Sch 40 Pvc, Concrete Encased	10	L.F.	\$	\$		
623.5009	Traffic Signal Ductline, Four 2-Inch Conduit And Three 3- Inch Conduit, Sch 40 Pvc, Concrete Encased	10	L.F.	\$	\$		
623.6001	Type A Pullbox	3	Each	\$	\$		
623.6002	Type B Pullbox	31	Each	\$	\$		
623.6003	Type C Pullbox	2	Each	\$	\$		

PROPOSAL SCHEDULE								
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT			
623.6004	Replace Type B Pullbox	2	Each	\$	\$			
623.7001	No. 14, 2-Conductor Loop Detector Lead-In Cable	8,600	L.F.	\$	\$			
623.7002	No. 14, 26-Conductor Traffic Control Cable	2,000	L.F.	\$	\$			
623.7003	No. 8, 3-Conductor Power Cable	100	L.F.	\$	\$			
623.7004	EVP Cable	1,300	L.F.	\$	\$			
623.8001	Loop Detector Sensing Unit (6 Ft X 6 Ft) Two Loops	16	Each	\$	\$			
623.8002	Loop Detector Sensing Unit (6 Ft X 6 Ft) Four Loops	6	Each	\$	\$			
623.8003	Loop Detector Sensing Unit (6 Ft X 6 Ft) Six Loops	3	Each	\$	\$			
627.1000	Traffic Signal Control System	L.S.	L.S.	L.S.	\$			
627.1001	Existing Traffic Signal Control Fiber Interface	L.S.	L.S.	L.S.	\$			
627.1002	CCTV Traffic Camera Assembly	2	Each	\$	\$			
627.1003	Cellular Modem Data Service	F.A.	F.A.	F.A.	\$4,000.0			
629.0401	4-inch Pavement Striping (Tape, Type I or Thermoplastic)	300	L.F.	\$	\$			
629.0402	4-inch Pavement Striping (Tape, Type III or Thermoplastic)	1,350	L.F.	\$	\$			

	PROPOSAL SCHEDULE								
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT				
629.0403	6-inch Pavement Striping (Tape, Type II or Thermoplastic)	3,100	L.F.	\$	\$				
629.0404	6-inch Pavement Striping (Tape, Type III or Thermoplastic)	440	L.F.	\$	\$				
629.0405	8-inch Pavement Striping (Tape, Type I or Thermoplastic)	340	L.F.	\$	\$				
629.0406	12-inch Pavement Striping (Tape, Type III or Thermoplastic)	245	L.F.	\$	\$				
629.0407	Crosswalk Marking (Tape, Type III or Thermoplastic)	24	Lane	\$	\$				
629.0408	Pavement Arrow (Tape, Type III or Thermoplastic)	20	Each	\$	\$				
629.0409	Pavement Symbol (Paint, Tape, Type I, or Thermoplastic)	4	Each	\$	\$				
629.0410	Type "C" Pavement Marker	86	Each	\$	\$				
629.0411	Type "D" Pavement Marker	7	Each	\$	\$				
629.0412	Type "H" Pavement Marker	42	Each	\$	\$				
629.0413	Temporary Construction Zone Markings	L.S.	L.S.	L.S.	\$				
629.0414	Curb, 4-inch Markings (Paint) (250 L.F.)	L.S.	L.S.	L.S.	\$				
630.0400	Street Name Sign on Traffic Signal Mast Arm	4	Each	\$	\$				
631.0300	Regulatory Sign (10 Square Feet or Less) with post	6	Each	\$	\$				

	PROPOSAL SCHEDULE							
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT			
631.0400	Warning Sign (10 Square Feet or Less) with post	1	Each	\$	\$			
632.0400	Type II Object Marker	7	Each	\$	\$			
634.0400	Portland Cement Concrete Sidewalk	615	S.Y.	\$	\$			
638.0401	Curb, Type 2D	30	L.F.	\$	\$			
638.0402	Curb and Gutter, Type 2DG	600	L.F.	\$	\$			
639.0401	Curb, Type 6	1,500	L.F.	\$	\$			
639.0402	Curb, 4-inch	250	L.F.	\$	\$			
641.0400	Hydro-mulch Seeding	L.S.	L.S.	L.S.	\$			
643.0100	Maintenance of Existing Landscape Areas	F.A.	F.A.	F.A.	\$ <u>25,000.00</u>			
645.1000	Traffic Control	L.S.	L.S.	L.S.	\$			
645.2000	Additional Police Officers And/or Additional Control Device	F.A.	F.A.	F.A.	\$ <u>50,000.00</u>			
648.0100	Field-Posted Drawings	L.S.	L.S.	L.S.	\$			
650.0401	Curb Ramp, Type "A"	7	Each	\$	\$			
650.0402	Curb Ramp, Type "C"	2	Each	\$	\$			

	PROPOSAL SCHEDULE							
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT			
650.0403	Curb Ramp, Type Combination	2	Each	\$	\$			
650.0404	Detectable Warning Mat	13	Each	\$	\$			
699.1000	Mobilization (Not to Exceed 6 Percent of the Sum of All Items Excluding the Bid Price of this Item)	L.S.	L.S.	L.S.	\$			
	Sum of All Items				\$			
NOTE: Bide	ders must complete all unit prices and amounts. Failure to o	do so may be gr	ounds for r	ejection of bid.				

#### 1 PROPOSAL SCHEDULE

2

3 4 The bidder is directed to Subsection 105.16 – Subcontracts.

5 The bidder's attention is directed to Sections 696 - Field Office and Project 6 Site Laboratory and 699 - Mobilization for the limitation of the amount bidders are 7 allowed to bid. 8

9 If the bid price for any proposal item having a maximum allowable bid 10 indicated therefore in any of the contract documents is in excess of such a maximum amount, the bid price for such proposal item shall be adjusted to reflect 11 The comparison of bids to determine the successful 12 the limitation thereon. bidder and the amount of contract to be awarded shall be determined after such 13 14 adjustments are made, and such adjustments shall be binding upon the bidder.

15

20

16 The bidder is directed to Section 717 – Cullet and Cullet-Made Materials 17 regarding recycling of waste glass. 18

19 PROPOSAL SCHEDULE NOTE

21 Bidders shall submit and upload the complete proposal to HIePRO 22 prior to the bid opening date and time. Proposals received after said due 23 date and time shall bot be considered. Original (wet ink, hard copy) proposal 24 documents are not required to be submitted. Contract award shall be based 25 on evaluation of proposals submitted and uploaded to HlePRO. Any 26 additional support documents explicitly designated as confidential and/or 27 proprietary shall be uploaded as a separate file to HIePRO. Do not include 28 confidential and/or proprietary documents with the proposal. The record of 29 each bidder and respective bid shall be open to public inspection.

30

33

#### FAILURE TO UPLOAD THE COMPLETE PROPOSAL TO HIPRO SHALL BE 31 32 **GROUNDS FOR REJECTION ON THE BID.**

34 If there is a conflict between the specification document and the HIePRO 35 solicitation, the specifications shall govern and control, unless otherwise 36 specified.

- 37
- 38
- 39 40
- 41
- 42
- 43
- 44
- 45
- 46 47