

**AUTHORIZATION TO DISCHARGE UNDER THE
NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM**

In compliance with the provisions of the Clean Water Act, as amended, (33 U.S.C. §1251 et seq.; the "Act"); Hawaii Revised Statutes, Chapter 342D; and Hawaii Administrative Rules (HAR), Chapters 11-54 and 11-55, Department of Health (DOH), State of Hawaii;

**STATE OF HAWAII
DEPARTMENT OF TRANSPORTATION
HIGHWAYS DIVISION (DOT-HWYS)**

(hereinafter PERMITTEE),

is authorized to discharge storm water associated with construction activities from the Mokapu Saddle Road Rehabilitation, Nanamoana Street to Oneawa Street project site located at Mokapu Saddle Road, Nanamoana Street to Oneawa Street, Kailua, Island of Oahu, Hawaii, TMK: (1) 4-002-017 and (1) 4-004-013, 034, and 036 to the receiving State waters identified in the table below:

Discharge Point No.	Receiving State Water	Classification	Latitude (N)	Longitude (W)
1	Kaneohe Bay	Class AA, Marine Embayment	21.41280°	157.77208°
2	Kawainui Marsh	Class 1, Inland Wetland	21.40418°	157.76485°
3	Kawainui Marsh	Class 1, Inland Wetland	21.40480°	157.76300°
4	Kawainui Marsh	Class 1, Inland Wetland	21.40499°	157.76195°
5	Kawainui Marsh	Class 1, Inland Wetland	21.40514°	157.76104°
6	Kawainui Marsh	Class 1, Inland Wetland	21.40542°	157.76027°
7	Kawainui Marsh	Class 1, Inland Wetland	21.40562°	157.75975°
8	Kawainui Marsh	Class 1, Inland Wetland	21.40591°	157.75902°
9 (From)	Kawainui Marsh	Class 1, Inland Wetland	21.40579°	157.75929°
9 (To)	Kawainui Marsh	Class 1, Inland Wetland	21.40634°	157.75790°
10	Kawainui Marsh	Class 1, Inland Wetland	21.40622°	157.75818°
11 (From)	Kawainui Marsh	Class 1, Inland Wetland	21.40634°	157.75790°
11 (To)	Kawainui Marsh	Class 1, Inland Wetland	21.40641°	157.75765°
12	Kawainui Marsh	Class 1, Inland Wetland	21.40647°	157.75749°
13 (From)	Kawainui Canal	Class 2 Inland	21.40666°	157.75683°
13 (To)	Kawainui Canal	Class 2 Inland	21.40825°	157.75497°
14	Kawainui Canal	Class 2 Inland	21.40801°	157.75517°
15	Kawainui Canal	Class 2 Inland	21.40921°	157.75424°
16	Kawainui Canal	Class 2 Inland	21.40949°	157.75402°

in accordance with the general requirements, discharge monitoring requirements and other conditions set forth herein, and in the attached DOH "Standard NPDES Permit Conditions," that is available on the DOH, Clean Water Branch (CWB) website at <http://health.hawaii.gov/cwb/site-map/home/standard-npdes-permit-conditions/>.

All references to Title 40 of the Code of Federal Regulations (CFR) are to regulations that are in effect on July 1, 2015, except as otherwise specified. Unless otherwise specified herein, all terms are defined as provided in the applicable regulations in Title 40 of the CFR.

This permit will become effective on **May 25, 2016**.

This permit and the authorization to discharge will expire at midnight, **May 24, 2021**.

Signed this 25th day of May, 2016.


(For) Director of Health