FED. ROAD DIST. NO.	STATE	FED. AID PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW	N.R.H.G-1	1933	30	51

Feb/33
Sept/33
Dec/33

H.Y.
E.S.G.
D.M.W.Jr.

F.A.P. G-1
H. Young
E. Stone

0+00
C=0
F=120.4 ℄
35.9
38.20
C=0
F=65

1+00
C=0
F=126.8 ℄
35.6
38.12
C=0
F=65

2+00
C=0
F=145.3 ℄
35.3
38.04
C=0
F=72

3+00
C=0
F=156.5 ℄
35.2
37.98
C=0
F=85

4+00
C=0
F=165.7 ℄
35.4
37.96
C=0
F=84

5+00
C=5.5 ℄
F=139.8 ℄
35.7
37.98
C=0
F=95

6+00
C=8.3 ℄
F=87.0 ℄
36.2
38.04
C=6
F=86

7+00
C=2.3 ℄
F=59.9 ℄
36.4
38.12
C=3
F=38

7+50
C=0
F=17.1 ℄
F=1.1 ℄
37.4
38.26
C=36
F=5

4+62

8+00
C=0
F=134.2 ℄
38.9
38.84
C=83
F=0

8+50
C=0
F=120.3 ℄
38.8
38.92
C=67
F=0

9+00
C=0
F=169.4 ℄
39.1
39.00
C=68
F=0

9+50
C=0
F=233.3 ℄
39.0
38.60
C=117
F=0

10+00
C=0
F=217.6 ℄
39.2
38.68
C=135
F=0

10+50
C=0
F=169.4 ℄
39.0
38.76
C=100
F=0

Excavate for ditch inlet
Elev. Invert = 35.5
2-18" Conc. pipe culverts each 58 ft. long Sta. 1+35
Elev. Invert = 35.0

11+00
C=0
F=134.2 ℄
38.9
38.84
C=83
F=0

11+50
C=0
F=206.5 ℄
38.8
38.52
C=106
F=0

12+00
C=0
F=179.6 ℄
37.9
38.44
C=88
F=0

12+50
C=0
F=137.0 ℄
37.4
38.36
C=60
F=0

13+00
C=0
F=93.5 ℄
37.4
38.28
C=41
F=0

BRIDGE

4294.30

FED. ROAD DIST. NO.	STATE	FED. AID PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW	WRH 6-1	1937	31	51

Feb/33
Def/38
Def/33

H.K.Y.
H.E.C.
H.M. Jr.

37.1 38.79
18+00
C= 3
F= 78
C= 2.8 ¢
F= 78.7 ¢

36.6 38.76
12+50
C= 0
F= 57
C=0
F=99.1 ¢

36.4 38.68
12+00
C= 0
F= 50
C=0
F=85.2 ¢

36.8 38.60
11+50
C= 0
F= 42
C=0
F=77.8 ¢

36.8 38.52
11+00
C=0
F= 42
C=0
F=35.0 ¢

36.9 38.49
10+78
C= 0
F= 44

BRIDGE

36.9 38.41
10+31
C= 12
F= 84
C=8.6 ¢
F=38.5 ¢

36.6 38.36
10+00
C= 3
F=33
C= 2.8 ¢
F=84.2 ¢

36.3 38.28
9+50
C=0
F= 58
C=0
F=113.9 ¢

32.1 32.34
18+50
C= 10 ¢
F= 0
C=199.1 ¢
F=0

33.5 33.44
18+00
C= 111
F= 0
C=193.5 ¢
F=0

34.4 34.43
17+50
C=98
F= 0
C=160.2 ¢
F=0

34.7 35.39
17+00
C= 75
F= 0
C=138.9 ¢
F=0

35.5 36.12
16+50
C= 75
F= 0
C=187.0 ¢
F=0

37.5 36.81
16+00
C= 127
F= 0
C=213.0 ¢
F=0

36.8 37.39
15+50
C= 103
F= 0
C=250.9 ¢
F=0

38.9 37.88
15+00
C= 168
F= 0
C=303.7 ¢
F=0

39.3 38.26
14+50
C= 160
F= 0
C=237.0 ¢
F=0

38.8 38.54
14+00
C= 96
F= 0
C=113.9 ¢
F=0.9 ¢

37.1 38.71
13+50
C= 27
F= 1
C=27.8 ¢
F=26.8 ¢

4294.31

FED. ROAD DIST. NO.	STATE	FED. AID PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW	NRH G-1	1933	32	51

Feb/33
Jan/33
Dec/32

H.K.Y.
H.E.S.
U.M.M. Dr.

18.5 ℄ 19.93
C=101.9 ℄
F=40.7 ℄
C=31
F=24
24+00

20.7 20.90
C=875.9 ℄
F=18.5 ℄
23+50
C=79
F=20

24.5 21.99
C=386.1 ℄
F=0
23+00
C=219
F=0

24.6 23.14
C=401.9 ℄
F=0
22+50
C=198
F=0

25.8 24.29
C=401.9 ℄
F=0
22+00
C=236
F=0

26.3 25.44
C=331.5 ℄
F=0
21+50
C=198
F=0

26.7 26.59
C=265.7 ℄
F=0
21+00
C=160
F=0

27.7 27.74
C=227.8 ℄
F=0
20+50
C=127
F=0

29.0 28.89
C=200 ℄
F=0
20+00
C=119
F=0

30.7 30.04
C=193.5 ℄
F=0
19+50
C=97
F=0

30.8 31.19
C=200.0 ℄
F=0
19+00
C=117
F=0

11.9 ℄ 17.72
25+50
C=0
F=406

C=0
F=590.2 ℄
18.11
7.8
25+18
C=0
F=590

C=0
F=410.0 ℄
18.34
5.8
25+00
C=0
F=640

C=0
F=568.5 ℄
18.70
6.8
24+75
C=0
F=588

C=0
F=265.7 ℄

18.91
9.0
24+61
C=0
F=437

C=0
F=48.7 ℄

18.97
14.0
24+57
C=2.3 ℄
F=139.3 ℄
C=0
F=221

17.7 19.37
24+32
C=21.3 ℄
F=61.6 ℄
C=5
F=80

4294.32

FED. ROAD DIST. NO.	STATE	FED. AID PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW	NRH G-1	1933	33	51

Feb/33
Oct/33
Oct/33

HKY
HEC
J.M. Jr.

15.79
9.5
29+00
C=0
F=579.6 ℄
C=0
F=294

15.99
9.4
28+50
C=0
F=628.7 ℄
C=0
F=337

16.19
9.1
28+00
C=0
F=696.3 ℄
C=0
F=347

16.39
8.4
27+50
C=0
F=788.0 ℄
C=0
F=405

16.59
8.2
27+00
Elev. Invert = 9.0
24" conc. pipe culvert
64 Ft. long
Elev. Invert = 8.0
C=0
F=820.4 ℄
C=0
F=446

16.85
8.1
26+50
C=0
F=846.3 ℄
C=0
F=440

17.23
8.4
26+00
C=0
F=402.8 ℄
C=0
F=474

17.47
10.5
25+75
C=0
F=371.3 ℄
C=0
F=396

13.2
14.99
34+00
C=0
F=99.1 ℄
C=0
F=73

13.6
14.99
33+50
C=3.7 ℄
F=42.6 ℄
C=0
F=34

13.8
14.99
33+00
C=3.7 ℄
F=74.1 ℄
C=4
F=12

13.5
14.99
32+50
C=15.7 ℄
F=91.7 ℄
C=0
F=68

13.3
14.99
32+00
C=15.7 ℄
F=67.6 ℄
C=17
F=31

13.3
15.02
31+50
C=0
F=84.3 ℄
C=0
F=42

13.3
15.09
31+00
C=0
F=101.9 ℄
C=0
F=49

13.8
15.22
30+50
C=0
F=215.7 ℄
C=0
F=61

11.8
15.39
30+00
C=0
F=334.3 ℄
C=0
F=172

11.3
15.59
29+50
29+50
C=0
F=447.2 ℄
C=0
F=189


4294.33


4294.33

FED. ROAD DIST. NO.	STATE	FED. AID PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAII	NRH 6-1	1933	34	51

Feb/33
Dec/32
Sept 32

H.K.Y.
E.S.F.
H.H.C.
J.M.M.





4294.34

FED. ROAD DIST. NO.	STATE	FED. AID PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW	NRH 6-1	1933	35	51

F-6155
C-4733
DEPT OF
H.H.W.
F.A.S.C.
U.S.N.H.D.

49+50 — 9.6 — 11.83
C=37.0 ℄ F=56.5 ℄
C=16 F=35

49+00 — 9.9 — 11.70
C=33.3 ℄ F=55.6 ℄
C=24 F=26

48+50 — 9.6 — 11.57
C=19.4 ℄ F=72.2 ℄
C=12 F=34

48+00 — 9.0 — 11.44
C=13.9 ℄ F=94.2 ℄
C=9 F=44

47+50 — 8.7 — 11.32
C=9.2 ℄ F=112.0 ℄
C=6 F=58

47+00 — 8.7 — 11.19
C=7.4 ℄ F=125.9 ℄
C=4 F=63

46+50 — 8.7 — 11.07
C=7.4 ℄ F=136.1 ℄
C=4 F=78

46+00 — 8.2 — 10.94
C=6.5 ℄ F=125.0 ℄
C=4 F=74

45+50 — 8.6 — 10.82
C=10.2 ℄ F=107.4 ℄
C=3 F=61

45+00 — 8.6 — 10.71
C=13.0 ℄ F=85.2 ℄
C=8 F=55

54+50 — 12.3 — 12.37
C=30.7 ℄ F=5.6 ℄
C=72 F=0

54+00 — 12.0 — 12.43
C=25.0 ℄ F=19.4 ℄
C=76 F=6

53+50 — 11.7 — 12.46
C=0.9 ℄ F=41.7 ℄
C=1 F=15

53+00 — 11.6 — 12.46
C=0 F=60.2 ℄
C=0 F=30

52+50 — 11.3 — 12.43
C=0.9 ℄ F=62.0 ℄
C=0 F=35

52+00 — 10.9 — 12.38
C=2.8 ℄ F=59.2 ℄
C=1 F=37

51+50 — 10.6 — 12.30
C=29.6 ℄ F=36.1 ℄
C=2 F=32

51+00 — 10.1 — 12.19
C=30.5 ℄ F=46.3 ℄
C=30 F=7

50+50 — 9.3 — 12.08
C=15.7 ℄ F=71.3 ℄
C=3 F=43


50+00 — 9.3 — 11.95
C=27.8 ℄ F=63.9 ℄
C=14 F=34


4294.35

FED. ROAD DIST. NO.	STATE	FED. AID PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW	WRH 68	1933	36	51

Feb'33
Drft'33
Det'33

H.K.I
H.S.L
H.M. Jr.





4294.36

FED. ROAD DIST. NO.	STATE	FED. AID PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW	NRH-6(1)	1993	37	51

HWY
ENG.
DIV.

Feb/93
Dec/92
Sept/93

9.5 9.99
+50
C=260.2 ℄
F=0
C=140
F= 0

10.3 9.49
69+00
C=203.7 ℄
F=2.8 ℄
C=141
F= 0

10.3 9.59
+50
C=134.3 ℄
F=8.3 ℄
C=79
F= 3

10.5 9.69
68+00
C=90.7 ℄
F=39.8 ℄
C=66
F= 6

10.4 9.79
Excavate for ditch
Elev. Invert = 5.5
30" con. pipe culvert - 53 Ft. long
Excavate ditch
Elev. Invt = 5.5
+50
C=86.1 ℄
F=44.2 ℄
C=38
F=37

10.2 9.89
67+00
C=103.7 ℄
F=15.7 ℄
C=61
F=11

8.5 9.99
+50
C=83.3 ℄
F=8.3 ℄
C=51
F= 6

8.0 10.09
66+00
C=50.0 ℄
F=13.9 ℄
C=39
F= 3

8.4 10.19
+50
C=24.1 ℄
F=28.7 ℄
C=15
F=12

8.8 10.29
65+00
C=10.2 ℄
F=61.1 ℄
C=11
F=19

9.6 8.66
C=86.6 ℄
F=51.8 ℄
73+13
C=130
F= 0

5.0 8.72
C=44.7 ℄
F=160.1 ℄
+85
C=37
F=100

8.79
8.6
C=48.2 ℄
F=206.5 ℄
+50
C=32
F=14.7

6.2 8.89
72+00
C=76.7 ℄
F=127.4 ℄
C=70
F=76

5.5 8.97
+62
C=123.1 ℄
F=46.6 ℄
C=89
F=10.5

12.7 9.01
+38
C=96.5 ℄
F=0
C=188
F= 0

11.6 9.04
+25
C=177.8 ℄
F=0
C=213
F= 0

12.9 9.09
71+00
C=258.8 ℄
F=0.9 ℄
C=171
F= 0

9.3 9.19
Exc. for ditch.
Elev. Invt = 5.6
18" conc. pipe culvert - 39 Ft. long Sta 70+40
Lower existing 18" pipe
Elev. Invt. = 5.0
+50
C=210.2 ℄
F=0.9 ℄
C=102
F= 1

10.1 9.29
70+00
C=245.4 ℄
F=0
C=125
F= 0

4294.37

FED. ROAD DIST. NO.	STATE	FED. AID PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW	WRH G-1	1933	38	51

F.A. 1933
Oct. '33
Corr. '38

H.E.Y.
H.E.S.
A.F.C.
J.M.M. Jr.

6.9 7.89
+50
C = 0
F = 4.8
C = 2.8 ¢
F = 81.5 ¢

6.9 7.89
78+00
C = 3
F = 4.0
C = 6.5 ¢
F = 74.1 ¢

6.9 7.90
+50
C = 4
F = 4.0
C = 14.8 ¢
F = 74.1 ¢

6.0 7.94
77+00
C = 17
F = 4.0
C = 34.2 ¢
F = 81.5 ¢

5.2 8.00
+50
C = 25
F = 4.8
C = 34.2 ¢
F = 85.2 ¢

5.7 8.09
76+00
C = 12
F = 4.4
C = 14.8 ¢
F = 108.4 ¢

5.5 8.19
+50
C = 4
F = 7.3
C = 6.5 ¢
F = 126.9 ¢

5.6 8.29
75+00
C = 8
F = 6.4
C = 2.8 ¢
F = 101.0 ¢

6.0 8.39
+50
C = 0
F = 4.5
C = 44.4 ¢
F = 44.4 ¢

7.9 8.49
74+00
C = 4.8
F = 3
C = 138.9 ¢
F = 2.8 ¢

8.8 8.59
+50
C = 10.7
F = 0
C = 158.9 ¢
F = 0

6.7 7.89
+92
C = 0
F = 28.3

6.5 7.89
+92
C = 0
F = 12.9
C = 1.9 ¢
F = 140.8 ¢

6.1 7.89
+50
C = 2
F = 5.2
C = 2.8 ¢
F = 100.0 ¢

6.5 7.89
82+00
C = 1
F = 5.6
C = 1.9 ¢
F = 100.0 ¢

6.7 7.89
+50
C = 1
F = 5.2
C = 0.9 ¢
F = 73.1 ¢

6.7 7.89
81+00
C = 0
F = 2.7
C = 0
F = 52.8 ¢

6.6 7.89
+50
C = 0
F = 3.0
C = 0
F = 61.1 ¢

6.5 7.89
80+00
C = 0
F = 3.6
C = 0
F = 86.1 ¢

6.5 7.89
+50
C = 0
F = 5.7
C = 0
F = 95.3 ¢

6.9 7.89
79+00
C = 0
F = 4.6
C = 0
F = 87.1 ¢

4294.38

FED. ROAD DIST. NO.	STATE	FED. AID PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW	NRH G-1	1933	39	51

15/6/38
CH/JJ
Rec'd/JJ

HKY
KEE
EJMcC.

℄

9.1 7.86

C=258.3 ℄
F=0

87+00

C=114
F=0

9.8 7.88

+50

C=165
F=0

C=241.7 ℄
F=0

8.8 7.89

C=88.9 ℄
F=62.5 ℄

86+00

C=96
F=0

6.8 7.80

+50

C=0
F=170.4 ℄

C=0
F=74

5.8 7.89

C=0
F=173.5 ℄

85+00

C=0
F=110

5.9 7.88

+50

C=22.2 ℄
F=104.6 ℄

C=0
F=99

6.1 7.89

C=63.0 ℄
F=25.0 ℄

84+00

C=24
F=14

7.1 7.89

+50

C=36.7 ℄
F=42.5 ℄

C=44
F=13

6.4 7.89

+05

C=0
F=4.5 ℄

C=9
F=38

2.7 7.89

C=0
F=108.2 ℄

83+04

C=0
F=204

℄

7.0 7.23

C=105.6 ℄
F=23.2 ℄

+50

C=60
F=3

6.0 7.29

C=70.4 ℄
F=51.9 ℄

92+00

C=54
F=22

5.9 7.35

+50

C=20.4 ℄
F=28.4 ℄

C=22
F=34

2.7 7.41

C=0
F=337.0 ℄

91+00

C=0
F=193

7.47

2.9

+50

C=0
F=310.2 ℄

C=0
F=171

Excavate for ditch

Elev. Invt.= 3.0

3.2 7.53

30" conc. pipe culvert

54 Ft. long

Elev. Invt.= 2.0

90+00

C=0
F=327.8 ℄

C=0
F=164

2.7 7.59

+50

C=0
F=367.6 ℄

C=0
F=190

2.4 7.65

C=0
F=387.9 ℄

89+00

C=0
F=207

2.9 7.71

C=18.5 ℄
F=308.4 ℄

+50

C=0
F=212

6.0 7.77

C=82.4 ℄
F=114.8 ℄

88+00

C=20
F=121

8.4 7.82

C=169.4 ℄
F=2.8 ℄

+50

C=69
F=3

4294.39

FED. ROAD DIST. NO.	STATE	FED. AID PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW	NRH 6-1	1933	40	51

U.M.Ut. Oct/33

6.89 / 6.87 — 60 — 98+00
C=43.5 F=19.5 | C=22.2 F=33.4 | C=24 F=14 | C=11 F=21

6.91 / 6.83 — 60 — +50
C=40.7 F=11.1 | C=31.5 F=18.5 | C=23 F=7 | C=13 F=15

6.93 / 6.83 — 61 — 97+00
C=35.2 F=16.7 | C=25.0 F=26.9 | C=21 F=5

6.97 / 6.75 — 57 — +50
C=37.9 F=30.6 | C=27.8 F=40.8 | C=17 F=13 | C=6 F=24

6.97 / 6.81 — 54 — 96+00
C=40.7 F=26.9 | C=24 F=20

6.99 / 6.87 — 55 — +50
C=40.7 F=15.8 | C=20 F=9

7.01 / 6.93 — 56 — 95+00
C=48.2 F=25.0 | C=24 F=8

7.04 / 6.93 — 59 — +50
C=68.5 F=43.5 | C=28 F=19

7.07 / 7.05 — 51 — 94+00
C=137.9 F=25.9 | C=46 F=28

7.12 / 7.11 — 69 — +50
C=165.8 F=1.9 | C=103 F=0

7.17 — 63 — 93+00
C=85.2 F=4.6 | C=76 F=2

6.69 / 5.97 — 53 — 103+00
C=35.2 F=16.7 | C=1.9 F=63.9 | C=12 F=18 | C=0 F=51

6.71 / 6.03 — 57 — +50
C=50.0 F=3.7 | C=4.7 F=26.9 | C=26 F=0 | C=2 F=18

6.73 / 6.09 — 59 — 102+00
C=61.1 F=24.1 | C=23.2 F=47.2 | C=28 F=4 | C=3 F=11.0

6.75 / 6.75 — 60 — +50
18" conc. pipe culvt | Invt. 2.5 | Existing 18" pipe to ditch
Elev. Invert = 2.5 | 16 Ft. long.
C=71.3 F=28.7 | C=42.6 F=58.4 | C=38 F=22 | C=22 F=40

6.77 / 6.27 — 60 — 101+00
C=84.3 F=10.2 | C=54.7 F=28.7 | C=39 F=9 | C=24 F=23

6.79 / 6.27 — 61 — +50
C=102.8 F=2.8 | C=63.0 F=12.1 | C=52 F=2 | C=35 F=8

6.81 / 6.33 — 63 — 100+00
C=106.5 F=0.9 | C=63.9 F=11.1 | C=59 F=1 | C=33 F=5

6.83 / 6.39 — 63 — +50
C=51.9 F=35.2 | C=50.0 F=17.6 | C=56 F=0 | C=36 F=7

6.85 / 6.45 — 62 — 99+00
C=28.2 F=39.8 | C=27.8 F=21.3 | C=0 F=38 | C=18 F=12

6.87 / 6.51 — 62 — +50
C=45.4 F=17.6 | C=21.3 F=29.7 | C=25 F=5 | C=12 F=11

4294.40

FED. ROAD DIST. NO.	STATE	FED. AID PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW	NRH G-1	1933	41	51

Feb/33
Dec/33

HWY
FED. PROJ.
STATE PROJ. NO.

6.49 / 6.0L — 5.5 — 108+00
C=27.8 F=11.1 | C=1.9 F=45.4 | C=15 F=4 | C=2 F=19

6.51 / 5.9L — 5.2 — 108+50
C=18.5 F=16.7 | C=0 F=83.4 | C=15 F=8 | C=0 F=30

6.53 / 5.8R — 4.9 — 107+00
C=4.6 F=48.2 | C=0 F=136.1 | C=5 F=10 | C=0 F=60

6.55 / 5.7R — 4.6 — 107+50
C=1.9 F=118.5 | C=0 F=201.0 | C=0 F=42 | C=0 F=87
Res. Enor to reconst ditch to clear shoulder thus

6.57 / 5.7R — 4.2 — 106+00
profile exist ditch
Elev. Invt. = 1.5
2-24" conc. pipe culvts 21 Ft. long each.
Existing pipe to ditch → Elev. 1.3
C=1.9 F=121.3 | C=0 F=211.1 | C=2 F=86 | C=0 F=130

6.59 / 5.7R — 4.1 — 106+50
C=1.9 F=69.5 | C=0 F=169.5 | C=0 F=45 | C=0 F=98

6.61 / 5.7R — 4.5 — 105+00
C=7.4 F=51.9 | C=0 F=140.8 | C=2 F=30 | C=0 F=85

6.63 / 5.7R — 4.7 — 105+50
C=13.9 F=43.5 | C=0 F=118.5 | C=6 F=26 | C=0 F=67

6.65 / 5.8R — 4.9 — 104+00
C=19.5 F=36.1 | C=0 F=100 | C=9 F=21 | C=0 F=61

6.67 / 5.9L — 5.1 — 103+50
C=22.2 F=33.3 | C=0 F=90.8 | C=17 F=18 | C=0 F=47

6.93 / 6.0R — 5.6 — 120+50
C=48.2 F=16.7 | C=15.8 F=29.7 | C=6 F=18

6.80 / 6.0 — 5.5 — 121+00
C=82.4 F=0 | C=24.1 F=23.2 | C=46 F=0 | C=11 F=14

6.66 / 6.0 — 5.2 — 120+50
C=69.5 F=1.9 | C=23.4 F=22.2 | C=43 F=0 | C=15 F=11

6.53 / 6.0 — 5.9 — 120+00
C=53.7 F=5.6 | C=23.2 F=25.0 | C=32 F=2 | C=10 F=13

6.40 / 6.0 — 5.1 — 120+50
C=41.7 F=14.8 | C=26.0 F=29.7 | C=26 F=4 | C=15 F=14

6.27 / 6.0 — 4.8 — 119+00
C=38.9 F=8.9 | C=34.4 F=13.4 | C=19 F=12 | C=13 F=18

6.16 / 6.0 — 5.4 — 118+59.63
C=33 F=0

Exception F.A.P. G-B Length 900ft (Sta 144+50 to 153+50)

6.33 — 6.3 — 109+59.63
C=117.1 F=0 | C=101.6 F=2.2 | C=63 F=0

6.45 / 6.2L — 5.7 — 109+00
C=39.8 F=38.9 | C=31.5 F=10.2 | C=43 F=0 | C=29 F=2

6.47 / 6.1L — 5.6 — 108+50
C=13.9 F=42.6 | C=6.5 F=26.0 | C=0 F=42 | C=5 F=9

4294.41

FED. ROAD DIST. NO.	STATE	FED. AID PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW	WRH 6-1	1933	42	51

J.M. Jr. 8-1/33

8.27
8.2 8.12
+50
C= 96.3 ¢ C= 120.4 ¢
F= 8.4 ¢ F= 2.8 ¢
C= 42 F= 8 | C= 90 F= 0

8.12
7.9 7.86
126+00
C= 88.9 ¢ C= 54.7 ¢
F= 2.8 ¢ F= 8.4 ¢
C= 62 F= 1 | C= 70 F= 3

7.99
7.6 7.59
+50
C= 56.5 ¢ C= 22.8 ¢
F= 5.6 ¢ F= 18.5 ¢
C= 34 F= 2 | C= 19 F= 6

7.86
7.0 7.93
125+00
C= 35.2 ¢ C= 5.2 ¢
F= 11.1 ¢ F= 57.0 ¢
C= 7 F= 4 | C= 5.6 F= 14

7.72
6.3 7.06
+50
C= 19.5 ¢ C= 0
F= 15.8 ¢ F= 83.4 ¢
C= 11 F= 8 | C= 0 F= 41

7.59
5.8 6.80
124+00
C= 80.4 ¢ C= 0
F= 80.4 ¢ F= 92.6 ¢
C= 10 F= 9 | C= 0 F= 49

7.46
5.6 6.55
+50
C= 12.1 ¢ C= 0
F= 38.9 ¢ F= 123.2
C= 12 F= 13 | C= 0 F= 51

7.33
5.2 6.35
123+00
C= 4.7 ¢ C= 0 ¢
F= 61.1 ¢ F= 155.8 ¢
C= 1 F= 29 | C= 0 F= 82

Excavate for ditch
Profile exist. ditch
24" conc. pipe culvert - 52 ft. long.
Excavate ditch
Elev Invt.= 2.0
Elev. Invt= 2.0

7.19
5.2 6.80
+50
C= 30.6 ¢ C= 0 ¢
F= 37.1 ¢ F= 118.5 ¢
C= 4 F= 37 | C= 0 F= 86

7.06
5.2 6.09
122+00
C= 37.9 ¢ C= 5.6 ¢
F= 22.2 ¢ F= 50.6 ¢
C= 29 F= 3 | C= 0 F= 42

10.94
10.2
131+00
C= 67.6 ¢
F= 6.5 ¢
C= 21 F= 6

10.44
10.1
Elev. Invt.= 7.0
18" con. pipe culvt. - 38 ft. long.
Lower exist. 18" pipe
+50
C= 106.5 ¢
F= 0.9 ¢
C= 52 F= 1

10.02
9.4
130+00
C= 99.1 ¢
F= 0
C= 63 F= 0

9.71
8.9
+50
C= 128.7 ¢
F= 0
C= 44 F= 0

9.45
9.2
129+00
C= 145.4 ¢
F= 0
C= 95 F= 0

9.18
8.6
+50
C= 113.0 ¢
F= 0
C= 62 F= 0

8.92
8.2
128+00
C= 119.5 ¢
F= 0
C= 60 F= 0

8.66
8.65
8.2
+50
C= 169.5 ¢
F= 0
C= 69 F= 0

8.45
8.39
8.2
127+00
C= 144.5 ¢ C= 188.9
F= 7.4 ¢ F= 0 ¢
C= 114 F= 0

4294.42

FED. ROAD DIST. NO.	STATE	FED. AID PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW	NRH 6(1)	1933	43	51

Feb/33
Oct/32
Oct/33

HKY
ESC
DMC Jr.

℄

16.52
133
+70
C=648 ℄
F=326 ℄
C=4
F=88

16.44
179
+50
C=2898 ℄
F=0 ℄
C=171
F=0

16.08
170
135+00
C=2407 ℄
F=0 ℄
C=142
F=0

15.52
159
+50
C=1815 ℄
F=28 ℄
C=118
F=0

14.86
141.7
134+00
18" conc. pipe culvts. 52 ft long.
Elev. Invt.=120
Excavate ditch
Exist 18" pipe
Elev. Invt.=111.5
C=120.4 ℄
F=37 ℄
C=78
F=3

14.20
13.4
+50
C=898 ℄
F=19 ℄
C=52
F=1

13.54
12.7
133+00
C=602 ℄
F=129 ℄
C=45
F=1

12.88
116
+50
C=232 ℄
F=333 ℄
C=20
F=14

12.22
107
132+00
C=83 ℄
F=514 C ℄
C=5
F=22

11.56
101
+50
C=232 ℄
F=398 ℄
C=4
F=37

13.54
208
+50
C=3847 ℄
F=0
C=461
F=0

16.60
204
+24
C=2489 ℄
F=142 ℄
C=338
F=0

16.59
189
136+00
C=1255 ℄
F=667 ℄
C=222
F=32

4294.43

FED. ROAD DIST. NO.	STATE	FED. AID PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW	NRH G-1	1933	44	51

U.N.Jr. Oct/33

269

1580

138+00

C=1925.1 ℄
F=0

C=1187
F=0

262

1585

+50

C=1457.4 ℄
F=0

C=897
F=0

242

1630

137+00

C=1053.8 ℄
F=0

C=677
F=0

PLATE 3—CROSS SECTION

4294.44

FED. ROAD DIST. NO.	STATE	FED. AID PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW	W.R.H. G-1	1933	45	51

℄

18.6

13.98

+ 74

C = 272
F = 0

C = 366.2 Y
F = 0

20.7

13.64

+ 50

C = 552
F = 0

C = 1509.3 Y
F = 0

25.6

14.20

139+00

C = 1078
F = 0

C = 2176.0 Y
F = 0

27.4

14.75

+ 50

C = 1272
F = 0

C = 2272.3 Y
F = 0

PLATE 3 - CROSS SECTION O.P.R.&R.E. STANDARD
KEUFFEL & ESSER CO. NEW YORK

4294.45

Feb/33
Oct/33

HWY ENG. DIV.

ORIGINAL TRACED FINAL SURVEY CHECKED NOTE BOOK DATE REVISED

FED. ROAD DIST. NO.	STATE	FED. AID PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW	NRH G-1	1933	46	51

7/25/53
9/1/53
10/1/53

H.K.Y.
H.E.S.
C.M. Jr.

FINAL SURVEY
SURVEY
PLOTTED
NOTE BOOK
CHECKED
AREA

ORIGINAL SURVEY
DATE
BY
NOTE BOOK
PLOTTED
CHECKED
AREA

8.9 8.12
+ 50
C = B
F = 10
C = 10.2 ℄
F = 38.9 ℄

7.1 8.67
144+00
C = 3
F = 32
C = 5.6 ℄
F = 56.5 ℄

7.5 9.22
+ 50
C = 3
F = 29
C = 2.8 ℄
F = 62.9 ℄

8.1 9.78
148+00
C = 0
F = 39
C = 5.6 ℄
F = 56.5 ℄

8.3 10.39
+ 50
C = 6
F = 22
C = 9.3 ℄
F = 48.7 ℄

8.8 10.73
+ 14
C = 8
F = 51
C = 5.3 ℄
F = 44.8 ℄

11.6 10.77
Elev. Inv. = 7.5 2-18" conc. pipe culverts 38 ft. long. Lower Exist. 2-18" pipes.
+ 10
C = 63
F = 9
C = 160.0 ℄
F = 10 ℄

11.9 11.43
+ 50
C = 81
F = 0
C = 154.7 ℄
F = 0

12.4 11.99
141+00
C = 86
F = 0
C = 172.2 ℄
F = 0

13.0 12.54
+ 50
C = 100
F = 0
C = 241.7 ℄
F = 0

13.7 13.09
140+00
C = 101
F = 0
C = 208.5 ℄
F = 0

6.2 6.33
+ 50
C = 73
F = 0
C = 108.4 ℄
F = 0

5.1 6.35
149+00
C = 44
F = 0
C = 63.5 ℄
F = 0

5.8 6.37
+ 50
C = 31
F = 0
C = 67.6 ℄
F = 0

5.8 6.39
148+00
C = 42
F = 0
C = 72.2 ℄
F = 4.6 ℄

5.2 6.41
+ 50
C = 36
F = 5
C = 75.0 ℄
F = 7.6 ℄

5.8 6.48
18" conc. pipe culvert. 30 ft. long Sta 147+12 Exist. 18" pipe to sea
147+00
C = 95
F = 0
C = 84.3 ℄
F = 0

5.7 6.52
+ 50
C = 46
F = 0
C = 81.5 ℄
F = 0

5.9 6.74
146+00
C = 48
F = 0
C = 61.1 ℄
F = 3.7 ℄

6.5 7.09
+ 50
C = 24
F = 4
C = 31.5 ℄
F = 18.5 ℄

6.5 7.57
145+00
C = 10
F = 16
C = 16.7 ℄
F = 24.1 ℄

PLATE 3—CROSS SECTION O. P. R. & R. E. STANDARD.
KEUFFEL & ESSER CO. NEW YORK.

4294.46

FED. ROAD DIST. NO.	STATE	FED. AID PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW	NRH G-1	1933	47	51

FINAL SURVEY — PLOTTED — CHECKED — NOTE BOOK — NO. — DRAWN — TRACED — AREAS CHECKED

ORIGINAL SURVEY — SURVEYED — PLOTTED — CHECKED — NOTE BOOK — NO. — DRAWN — TRACED — AREAS CHECKED

Feb '33
Oct '33
HKT
E.E.
H.M. Jr.
S.P.

BRIDGE

6.34 — 2.0 — C=0 F=40.9

+ 42.5 (Taken 45° Skew)

C=0 F=500.8 ℄

6.22 — 2.1 — C=0 F=22.6

159+00

C=0 F=363.0 ℄

6.09 — 1.9 — C=0 F=16.6

+ 50

C=0 F=296.3 ℄

6.02 — 2.6 — C=0 F=15.4

158+00

C=0.9 ℄ F=175.0 ℄

6.01 — 4.9 — C=1 F=8.5

+ 50

C=0.9 ℄ F=85.2 ℄

6.03 — 4.6 — C=0 F=5.7

157+00

C=0 F=79.6 ℄

6.05 — 4.9 — C=0 F=2.9

+ 50

C=0 F=71.3 ℄

6.07 — 4.9 — C=0 F=4.8

156+00

C=0 F=84.3 ℄

6.09 — 4.9 — C=0 F=4.3

+ 50

C=0 F=77.8 ℄

6.11 — 4.9 — C=0 F=9.1

155+00

C=0.9 ℄ F=77.8 ℄

4.7 — 6.13 — C=1 F=4.3

+ 50

C=10.2 ℄ F=6.1 ℄

5.3 — 6.11 — C=10 F=2.3

154+00

C=17.6 ℄ F=36.1 ℄

5.3 — 6.17 — C=9 F=1.6

+ 50

C=21.3 ℄ F=28.7 ℄

5.3 — 6.19 — C=1.2 F=1.5

153+00

C=40.7 ℄ F=13.9 ℄

5.5 — 6.21 — C=3.0 F=0

+ 50

C=81.5 ℄ F=0

6.2 — 6.23 — C=5.8 F=0

152+00

C=101.9 ℄ F=0

6.1 — 6.25 — C=6.2 F=0

+ 50

C=111.1 ℄ F=0

6.2 — 6.27 — C=5.8 F=0

151+00

C=104.6 ℄ F=0

6.4 — 6.29 — C=5.5 F=0

+ 50

C=92.6 ℄ F=0

6.0 — 6.31 — C=4.5 F=0

150+00

C=109.3 ℄ F=0

PLATE 3—CROSS SECTION O. P. R & R. E. STANDARD
KEUFFEL & ESSER CO., NEW YORK

4294.47

FED. ROAD DIST. NO.	STATE	FED. AID PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW	NRH 6-1	1933	48	51

Feb. '33
Oct. '33
Oct. '33

HKY
E.E.
D.M.V.

FINAL SURVEY
ORIGINAL TRACING
NOT BLUE PRINTED
NO CHANGES

BY	DATE

ORIGINAL TRACING NOT BLUE PRINTED NO CHANGES SEE RELEASE

2.8 5.98
+ 50
C=0 F=235.2¢
C=0 F=100

2.0 5.98
163+00
C=0 F=293.5¢
C=0 F=154

1.9 5.98
+ 50
C=0 F=324.1¢
C=0 F=163

1.4 5.98
162+00
C=0 F=326.9¢
C=0 F=187

2.0 6.02
+ 50
C=0 F=306.5¢
C=0 F=166

2.0 6.10
161+00
C=0 F=320.4¢
C=0 F=165

2.0 6.26
+ 50
C=0 F=219.1¢
C=0 F=181

2.0 6.34
160+17.5
C=0 F=183

BRIDGE

4.7 5.98
+ 45
C=16.7¢ F=56.7¢
C=16 F=20

3.7 5.98
168+00
C=5.6¢ F=79.6¢
C=4 F=28

4.0 5.98
+ 50
C=2.8¢ F=77.8¢
C=2 F=38

4.0 5.98
167+00
C=1.9¢ F=84.3¢
C=1 F=46

4.0 5.98
+ 50
C=.9¢ F=92.6¢
C=1 F=45

3.8 5.98
166+00
C=0 F=101.9¢
C=0 F=55

3.9 5.98
+ 50
C=0 F=170.4¢
C=0 F=55

2.4 5.98
165+00
C=0 F=218.5¢
C=0 F=129

2.8 5.98
+ 50
C=0 F=213.9¢
C=0 F=107

2.7 5.98
164+00
C=0 F=207.4¢
C=0 F=124

PLATE 2—CROSS SECTION D.P.W. & B.E. STANDARD
GEOPPEL & ESSICK CO. NEW YORK

4294.48
4.50.48

FED. ROAD DIST. NO.	STATE	FED. AID PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW	NRH G-1	1933	49	51

FINAL SURVEY — SURVEYED Feb/32 — PLOTTED Oct/33 — TRACED 00/733 — NOTE BOOK HKY — AREAS CALC. EG — NO. — AREAS CHECKED

ORIGINAL SURVEY — SURVEYED — PLOTTED — TRACED — NOTE BOOK — AREAS CALC. EG — NO.

℄

5.98 — 0.8 — 171 + 00 — C=0.8 ℄ F=58.8 ℄ — C=.6 F=.182

5.98 — 0.9 — + 93 — Elev. Invt. = 0.5 — 36" con. pipe culvert. — 55 ft. long — Elev. Invt. = -0.5 — C=14 ℄ F=101.6 ℄ — C= 0 F= 272

5.98 — 1.7 — + 80 — C=17 ℄ F=36.3 ℄ — C= 6 F= 150

5.98 — 3.4 — + 71 — C=3.1 ℄ F=22.8 ℄ — C= 4 F= 68

5.98 — 3.8 — + 50 — C=9.3 ℄ F=67.6 ℄ — C= 4 F= 36

5.98 — 4.1 — 170 + 00 — C=11.1 ℄ F=75.0 ℄ — C= 6 F= 31

5.98 — 3.6 — + 50 — C=16.3 ℄ F=60.6 ℄ — C= 6 F= 50

5.98 — 4.2 — + 08 — C=4.3 ℄ F=18.5 ℄ — C= 15 F= 28

5.98 — 2.2 — 169 + 00 — C=27.8 ℄ F=159.3 ℄ — C= 14 F= 97

5.98 — 3.1 — + 50 — C=3.0 ℄ F=8.8 ℄ — C= 16 F= 75

℄

5.98 — 3.8 — + 50 — C=2.8 ℄ F=82.4 ℄ — C= 1 F= 47

5.98 — 3.8 — 175 + 00 — C=5.6 ℄ F=71.3 ℄ — C= 2 F= 42

5.98 — 4.1 — + 50 — C=8.3 ℄ F=69.9 ℄ — C= 4 F= 35

5.98 — 4.2 — 174 + 00 — C=8.3 ℄ F=64.8 ℄ — C= 5 F= 34

5.98 — 4.1 — + 50 — C=5.6 ℄ F=77.8 ℄ — C= 4 F= 36

5.98 — 3.9 — 173 + 00 — C=4.6 ℄ F=86.1 ℄ — C= 2 F= 48

5.98 — 4.2 — + 50 — C=6.5 ℄ F=82.4 ℄ — C= 3 F= 45

5.98 — 4.2 — 172 + 00 — C=8.3 ℄ F=99.1 ℄ — C= 4 F= 44

5.98 — 3.9 — + 50 — C=5.1 ℄ F=73.6 ℄ — C= 5 F= 69

5.98 — 2.4 — + 25 — C=5.6 ℄ F=128.7 ℄ — C= 6 F= 96

PLATE 3 — CROSS SECTION (C. P. R. & R. E. STANDARD)

KEUFFEL & ESSER CO., NEW YORK

4294.49

FED. ROAD DIST. NO.	STATE	FED. AID PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW	WRH 6-1	1933	50	51

ORIGINAL SURVEY — SURVEYED BY — COMPUTED BY — TRACED BY — CHECKED BY — NOTE BOOK — PAGES — AREA — LINEAL FEET — DATE — 4/1/33 — U.M.Jr. M.B.

FINAL SURVEY — SURVEYED BY — COMPUTED BY — TRACED BY — CHECKED BY — NOTE BOOK — PAGES — AREA — LINEAL FEET — DATE — BY

181+00
C=1639 ℄ F=74 ℄
69 5.99
C=84 F=8

+50
C=1343 ℄ F=0
61 5.98
C=93 F=0

180+00
C=70.4 ℄ F=0.9 ℄
58 5.98
C=52 F=0

+50
C=26.8 ℄ F=37.0 ℄
51 5.98
C=27 F=1

179+00
C=9.3 ℄ F=85.2 ℄
43 5.98
C=5 F=3.9

+50
C=8.3 ℄ F=110.2 ℄
40 5.98
C=5 F=5.3

178+00
C=4.6 ℄ F=118.5 ℄
38 5.98
C=4 F=6.6

+50
C=1.9 ℄ F=115.7 ℄
39 5.98
C=1 F=6.2

177+00
C=0.9 ℄ F=135.2 ℄
38 5.98
C=1 F=6.3

+50
C=0 F=134.3 ℄
37 5.98
C=0 F=8.3

176+00
C=0.9 ℄ F=100.9 ℄
37 5.98
C=0 F=6.7

℄
C=723.4 ℄ F=0
121 6.10
C=46.8 F=0

+88
C=1040.0 ℄ F=0
118 6.08
C=5.6.0 F=0

+50
C=926.7 ℄ F=0
123 6.06
C=36.4 F=0

183+00
C=777.8 ℄ F=0
120 6.04
C=48.0 F=0

+50
C=508.4 ℄ F=1.9 ℄
104 6.02
C=36.0 F=0

182+00
C=252.8 ℄ F=9.3 ℄
77 6.00
C=1.89 F=2

+50

PLATE 3—CROSS SECTION O. P. R. & R. E. STANDARD
KEUFFEL & ESSER CO., NEW YORK

4294.50

FED. ROAD DIST. NO.	STATE	FED. AID PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW	NRH G-1	1933	51	51

ORIGINAL SURVEY	SURVEYED 12/1/33
	PLOTTED 01/1/33
	PROFILE 01/1/33
	AREAS 02/38
	AREAS CHECKED
	NOTE BOOK
	NO.

HCY
E.S.E.
W.V.T. Jr.




PLATE 5—CROSS SECTION O. P. N. & R. E. STANDARD
KEUFFEL & ESSER CO., NEW YORK.

4294.51