	PROPOSAL SCHEDULE						
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT		
201.0100	Clearing and Grubbing	13,195	S.Y.	\$	\$		
202.0100	Removal of Existing Guardrail and End Terminals	L.S.	L.S.	L.S.	\$		
202.0200	Removal of Signs	208	EA	\$	\$		
202.0300	Removal of Survey Monuments	3	EA	\$	\$		
202.0400	Removal of AC Walkway and Curb	2,346	S.Y.	\$	\$		
202.0500	Removal of PCC Sidewalk (Includes Curb Ramp, and Curb and Gutter)	271	S.Y.	\$	\$		
202.0600	Removal of Bolt Down Curb	L.S.	L.S.	L.S.	\$		
202.0700	Removal of Drain Inlet	2	EA	\$	\$		
202.0800	Removal of Bus Shelter & Concrete Pad	L.S.	L.S.	L.S.	\$		
204.0100	Trench Excavation for Traffic Counting Station	25	C.Y.	\$	\$		
204.0200	Trench Backfill for Traffic Counting Station	L.S.	L.S.	L.S.	\$		
206.0100	Excavation and Backfill for Drainage Facilities	2,084	C.Y.	\$	\$		
209.0100	Installation, Maintenance, Monitoring, and Removal of BMP	L.S.	L.S.	L.S.	\$		
209.0200	Additional Water Pollution, Dust, and Erosion Control	F.A.	F.A.	F.A.	\$ 100,000.00		
301.0100	HMA Base Course	4,792	TON	\$	\$		

	PROPOSAL SCHEDULE					
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT	
401.0100	Pavement Smoothness Incentive	Allowance	Allowance	Allowance	\$ 99,225.00	
401.0200	HMA Pavement, Mix No. IV	10,015	TON	\$	\$	
401.0300	PMA Pavement	7,220	TON	\$	\$	
414.0100	Excavation of Weakened Pavement Areas	4,461	C.Y.	\$	\$	
415.0100	Cold Planing	68,085	S.Y.	\$	\$	
503.0100	12-Inch High (Maximum) Grade Wall	210	L.F.	\$	\$	
603.0100	Clean Existing Culverts	F.A.	F.A.	F.A.	\$ 100,000.00	
603.0200	24-Inch Reinforced Concrete Pipe	1,987	L.F.	\$	\$	
604.0100	Type 1A-9 Grated Drop Inlet	1	EA	\$	\$	
604.0200	Modified Type 2A-9 Grated Drop Inlet	1	EA	\$	\$	
604.0300	Type A Storm Drain Manhole	3	EA	\$	\$	
604.0400	Type B1 Catch Basin	11	EA	\$	\$	
604.0500	Concrete Headwall	1	EA	\$	\$	
606.0100	Midwest Guardrail System w/Blockouts	5,146	L.F.	\$	\$	
606.0200	Transition from Strong Post W-Beam to Midwest Guardrail System	1	EA	\$	_\$	

	PROPOSAL SCHEDULE					
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT	
606.0300	Long-Span MGS Type 3 W-Beam (31 Inches) (1 Post Omitted)	15	EA	\$	\$	
606.0400	Long-Span MGS Type 3 W-Beam (31 Inches) (2 Posts Omitted)	5	EA	\$	\$	
606.0500	MSKT - SP - MGS (TL-3) End Treatment	11	EA	\$	\$	
606.0600	Trailing-End Anchorage System	12	EA	\$	\$	
607.0100	6 Feet, Chain Link Fence (without Toprail)	56	L.F.	\$	\$	
607.0200	Chain Link Gate, 6-Feet High and 4-Feet Wide	1	EA	\$	\$	
610.0100	(8-Inch) Reinforced Concrete Driveway	7	EA	\$	\$	
614.0100	Street Survey Monument	14	EA	\$	\$	
617.0100	Imported Planting Soil	L.S.	L.S.	L.S.	\$	
618.0100	Rectangular Rapid Flashing Beacon	15	EA	\$	\$	
621.0100	Enhanced Vehicle Classification Traffic Counting System	L.S.	L.S.	L.S.	\$	
622.0100	Adjust Top of Street Light Pullbox	13	EA	\$	\$	
622.0200	Adjust Top of Telephone Pullbox	2	EA	\$	\$	
623.0100	Adjust Traffic Signal Pole	5	EA	\$	\$	
624.0100	Fire Hydrant	L.S.	L.S.	L.S.	\$	

	PROPOSAL SCHEDULE					
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT	
624.0200	Relocating Existing 12" Waterline	L.S.	L.S.	L.S.	\$	
624.0300	Relocating Existing 6" Waterline	L.S.	L.S.	L.S.	\$	
624.0400	Relocating Existing 4" Waterline	L.S.	L.S.	L.S.	\$	
624.0500	Relocating Exisiting 2-1/2" Waterline	L.S.	L.S.	L.S.	\$	
624.0600	Relocating Existing 2" Waterline	L.S.	L.S.	L.S.	\$	
624.0700	Reinforced Concrete Jacket (Water)	67	L.F.	\$	\$	
625.0100	Reinforced Concrete Jacket (Sewer)	30	L.F.	\$	\$	
626.0100	Adjusting Water Manhole Frame and Cover	15	EA	\$	\$	
626.0200	Adjusting Water Standard Valve Box	36	EA	\$	\$	
626.0300	Adjusting Water Meter	6	EA	\$	\$	
626.0400	Adjusting Sewer Manhole Frame and Cover	18	EA	\$	\$	
627.0100	Bolt Down Curbing	167	L.F.	\$	\$	
629.0100	Single 4-Inch White Pavement Striping (Thermoplastic Extrusion)	2,126	L.F.	\$	\$	
629.0200	Double 4-Inch Yellow Pavement Striping (Thermoplastic Extrusion)	21,549	L.F.	\$	\$	
629.0300	Single 6-Inch White Pavement Striping (Thermoplastic Extrusion)	37,040	L.F.	\$	\$	

	PROPOSAL SCHEDULE					
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT	
629.0400	Single 6-Inch Yellow Pavement Striping (Thermoplastic Extrusion)	1,217	L.F.	\$	\$	
629.0500	Single 8-Inch White Pavement Striping (Thermoplastic Extrusion)	4,846	L.F.	\$	\$	
629.0600	Single 12-Inch White Pavement Striping (Thermoplastic Extrusion)	588	L.F.	\$	\$	
629.0700	Single 12-Inch Yellow Pavement Striping (Thermoplastic Extrusion)	573	L.F.	\$	\$	
629.0800	Single 24-Inch White Pavement Striping (Thermoplastic Extrusion)	443	L.F.	\$	\$	
629.0900	4-Inch White Guide Line Striping (Thermoplastic Extrusion)	3,642	L.F.	\$	\$	
629.1000	4-Inch Yellow Guide Line Striping (Thermoplastic Extrusion)	37	L.F.	\$	\$	
629.1100	Yellow Paint (Median Island Curb)	364	L.F.	\$	\$	
629.1200	Crosswalk Marking (Thermoplastic Extrusion)	58	LANE	\$	\$	
629.1300	Pavement Arrow (Thermoplastic Extrusion)	33	EA	\$	\$	
629.1400	Pavement Word (Thermoplastic Extrusion)	65	EA	\$	\$	
629.1500	Type A Pavement Marker	88	EA	\$	\$	
629.1600	Type C Pavement Marker	1,211	EA	\$	\$	
629.1700	Type D Pavement Marker	954	EA	\$	\$	
629.1800	Type F Pavement Marker (BWS Fire Hydrant Marker)	32	EA	\$	\$	

	PROPOSAL SCHEDULE					
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT	
629.1900	Type H Pavement Marker	262	EA	\$	\$	
629.2000	Type J Pavement Marker	84	EA	\$	\$	
630.0100	Guide Sign (More than 10 Sq. Feet) with Posts	1	EA	\$	\$	
630.0200	Guide Sign (10 Sq. Feet or less) with Posts	16	EA	\$	\$	
630.0300	Guide Sign (10 Sq. Feet or less) without Posts	4	EA	\$	\$	
631.0100	Regulatory Sign (10 Sq. Feet or less) with Post	67	EA	\$	\$	
631.0200	Regulatory Sign (10 Sq. Feet or less) without Post	66	EA	\$	\$	
631.0300	Warning Sign (10 Sq. Feet or less) with Post	123	EA	\$	\$	
631.0400	Warning Sign (10 Sq. Feet or less) without Post	64	EA	\$	\$	
631.0500	Destination Sign (10 Sq. Feet or less) with Post	1	EA	\$	\$	
631.0600	General Information Sign (10 Sq. Feet or less) with Post	4	EA	\$	\$	
631.0700	School Sign (10 Sq. Feet or Less) with Post	13	EA	\$	\$	
631.0800	School Sign (10 Sq. Feet or Less) without Post	9	EA	\$	\$	
632.0100	Reflector Marker RM-2 (Bi-Directional)	9	EA	\$	\$	
632.0200	Mile Post Marker with Post	8	EA	\$	\$	

	PROPOSAL SCHEDULE						
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT		
632.0300	Mile Post Marker without Post	8	EA	\$	\$		
632.0400	Type II Object Marker	306	EA	\$	\$		
632.0500	Type III Object Marker (OM3-1R) with Post	4	EA	\$	\$		
632.0600	Type III Object Marker (OM3-1L) with Post	3	EA	\$	\$		
634.0100	Portland Cement Concrete Sidewalk	4,099	S.Y.	\$	\$		
634.0200	4-Inch Portland Cement Concrete Pad (Bus Shelter)	100	S.Y.	\$	\$		
636.0100	E-Construction License	F.A.	F.A.	F.A.	\$ 190,000.00		
638.0100	Curb and Gutter, Type 2DG	4,791	L.F.	\$	\$		
638.0200	3-Inch Curb	282	L.F.	\$	\$		
638.0300	4-Inch Mountable Curb and Gutter	289	L.F.	\$	\$		
638.0400	Transition from 4-Inch to 6-Inch Curb and Gutter	20	L.F.	\$	\$		
638.0500	Concrete Thru Gutter	275	L.F.	\$	\$		
643.0100	Maintenance of Existing Landscape Areas	F.A.	F.A.	F.A.	\$ 100,000.00		
645.0100	Traffic Control	L.S.	L.S.	L.S.	\$		
645.0200	Additional Police Officers, Additional Traffic Control Devices, And Advertisement	F.A.	F.A.	F.A.	\$ 150,000.00		

	PROPOSAL SCHEDULE						
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT		
648.0100	Field-Posted Drawings	L.S.	L.S.	L.S.	\$		
650.0100	Curb Ramp, Type A	4	EA	\$	\$		
650.0200	Curb Ramp, Type B	6	EA	\$	\$		
650.0300	Curb Ramp Transition	3	EA	\$	\$		
650.0400	Curb Ramp, Type D	4	EA	\$	\$		
650.0500	Curb Ramp, Type E	2	EA	\$	\$		
650.0600	Detectable Warning Mat	20	EA	\$	\$		
652.0100	Archaeological Monitoring	F.A.	F.A.	F.A.	\$ 50,000.00		
696.0100	Field Office Trailer (Not to Exceed \$32,000.00)	L.S.	L.S.	L.S.	\$		
696.0200	Maintenance of Trailer	F.A.	F.A.	F.A.	\$ 80,000.00		
699.0100	Mobilization (Not to exceed 6 percent of the sum of all items excluding bid price of this item)	L.S.	L.S.	L.S.	\$		

SUMMARY FOR PROPOSAL SCHEDULE

a. TOTAL AMOUNT FOR COMPARISON OF BIDS\$

NOTES:

- 1. Bidders must complete all unit prices and amounts. Failure to do so may be grounds for rejection of bids.
- 2. Bids shall include all Federal, State, County and other applicable taxes.
- 3. The TOTAL AMOUNT FOR COMPARISON OF BIDS will be used to determine the lowest responsible bidder.
- 4. In case of a discrepancy between unit price and the total in said bid, the unit price shall prevail.

PROPOSAL SCHEDULE

The bidder is directed to Subsection 105.16 – Subcontracts.

4 5

The bidder's attention is directed to Sections 696 - Field Office Trailer and its maintenance and 699 - Mobilization for the limitation of the amount bidders are allowed to bid.

If the bid price for any proposal item having a maximum allowable bid indicated therefore in any of the contract documents is in excess of such a maximum amount, the bid price for such proposal item shall be adjusted to reflect the limitation thereon. The comparison of bids to determine the successful bidder and the amount of contract to be awarded shall be determined after such adjustments are made, and such adjustments shall be binding upon the bidder.

The bidder is directed to Section 717 – Cullet and Cullet-Made Materials regarding recycling of waste glass.