PROJECT: FORT WEAVER ROAD RESURFACING

NORTH OF LAULAUNUI STREET TO THE VICINITY OF HANAKAHI STREET

PROJECT NO.: STP-076-1(5)

NET LENGTH OF PROJECT: 3.48 MILES

ISLAND:

OAHU

DISTRICT:

**EWA** 

DATE ADVERTISED: The Honolulu Star Bulletin

May 2, 2000

BIDS OPENED: June 1, 2000 HAWAIIAN BITUMULS PAVING & PRECAST

GRACE PACIFIC, CORP.

STATE OF HAWAII DEPT OF TRANSPORTATION HIGHWAYS DIVISION

COMPLETION TIME: One Hundred Forty-Five (145) Working Days							÷					
ITEM NO.	ITEM	QUANTITY	UNIT	UNIT PRICE AMOUNT		UNIT PRICE		NIT PRICE AMOUNT		NIT PRICE	AMOUNT	
202.4120	Removal of Guardrails and Posts (100 Lin. Ft.)	L.S.	L.S.		L.S.	\$945.00		L.S. \$900.00		L.S.		\$1,000.00
203.0100	Roadway Excavation	21,172	CU YD	\$	28.20	\$597,050.40	\$	20.85	\$441,436.20	\$	20.00	\$423,440.00
209.0100	Erosion Control	F.A.	F.A.		F.A.	\$15,000.00		F.A.	\$15,000.00		F.A.	\$15,000.00
304.0110	Aggregate Base & Subbase	4,872	CU YD	\$	30.80	\$150,057.60	\$	40.00	\$194,880.00	\$	124.00	\$604,128.00
312.0100	Plant Mix Glassphalt Concrete Base Course	22,547	TON	\$	42.80	\$965,011.60	\$	57.30	\$1,291,943.10	\$	79.00	\$1,781,213.00
401.0400	Asphalt Concrete Pavement, Mix No.IV	21,664	TON	\$	52.80	\$1,143,859.20	\$	61.95	\$1,342,084.80	\$	71.00	\$1,538,144.00
401.0402	Asphalt Concrete Pavement, Mix No.V	1,663	TON	\$	63.50	\$105,600.50	\$	84.95	\$141,271.85	\$	75.00	\$124,725.00
411.0100	34'x10' Portland Cement Concrete Bus Shelter Pad (1 Ea.)	L.S.	L.S.		L.S.	\$5,057.90		L.S.	\$15,000.00		Ł.S.	\$5,000.00
507.7600	Type "A" End Post Upgrade	1	EA	\$	22,660.10	\$22,660.10	\$	14,000.00	\$14,000.00	\$	12,800.00	\$12,800.00
507.7601	Type "B" End Post Upgrade	2	EA	\$	22,479.50	\$44,959.00	\$	14,000.00	\$28,000.00	\$	12,750.00	\$25,500.00
507.7602	Type "C" End Post Upgrade	1	EA	\$	25,309.20	\$25,309.20	\$	17,000.00	\$17,000.00	\$	13,000.00	\$13,000.00
507.7604	Type "D" End Post Upgrade	2	EΑ	\$	22,466.90	\$44,933.80	\$	14,000.00	\$28,000.00	\$	12,800.00	\$25,600.00
507.7605	Type "E" End Post Upgrade	2	EA	\$	22,311.50	\$44,623.00	\$	14,000.00	\$28,000.00	\$	12,750.00	\$25,500.00
603.0100	Clean Existing Drainage System	F.A.	F.A.		F.A.	\$20,000.00		F.A.	\$20,000.00		F.A.	\$20,000.00
604.4340	Adjusting Sewer Manhole Frame and Cover	1	EA	\$	262.50	\$262.50	\$	250.00	\$250.00	\$	240.00	\$240.00
604.4540	Adjusting Water Manhole Frame and Cover	. 3	EA	\$	262.50	\$787.50	\$	250.00	\$750.00	\$	260.00	\$780.00
604.4550	Adjusting Water Valve Box Frame and Cover	5	EA	\$	262.50	\$1,312.50	\$	250.00	\$1,250.00	\$	240.00	\$1,200.00
606.0100	Guardrail Type 3 - Strong Post W-Beam	3,023	LIN FT	\$	28.40	\$85,853.20	\$	27.00	\$81,621.00	\$	32.00	\$96,736.00
606.0300	Guardrail Type 3 - Single with Rubrail on Steel Post	. 12	LIN FT	\$	63.00	\$756.00	\$	60.00	\$720.00	\$	23.00	\$276.00
606.3112	Guardrail Type 3 - Thrie Beam Transition to End Post	200	LIN FT	\$	120.80	\$24,160.00	\$	115.00	\$23,000.00	\$	75.00	\$15,000.00
606.5000	Terminal Section Type ET-2000 or SKT-350	2	EA	\$	4,383.80	\$8,767.60	\$	4,175.00	. \$8,350.00	\$	4,490.00	\$8,980.00
606.5001	Terminal Section Type FLEAT-350	4	EA	\$	4,200.00	\$16,800.00	\$	4,000.00	\$16,000,00	\$	3,659.00	\$14,636.00
609.1000	Concrete Curb, Type 2D	91	LIN FT	\$	78.00	\$7,098.00	\$	30.00	\$2,730.00	\$	50.00	\$4,550.00

PROJECT: FORT WEAVER ROAD RESURFACING

NORTH OF LAULAUNUI STREET TO THE VICINITY OF HANAKAHI STREET

PROJECT NO.: STP-076-1(5)

NET LENGTH OF PROJECT: 3.48 MILES

ISLAND:

OAHU

DISTRICT:

**EWA** 

DATE ADVERTISED: The Honolulu Star Bulletin

May 2, 2000

BIDS OPENED: June 1, 2000 HAWAIIAN BITUMULS PAVING & PRECAST

GRACE PACIFIC, CORP.

STATE OF HAWAII DEPT OF TRANSPORTATION HIGHWAYS DIVISION

COMPLETION TIME: One Hundred Forty-Five (145) Working Days												
ITEM NO.	ITEM	QUANTITY	UNIT	U	INIT PRICE	AMOUNT	T	UNIT PRICE	AMOUNT	UNIT PRICE		AMOUNT
609.6000	Bituminous Curb, Type 6	316	LIN FT	\$	8.00	\$2,528.00	\$	19.10	\$6,035.60	\$	17.00	\$5,372.00
612.1000	Grouted Rubble Paving - Cane Haul Underpass	5	CU YD	\$	1,123.30	\$5,616.50	\$	400.00	\$2,000.00	\$	200.00	\$1,000.00
621.0200	Panel for Destination Sign	300	SQ FT	\$	38.20	\$11,460.00	\$	36.40	\$10,920.00	\$	40.00	\$12,000.00
621.0210	Flanged Channel Post for Destination Sign	6	EΑ	\$	341.30	\$2,047.80	\$	325.00	\$1,950.00	\$	128.00	\$768.00
621.0400	Street Name Sign (10 Sq. Ft. or Less )	6	EA	\$	157.50	\$945.00	\$	150.00	\$900.00	\$	100.00	\$600.00
621.0410	Street Name Sign (10 Sq. Ft. or Less) with Posts	2	EΑ	\$	351.80	\$703.60	\$	335.00	\$670.00	\$	314.00	\$628.00
621.4001	Reflector Marker (RM-2)	120	EΑ	\$	13.40	\$1,608.00	\$	12.80	\$1,536.00	\$	5.00	\$600.00
621.4110	48" Flexible Deliniator Post with 3" x 8" Reflector	150	EA	\$	43.10	\$6,465.00	\$	41.00	\$6,150.00	\$	27.00	\$4,050.00
621.5000	Regulatory and Warning Sign (10 Sq Ft or Less)	36	EA	\$	100.80	\$3,628.80	\$	96.00	\$3,456.00	\$	80.00	\$2,880.00
621.5100	Regulatory and Warning Sign (10 Sq Ft or Less) with Post	105	EΑ	\$	238.40	\$25,032.00	\$	227.00	\$23,835.00	\$	200.00	\$21,000.00
	Regulatory and Warning Sign (10 Sq Ft or Less) Mounted on Existing Street Light Standard and Traffic Light Standard	27	EA	\$	133.40	\$3,601.80	\$	127.00	\$3,429.00	\$	150.00	\$4,050.00
621.5300	Regulatory and Warning Sign (10 Sq Ft or More) with Post	8	EA	\$	451.50	\$3,612.00	\$	430.00	\$3,440.00	\$	300.00	\$2,400.00
	Regulatory and Warning Sign (10 Sq Ft or More) Mounted on Existing Street Light Standard and Traffic Light Standard	2	EA	\$	241.50	\$483.00	\$	230.00	\$460.00	\$	300.00	\$600.00
621.5410	Type "A" Route Marker Assembly with Post	2	EA	\$	294.00	\$588.00	\$	280.00	\$560.00	\$	220.00	\$440.00
622.0051	Relocate Highway Lighting Standard	2	EA	\$	5,250.00	\$10,500.00	\$	5,000.00	\$10,000.00	\$	4,075.00	\$8,150.00
623.2010	Install Type I Traffic Signal Standard	6	EA	\$	2,100.00	\$12,600.00	\$	2,000.00	\$12,000.00	\$	784.00	\$4,704.00
623.2030	Furnish and Install Foundation for Type I Signal Standard	11	EA	\$	1,575.00	\$17,325.00	\$	1,500.00	\$16,500.00	\$	984.00	\$10,824.00
623.2040	Relocate Type I Traffic Signal Standard	. 5	EΑ	\$	1,680.00	\$8,400.00	\$	1,600.00	\$8,000.00	\$	599.00	\$2,995.00
623.2200	Pedestrian Pushbutton with Integral Sign	36	EA	\$	840.00	\$30,240.00	\$	800.00	\$28,800.00	\$	406.00	\$14,616.00
623.2213	Install Type II Traffic Signal Standard with 30 Foot Mast Arm	1	EA	\$	6,930.00	\$6,930.00	\$	6,600.00	\$6,600.00	\$	4,234.00	\$4,234.00
623.2230	Furnish and Install Foundation for Type II Signal Standard	1	EΑ	\$	2,100.00	\$2,100.00	\$	2,000.00	\$2,000.00	\$	2,184.00	\$2,184.00
623.3040	Type A Pullbox	11	EA	\$	1,050.00	\$11,550.00	\$	1,000.00	\$11,000.00	\$	1,000.00	\$11,000.00
											·	

PROJECT: FORT WEAVER ROAD RESURFACING

NORTH OF LAULAUNUI STREET TO THE VICINITY OF HANAKAHI STREET

PROJECT NO.: STP-076-1(5)

NET LENGTH OF PROJECT: 3.48 MILES

ISLAND:

OAHU

DISTRICT:

**EWA** 

DATE ADVERTISED: The Honolulu Star Bulletin

629.1031 12-Inch Pavement Striping (Tape, Type III or Thermoplastic Extrusion)

(1.030 Lin. Ft.)

May 2, 2000

June 1, 2000

BIDS OPENED:

HAWAIIAN BITUMULS **PAVING & PRECAST** 

GRACE PACIFIC, CORP.

STATE OF HAWAII DEPT OF TRANSPORTATION HIGHWAYS DIVISION

COMPLETION TIME: One Hundred Forty-Five (145) Working Days ITEM NO. ITEM UNIT PRICE UNIT PRICE QUANTITY UNIT UNIT PRICE **AMOUNT AMOUNT AMOUNT** 623.3050 Type A Pullbox Adjusting EΑ 1,680.00 \$1,680.00 \$ 1,600.00 \$1,600.00 | \$ 1,000.00 \$1,000.00 623.3900 Approach-Only Microwave Vehicle Detector (15 Each) L.S. L.S. L.Ş. \$6,300.00 L.S. \$6,000.00 L.Ş. \$17,715.00 623.4010 Pedestrian Signal Assembly (One-Way, 12-Inch, One Vertical with 840.00 \$3,360.00 800.00 \$3,200.00 \$ 520.00 \$2,080.00 EΑ Slipfitter Mounting) 623.4011 Pedestrian Signal Assembly (Two-Way, 12-Inch, Two Vertical with EΑ 1,260.00 \$1,260.00 1,200.00 \$1,200.00 \$ 700.00 \$700.00 Slipfitter Mounting) 623.4021 Pedestrian Signal Assembly (Two-Way, 12-Inch, Two Vertical with EΑ 1,260.00 \$1,260.00 1,200.00 \$1,200.00 \$ 900.00 \$900.00 Bracket Mounting) 623.4031 Pedestrian/Traffic Signal Assembly (Two-Way, 12-Inch, Two Vertical with EΑ 1,260.00 \$1,260.00 1,200.00 \$1,200.00 \$ 1,200.00 \$1,200.00 Slipfitter Mounting) 623.5010 2-2" SCH 80 PVC Conduit, Concrete Jacket (2,250 Lin. Ft.) L.S. L.S. L.S. \$33,600.00 \$32,000.00 \$78,750.00 L.S. L.S. 623.5020 3-2" SCH 80 PVC Conduit, Concrete Jacket (1,810 Lin. Ft.) L.S. L.S. L.S. \$7,350.00 L.S. \$7,000.00 L.S. \$72,400.00 623.5030 4-2" SCH 80 PVC Conduit, Concrete Jacket (705 Lin. Ft.) L.S. L.S. LS. \$3,150.00 L.S. \$3,000.00 L.S. \$42,300.00 623.7051 Loop Detector Sensing Unit (6 Ft x 6 Ft) One Loop EΑ 630.00 \$41,580.00 600.00 \$39,600.00 \$ 525.00 \$34,650.00 623.7054 Loop Detector Sensing Unit (6 Ft x 6 Ft) Four Loops 2,520.00 \$35,280.00 2,400.00 \$33,600.00 \$ 2,050.00 \$28,700.00 EΑ 623.7056 Loop Detector Sensing Unit (6 Ft x 6 Ft) Six Loops 3,780.00 \$45,360.00 3,600.00 \$43,200.00 \$ 3,150.00 \$37,800.00 12 EΑ 629.1010 4-Inch Pavement Striping (Tape, Type I or Thermoplastic Extrusion) L.S. L.S. \$6,111.00 \$5,820.00 \$9,700.00 L.S. L.S. L.S. (9,700 Lin. Ft.) 629.1011 4-Inch Pavement Striping (Tape, Type II or Thermoplastic Extrusion) L.S. L.S. L.S. \$45,549.00 L.S. \$43,380.00 L.S. \$72,300.00 (72,300 Lin. Ft.) 629.1015 4-Inch Pavement Striping (Tape, Type III or Thermoplastic Extrusion) L.S. L.S. L.S. L.S. \$4,200.00 L.S. \$14,000.00 \$4,410.00 (7,000 Lin. Ft.) 629.1020 8-Inch Pavement Striping (Tape, Type I or Thermoplastic Extrusion) \$7,698.50 \$17,300.00 L.S. L.S. L.S. \$8,083.40 L.S. L.S. (8,650 Lin. Ft.) 629.1030 12-Inch Pavement Striping (Tape, Type II or Thermoplastic Extrusion) L.S. L.S. L.Ş. \$2,162.20 L.S. \$2,059.20 L.S. \$2,880.00 (1,440 Lin. Ft.)

L.S.

L.S.

L.S.

\$1,384.30

L.S.

\$1,318.40

L.S.

\$3,090.00

PROJECT:	FORT WEAVER ROAD RESURFACING NORTH OF LAULAUNUI STREET TO THE VICINITY OF HANAKAHI STREET				-				+,		
PROJECT NO.:	STP-076-1(5) NET LENGTH OF PROJECT: 3.48 MILES										
ISLAND:	OAHU DISTRICT: EWA								·		
DATE ADVERTISED: The Honolulu Star Bulletin May 2, 2000		HAWAIIAN BITUMULS PAVING & PRECAST				GRACE PACIFIC, CORP.			STATE OF HAWAII DEPT OF TRANSPORTATION HIGHWAYS DIVISION		
BIDS OPENED	: June 1, 2000									HIGHWAT	DIVISION
COMPLETION	TIME: One Hundred Forty-Five (145) Working Days										
ITEM NO.	ITEM	QUANTITY	UNIT	UN	IIT PRICE	AMOUNT	U	NIT PRICE	AMOUNT	UNIT PRICE	AMOUNT
	Double 4-Inch Pavement Striping (Tape, Type I or Thermoplastic Extrusion) (1,700 Lin. Ft.)	L.S.	L.S.		L.S.	\$1,713.60		L.S.	\$1,632.00	L.S.	\$3,400.00
629.1060	Crosswalk Marking (Tape, Type III or Thermoplastic Extrusion)	106	LANE	\$	102.90	\$10,907.40	\$	98.00	\$10,388.00	\$ 167.00	\$17,702.00
629.2000	Pavement Arrows (Tape, Type III, or Thermoplastic Extrusion)	<b>1</b> 31	EA	\$	77.70	\$10,178.70	\$	74.00	\$9,694.00	\$ 102.00	\$13,362.00
629,2001	Pavement Words (Tape, Type III, or Thermoplastic Extrusion)	25	EA	\$	218.40	\$5,460.00	\$	208.00	\$5,200.00	\$ 143.00	\$3,575.00
629.3010	Type A Pavement Markers (4,440 Each)	L.S.	L.S.		L.S.	\$15,757.60°		L.S.	\$15,007.20	L.S.	\$22,200.00
629.3030	Type C Pavement Markers (2,800 Each)	L.S.	L.S.		L.S.	\$13,200.60		L.S.	\$12,572.00	L.S.	\$16,800.00
629.3040	Type D Pavement Markers (58 Each)	L.S.	L.S.		L.S.	\$261.90		L.S.	\$249.40	L.S.	\$348.00
629.3070	Type H Pavement Markers (915 Each)	L.S.	L.S.		L.S.	\$3,929.50		L.S.	\$3,742.35	L.S.	\$4,575.00
638.0100	Cellular Phones (2 Each) (Not to Exceed \$1,800)	L.S.	L.S.		L.S.	\$1,800.00 *		L.S.	\$1,800.00	L.S.	\$1,800.00
645.2000	Additional Police Officers and/or Additional Traffic Control Devices	F.A.	F.A.		F.A.	\$80,000.00		F.A.	\$80,000.00	F.A.	\$80,000.00
650.1000	Curb Ramp, Type "A"	2	EA	\$	3,597.30	\$7,194.60	\$	4,000.00	\$8,000.00	\$ 2,000.00	\$4,000.00
650.2010	Curb Ramp, Modified Type "B"	4	EA	\$	4,590.90	\$18,363.60	\$	5,500.00	\$22,000.00	\$ 1,300.00	\$5,200.00
650.3100	Curb Ramp, Modified Type "C"	1	EA	\$	5,150.30	\$5,150.30	\$	8,000.00	\$8,000.00	\$ 2,000.00	\$2,000.00
650.5000	Curb Ramp, Type "E"	. 1	EA	\$	7,203.00	\$7,203.00	\$	7,000.00	\$7,000.00	\$ 2,000.00	\$2,000.00
650.6000	4" Thick Concrete Pad with Tactile Lines	1,251	SQ FT	\$	21.20	\$26,521.20	\$	100.00	\$125,100.00	\$ 10.00	\$12,510.00
651.0100	Excavation for Reconstruction of Weakened Pavement Areas	1,060	CU YD	\$	26.30	\$27,878.00	\$	18.00	\$19,080.00	\$ 79.00	\$83,740.00
652.0110	1 1/2" Cold Planing	15,679	SQ YD	\$	1.50	\$23,518.50	\$	1.40	\$21,950.60	\$ 6.00	\$94,074.00
652.0200	2" Cold Planing	31,943	SQ YD	\$	1.60	\$51,108.80	\$	2.65	\$84,648.95	\$ 4.00	\$127,772.00
652.0210	2 1/2" Cold Planing	50,223	SQ YD	\$	1.90	\$95,423.70	\$	2.75	\$138,113.25	\$ 4.00	\$200,892.00
652.1000	Transition Cold Planing	367	SQ YD	\$	5.60	\$2,055.20	\$	2.65	\$972.55	\$ 11.00	\$4,037.00
655.0100	Grout Fill for GRP Repair - Cane Haul Underpass	200	CU YD	\$	202.70	\$40,540.00	\$	240.00	\$48,000.00	\$ 200.00	\$40,000.00

PROJECT:	FORT WEAVER ROAD RESURFACING NORTH OF LAULAUNUI STREET TO THE VICINITY OF HANAKAHI STREET						· · · · · · · · · · · · · · · · · · ·		· .
PROJECT NO.	STP-076-1(5) NET LENGTH OF PROJECT: 3.48 MILES			!					
ISLAND:	OAHU DISTRICT: EWA								
DATE ADVERTISED: The Honolulu Star Bulletin May 2, 2000				HAWAIIAN PAVING &	The state of the s	GRACE PAC	CIFIC, CORP.	STATE OF HAWAII DEPT OF TRANSPORTATION	
BIDS OPENED	D: June 1, 2000		-					HIGHWAY	S DIVISION
COMPLETION	TIME: One Hundred Forty-Five (145) Working Days	·							
ITEM NO.	ITEM	QUANTITY	UNIT	UNIT PRICE	AMOUNT	UNIT PRICE	AMOUNT	UNIT PRICE	AMOUNT
675.0110	Retesting of Carbonation and Removal of Retested Existing Concrete - Cane Haul Underpass	F.A.	F.A.	F.A.	\$3,000.00	F.A.	\$3,000.00	F.A.	\$3,000.00
675.0120	Removal and Splice Existing Unsound Reinforcing Steel - Cane Haul Underpass	F.A.	F.A.	F.A.	\$3,000.00	F.A.	\$3,000.00	F.A.	\$3,000.00
675.0200	Curb Spall Repair - Cane Haul Underpass	80	LIN FT	\$ 189.00	\$15,120.00	\$ 85.00	\$6,800,00	\$ 120.00	\$9,600.00
675.0210	Retesting of Carbonation and Removal of Retested Existing Concrete - Honouliuli Bridge	F.A.	F.A.	F.A.	\$3,000.00	F.A.	\$3,000.00	F.A.	\$3,000.00
675.0220	Removal and Splice Existing Unsound Reinforcing Steel - Honouliuli Bridge	F.A.	F.A.	F.A.	\$3,000.00	F.A.	\$3,000.00	F.A.	\$3,000.00
675.2000	Railing Spall Repair - Honouliuli Bridge	8	SQ FT	\$ 1,470.00	\$11,760.00	\$ 125.00	\$1,000.00	\$ 400.00	\$3,200.00
	Premolded Joint Seals (12 Expansion Joints) (567 Lin. Ft.) - Honouliuli Bridge	L.S.	L.S.	L.S.	\$51,407.00	L.S.	\$48,959.00	L.S.	\$68,000.00
699.1000	Mobilization (Not to Exceed 10% of the sum of all contract items excluding the bid price of this item and force account items)	L.S.	L.S.	L.S.	\$413,485.00	L.S.	\$69,000.00	L.\$.	\$600,039.00
	a. SUM OF ALL ITEMS				\$4,699,907.20 *		\$4,870,613.95		\$6,742,834.00
	b. EITHER FURNISH FOREIGN STEEL NOT TO EXCEED MINIMAL AMOUNT (INSERT "0") OR FURNISH FOREIGN STEEL IN EXCESS OF MINIMAL AMOUNT (INSERT "25% x a")				\$0.00		\$0.00		\$0.00
	c. AMOUNT FOR COMPARISON OF BIDS (a+b)				\$4,699,907.20 *		\$4,870,613.95		\$6,742,834.00
	All bidders must fill in b and complete c.								
	NOTE: Bidders must complete all unit prices. Failure to do so may be grounds for rejection of bid.								
·	* - Bid amount revised (maximum bid amount for item 638.1000 - \$1,800.00)		·			:			
	I certify that this is a true and correct								·
	tabulation of bids opened for this project								
	Stally. 6/23/00								
	Steven Uechi, Project Manager Date				;				
						<u> </u>	<u>'</u>		