

PROPOSAL SCHEDULE FOR RESURFACING WORK

ITEM NO.	ITEM	APPROX QUANTITY	UNIT	UNIT PRICE	AMOUNT
202.0100	Removal of Existing Railings, End Posts and Guardrails at Culvert Sta. 375+46.20	L.S.	L.S.	L.S.	\$ _____
202.1001	Removal of Portion of Existing Bridge Deck, Railings, End Posts and Guardrails at Waialeale Bridge	L.S.	L.S.	L.S.	\$ _____
202.1002	Removal of Existing Railings, End Posts and Guardrails at Kuilima-Oio Bridge	L.S.	L.S.	L.S.	\$ _____
202.1003	Removal of Existing Headwall at Culvert Sta. 560+82	L.S.	L.S.	L.S.	\$ _____
203.0100	Roadway Excavation	1,200	C.Y.	\$ _____	\$ _____
205.1001	Structure Excavation for Concrete Slab at Waialeale Bridge	L.S.	L.S.	L.S.	\$ _____
205.1002	Structure Excavation for Concrete Slab at Kuilima-Oio Bridge	L.S.	L.S.	L.S.	\$ _____
205.1003	Structure Excavation for Concrete Slab at Culvert Sta. 560+82	L.S.	L.S.	L.S.	\$ _____
209.1000	Installation, Maintenance, Monitoring, and Removal of BMP	L.S.	L.S.	L.S.	\$ _____
209.2000	Additional Water Pollution, Dust, and Erosion Control	F.A.	F.A.	F.A.	\$184,000.00
212.0100	Archaeological Monitoring	F.A.	F.A.	F.A.	\$70,000.00
301.0100	Hot Mix Asphalt Base Course	11,500	Ton	\$ _____	\$ _____

Addendum No. 1

NH-083-1(072)

r6/8/2015

P-8

PROPOSAL SCHEDULE FOR RESURFACING WORK

ITEM NO.	ITEM	APPROX QUANTITY	UNIT	UNIT PRICE	AMOUNT
304.0100	Aggregate Base	L.S.	L.S.	L.S.	\$ _____
305.0100	Aggregate Subbase	L.S.	L.S.	L.S.	\$ _____
321.0100	Triaxial Geogrid	800	S.Y.	\$ _____	\$ _____
322.0100	Landscaping Paving Block	280	S.Y.	\$ _____	\$ _____
401.0100	HMA Pavement, Mix No. IV	33,200	Ton	\$ _____	\$ _____
401.0200	HMA Pavement, Mix No. V	55	Ton	\$ _____	\$ _____
414.0100	Excavation of Weakened Pavement Areas	5,500	C.Y.	\$ _____	\$ _____
415.0100	Cold Planing	L.S.	L.S.	L.S.	\$ _____
416.0100	Paving Grid	1,600	S.Y.	\$ _____	\$ _____
507.9000	Modified Delaware Retrofit at Culvert Sta. 375+46.20	L.S.	L.S.	L.S.	\$ _____
507.9001	Concrete Railing at Waialeale Bridge (Including End Posts)	L.S.	L.S.	L.S.	\$ _____
507.9002	Concrete Railing at Kuilima-Oio Bridge (Including End Posts)	L.S.	L.S.	L.S.	\$ _____

Addendum No. 1

NH-083-1(072)

r6/8/2015

P-9

PROPOSAL SCHEDULE FOR RESURFACING WORK

ITEM NO.	ITEM	APPROX QUANTITY	UNIT	UNIT PRICE	AMOUNT
507.9003	Modified Delaware Retrofit at Culvert Sta. 560+82	L.S.	L.S.	L.S.	\$ _____
602.1001	Reinforcing Steel for Concrete Slab at Waialeale Bridge	L.S.	L.S.	L.S.	\$ _____
602.1002	Reinforcing Steel for Concrete Slab at Kuilima-Oio Bridge	L.S.	L.S.	L.S.	\$ _____
602.1003	Reinforcing Steel for Concrete Slab at Culvert Sta. 560+82	L.S.	L.S.	L.S.	\$ _____
603.0100	Clean Existing Culverts	F.A.	F.A.	F.A.	\$75,000.00
604.0310	Type 1A-9P Grated Drop Inlet, 3.00 feet to 3.99 feet	1	Each	\$ _____	\$ _____
604.4100	Adjusting Storm Drain Manhole Frame and Cover	2	Each	\$ _____	\$ _____
604.4200	Adjusting Cleanout Frame and Cover	3	Each	\$ _____	\$ _____
604.4300	Adjusting Hawaiian Telcom Manhole Frame and Cover	4	Each	\$ _____	\$ _____
604.4400	Adjusting Water Manhole Frame and Cover	8	Each	\$ _____	\$ _____
604.4500	Adjusting Water Valve Box Frame and Cover	24	Each	\$ _____	\$ _____
604.4600	Adjusting Sewer Manhole Frame and Cover	1	Each	\$ _____	\$ _____

Addendum No. 1

NH-083-1(072)

r6/8/2015

P-10

PROPOSAL SCHEDULE FOR RESURFACING WORK

ITEM NO.	ITEM	APPROX QUANTITY	UNIT	UNIT PRICE	AMOUNT
606.0600	State Furnished Portable Concrete Barrier	L.S.	L.S.	L.S.	\$ _____
606.0700	Concrete Barrier End Treatment	L.S.	L.S.	L.S.	\$ _____
606.0800	Movable Steel Barrier (with Manual Jack)	L.S.	L.S.	L.S.	\$ _____
613.1000	Adjusting Centerline and Reference Survey Monuments	1	Each	\$ _____	\$ _____
617.0100	Planting Soil	17	C.Y.	\$ _____	\$ _____
619.0100	Grass (TifGrand sod)	L.S.	L.S.	L.S.	\$ _____
623.3060	Traffic Signal Assembly (One-Way, 12-Inch, 1 -3 Section Vertical with Mast Arm Mounting) with LED Signal Lights	2	Each	\$ _____	\$ _____
623.3900	Approach-Only Microwave Vehicle Detector	2	Each	\$ _____	\$ _____
623.4001	Traffic Signal Back Plate (Louvered, Black)	2	Each	\$ _____	\$ _____
623.7051	Loop Detector Sensing Unit (6x6) One Loop	2	Each	\$ _____	\$ _____
623.7052	Loop Detector Sensing Unit (6x6) Two Loops	4	Each	\$ _____	\$ _____
623.7056	Loop Detector Sensing Unit (6x6) Six Loops	2	Each	\$ _____	\$ _____

Addendum No. 1

NH-083-1(072)

r6/8/2015

P-11

PROPOSAL SCHEDULE FOR RESURFACING WORK

ITEM NO.	ITEM	APPROX QUANTITY	UNIT	UNIT PRICE	AMOUNT
627.0100	Inertial Barrier System (25 MPH Design at Sta. 375+45 to 375+55)	L.S.	L.S.	L.S.	\$ _____
627.0200	Inertial Barrier System (45 MPH Design at Sta. 485+21.5 to 485+45.5)	L.S.	L.S.	L.S.	\$ _____
627.0300	Replacement Inertial Barrier System (25 MPH Design at Sta. 375+45 to 375+55)	L.S.	L.S.	L.S.	\$ _____
627.0400	Replacement Inertial Barrier System (45 MPH Design at Sta. 485+21.5 to 485+45.5)	L.S.	L.S.	L.S.	\$ _____
638.0100	Curb, Type 2D	L.S.	L.S.	L.S.	\$ _____
641.0100	Hydro-Mulch Seeding	L.S.	L.S.	L.S.	\$ _____
643.1000	Maintenance of Existing Landscape Areas	F.A.	F.A.	F.A.	\$ 10,000.00
645.0100	Traffic Control	L.S.	L.S.	L.S.	\$ _____
645.0200	Additional Police Officers, Additional Traffic Control Devices, and Advertisement	F.A.	F.A.	F.A.	\$230,000.00
648.0100	Field-Posted Drawings	L.S.	L.S.	L.S.	\$ _____
676.1001	VESLMC Slab for Waialeale Bridge	L.S.	L.S.	L.S.	\$ _____
676.1002	VESLMC Slab for Kuilima-Oio Bridge	L.S.	L.S.	L.S.	\$ _____
676.1003	VESLMC Slab for Culvert Sta 560+82	L.S.	L.S.	L.S.	\$ _____

Addendum No. 1

NH-083-1(072)

r6/8/2015

P-12

PROPOSAL SCHEDULE FOR RESURFACING WORK

ITEM NO.	ITEM	APPROX QUANTITY	UNIT	UNIT PRICE	AMOUNT
695.0100	Public Education Materials or Services	F.A.	F.A.	F.A.	\$20,000.00
696.1000	Maintenance of Trailers	F.A.	F.A.	F.A.	\$50,000.00
699.1000	Mobilization (Not to Exceed 6 Percent of the Sum of All Items Excluding the Bid Price of this Item)	L.S.	L.S.	L.S.	\$ _____
a.	Sum of All Resurfacing Work Items				\$ _____
b.	Either Furnish Foreign Steel Not to Exceed Minimal Amount (Fill in '0') or Furnish Foreign Steel in Excess of Minimal Amount (Fill in 25% X a)			**	_____
c.	Bid Amount for Resurfacing Work (a+b)			**	_____
	All bidders must fill in b and complete c.				
NOTE:	Bidders must complete all unit prices and amounts. Failure to do so may be grounds for rejection of bid.				

PROPOSAL SCHEDULE FOR SAFETY WORK

ITEM NO.	ITEM	APPROX QUANTITY	UNIT	UNIT PRICE	AMOUNT
209.1001	Installation, Maintenance, Monitoring, and Removal of BMP	L.S.	L.S.	L.S.	\$ _____
209.2001	Additional Water Pollution, Dust, and Erosion Control	F.A.	F.A.	F.A.	\$16,000.00
606.0100	Guardrail, Strong Post W-Beam	L.S.	L.S.	L.S.	\$ _____
606.0200	Guardrail, Strong Post W-Beam (8' Post)	L.S.	L.S.	L.S.	\$ _____
606.0300	Guardrail, Type 3 Thrie Beam Transition	L.S.	L.S.	L.S.	\$ _____
606.0400	Terminal Section, Type FLEAT 350	L.S.	L.S.	L.S.	\$ _____
606.0500	Terminal Section, Type SKT-350	L.S.	L.S.	L.S.	\$ _____
615.0110	Double 6-Inch Milled Rumble Strip, Centerline	L.S.	L.S.	L.S.	\$ _____
615.0400	4-Inch Milled Rumble Strip, Modified Edgeline	L.S.	L.S.	L.S.	\$ _____
629.1011	Double 4-inch Pavement Striping (Tape, Type I or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.1013	4-Inch Pavement Striping (Tape, Type I or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.1015	4-Inch Pavement Striping (Tape, Type III or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.1016	8-Inch Pavement Striping (Tape, Type I or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____

Addendum No. 1

NH-083-1(072)

r6/8/2015

P-14

PROPOSAL SCHEDULE FOR SAFETY WORK

ITEM NO.	ITEM	APPROX QUANTITY	UNIT	UNIT PRICE	AMOUNT
629.1020	12-Inch Pavement Striping (Tape, Type I or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.1022	12-Inch Pavement Striping (Tape, Type III or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.1024	24-Inch Pavement Striping (Tape, Type III or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.1030	Crosswalk Marking (Tape, Type III or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.1040	Pavement Arrows (Tape, Type III or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.1050	Pavement Word (Tape, Type III or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.1060	Pavement Symbol (Shark's Teeth Marking) (Tape, Type III or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.2010	Type "A" Pavement Markers	L.S.	L.S.	L.S.	\$ _____
629.2020	Type "C" Pavement Markers	L.S.	L.S.	L.S.	\$ _____
629.2030	Type "D" Pavement Markers	L.S.	L.S.	L.S.	\$ _____
629.2070	Type "H" Pavement Markers	L.S.	L.S.	L.S.	\$ _____
629.2080	Type "J" Pavement Markers	L.S.	L.S.	L.S.	\$ _____
631.5000	Regulatory Sign (10 Square Feet or Less)	L.S.	L.S.	L.S.	\$ _____

Addendum No. 1

NH-083-1(072)

r6/8/2015

P-15

PROPOSAL SCHEDULE FOR SAFETY WORK

ITEM NO.	ITEM	APPROX QUANTITY	UNIT	UNIT PRICE	AMOUNT
631.5001	Regulatory Sign (10 Square Feet or Less) with Post(s)	L.S.	L.S.	L.S.	\$ _____
631.5003	Regulatory Sign (More than 10 Square Feet) with Post(s)	L.S.	L.S.	L.S.	\$ _____
631.5100	Warning Sign (10 Square Feet or Less)	L.S.	L.S.	L.S.	\$ _____
631.5101	Warning Sign (10 Square Feet or Less) With Post(s)	L.S.	L.S.	L.S.	\$ _____
631.5102	Warning Sign (More than 10 Square Feet) With Post(s)	L.S.	L.S.	L.S.	\$ _____
631.5400	Directional Sign (10 Square Feet or Less)	L.S.	L.S.	L.S.	\$ _____
631.5500	Directional Sign (10 Square Feet or Less) with Post(s)	L.S.	L.S.	L.S.	\$ _____
632.0100	Type 3 Object Marker with Post(s)	L.S.	L.S.	L.S.	\$ _____
632.0200	Mile Post Marker and Route Number Plate with Post (Bi-Directional)	L.S.	L.S.	L.S.	\$ _____
645.0101	Traffic Control	L.S.	L.S.	L.S.	\$ _____
645.0201	Additional Police Officers, Additional Traffic Control Devices, and Advertisement	F.A.	F.A.	F.A.	\$20,000.00
699.1001	Mobilization (Not to Exceed 6 Percent of the Sum of All Items Excluding the Bid Price of this Item)	L.S.	L.S.	L.S.	\$ _____

Addendum No. 1

NH-083-1(072)

r6/8/2015

P-16

PROPOSAL SCHEDULE FOR SAFETY WORK

ITEM NO.	ITEM	APPROX QUANTITY	UNIT	UNIT PRICE	AMOUNT
d.	Sum of All Safety Work Items				\$ _____
e.	Either Furnish Foreign Steel Not to Exceed Minimal Amount (Fill in '0') or Furnish Foreign Steel in Excess of Minimal Amount (Fill in 25% X d)			**	_____
f.	Bid Amount for Safety Work (d+e)			**	_____
All bidders must fill in e and complete f.					
NOTE: Bidders must complete all unit prices and amounts. Failure to do so may be grounds for rejection of bid.					

Total (Sum of All Resurfacing Work and Safety Work Items) to be used for comparison (c+f)	\$ _____
NOTE: Bidders must complete all unit prices and amounts. Failure to do so may be grounds for rejection of bid.	

The bidder is directed to Subsection 105.16 – Subcontracts.

If the bid price for any proposal item having a maximum allowable bid indicated therefore in any of the contract documents is in excess of such a maximum amount, the bid price for such proposal item shall be adjusted to reflect the limitation thereon. The comparison of bids to determine the successful bidder and the amount of contract to be awarded shall be determined after such adjustments are made, and such adjustments shall be binding upon the bidder.

INSTRUCTIONS TO COMPUTE THE AMOUNT FOR COMPARISON OF BIDS FOR FOREIGN STEEL

Each bidder shall indicate its intention to furnish foreign steel on this project by initialing after the AMOUNT for each of the items the bidder intends to use such foreign steel including lump sum items. A bidder not indicating such usage certifies that the bidder will furnish and use only domestic steel on this project. Also, the bidder shall add an additional 25% to the SUM OF ALL ITEMS if the bid submitted is based on furnishing foreign steel in excess of the minimal use specified in Subsection 106.11 - Steel and Iron Construction Material.