GENERAL NOTES

for Utility Property and Services.

- I. The scope of work for this project consists of cold planing the existing pavement to remove open graded mix surfacing; resurfacing the existing pavement; installing signs, pavement striping, markers and marking; adjusting survey monuments and manhole frames and covers; and installing loop detector sensing units.
- 11. Before adjusting any frames and covers for manholes and water valve boxes, the Contractor shall notify the respective agency seven (7) calendar days before the adjustment.
- 12. The Contractor shall notify Hawaiian Telephone Co., Oahu Engineering and Construction Office, telephone number 834-6215, seven (7) days before resurfacing.

2.	The Contractor's attention is directed to Subsection 107.13 - Public
	Convenience and Safety; Section 645 - Traffic Control of the
	Special Provisions and Subsection 107.21 - Contractor's Responsibility

- 3. At the end of each day's work, the Contractor shall remove all equipment and other obstructions to permit free and safe passage of public traffic.
- 4. The existence and location of underground utilities, manholes, monuments and structures as shown on the plans are from the latest available data but the accuracy is not guaranteed. The encountering of other obstacles during the course of the work is possible. The Contractor shall be held liable for any damages incurred to the existing facilities and/or improvements as a result of his operations.
- 5. The limits of areas to be cold planed, including bridge approaches, driveways and sideroad connections and transitions to existing pavement, shall be determined in the field by the Engineer. Any increase or decrease in the quantity of cold planing will be paid for at the respective applicable unit bid price.
- 6. The Contractor shall remove and dispose of all existing raised pavement markers prior to the overlaying of Asphalt Concrete. This work shall be considered incidental to Asphalt Concrete Pavement, Mix No. I and will not be paid for separately.
- 7. All holes, depressions and wheel ruts shall be filled and compacted with Asphalt Concrete Pavement, Mix No. I prior to resurfacing. This work will be paid for under Asphalt Concrete Pavement, Mix No. I.
- 8. Smooth riding connections shall be constructed at all limits of resurfacing including the beginning and end of project, connecting approaches, side streets and driveways as shown on the plans and/or as directed by the Engineer.
- The Contractor shall remove all existing Open Graded Mix by cold planing prior to resurfacing with I'e" Asphalt Concrete Pavement Mix No. V. Resurfacing shall be done no later than three (3) working days after cold planing begins and shall be completed no later than three (3) working days after cold planing is completed.
- 10. The Contractor shall adjust frames and covers of all manholes, water valve boxes and survey monuments shown on the plans within the resurtacing area, except as noted otherwise.

FED. ROAD DIST. NO.	STATE	PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW.	83F-01-88M	1988	3	11

DEPARTMENT OF TRANSPORTATION
HIGHWAYS DIVISION

GENERAL NOTES

KAHEKILI HWY. RESURFACING VALLEY OF THE TEMPLES TO AHUMANU STR.BR. PROJECT NO. 83F-01-88M

Date: Feb., 1988

SHEET No. / OF 2 SHEETS

