

FED. ROAD DIST. NO.	STATE	PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW.	92A-02-09M	2009	3	18

GENERAL NOTES

- The scope of work for this project consists of landscaping and irrigation system.
- The Contractor is reminded of the requirements of Subsection 105.16(A) - Subcontract Requirements and as amended in the Special Provisions, which requires him to perform work to not less than 30 percent of the total contract cost less deductible items. Non-compliance with this Subsection may be grounds for rejection of bid.
- The Contractor's attention is directed to the following Sections: Subsection 104.11 - Utilities and Services; Subsection 107.06 - Contractor Duty Regarding Public Convenience; and Section 645 - Work Zone Traffic Control.
- At the end of each day's work, the Contractor shall remove all equipment and other obstructions to permit free and safe passage of public traffic.
- The existence and location of underground utilities, manholes, monuments and structures as shown on the plans are from the latest available data, but the accuracy is not guaranteed. The encountering of other obstacles during the course of work is possible. The Contractor shall tone for the exact locations and depths of all underground facilities, either shown on or omitted from the plans, in areas where work, such as the placement of sign posts, traffic signal conduits, etc. may affect these properties. Toning shall be considered incidental to the various contract items and will not be paid for separately. The Contractor shall be held liable for any damages incurred to the existing facilities and/or improvements as a result of his operations.
- The Contractor shall notify the Oahu Transit Services, Lowell Tom (848-4578) or Ed Sniffen (848-4571), two (2) weeks prior to construction, informing them of location, scope of work, and closure of Name of Highway and/or traffic lanes and dates of closure. (For Oahu projects only. For other islands, check with your local bus company.)
- The Contractor shall notify the Engineer in writing, two (2) weeks prior to starting construction operations.
- The Contractor shall indemnify and be solely responsible for the protection of adjacent properties, utilities and existing structures from damages due to construction. Repairing any damage shall be at the Contractor's own expense, to the satisfaction of the Engineer.
- Existing drainage system will be functional at all times during construction. The Contractor shall furnish materials, equipment, labor, tools and incidentals necessary to maintain flow. This work shall be considered incidental to any culvert work or the various contract items and will not be paid for separately.
- The Contractor shall clean and remove any accumulation of aggregates along the roadside within 10 feet of the edge of pavement. This work shall be considered incidental to bulk of work or the various contract items and will not be paid for separately.
- The Contractor shall provide and maintain for access to and from all existing driveways, sidewalks and ADA access routes, and side streets and cross streets at all times. This work shall be considered incidental to curb ramps, or sidewalk, or the various contract items and will not be paid for separately.
- No material and/or equipment shall be stockpiled or otherwise stored within the highway right-of-way except at locations designed in writing and approved by the Engineer. If use of location is approved by the engineer, the Contractor shall obtain a permit to use the property within the highway right-of-way from the Oahu District Office at telephone no. 831-6712.
- Contractor shall notify Department of Transportation Services, Public Transit Division at 768-8396, Oahu Transit Services, Inc. bus operations 848-4578, and Oahu Transit Services, Inc. para-transit operations 454-5041 of the scope of work, location, proposed closure of any street, traffic lane, sidewalk, or bus stop and duration of project at least two weeks prior to construction.

LEGEND

—e—	Existing Electrical Line
o	Existing Joint Pole
o pp	Existing Power Pole
o emh	Existing Electric Manhole
—t—	Existing Telephone Line
o tp	Existing Telephone Pole
o tmh	Existing Telephone Manhole
—sc—	Existing Signal Corps Line
—tv—	Existing TV Cable
—w-12—	Existing 12" Water Line
o wmh	Existing Water Manhole
o av	Existing Water Air Valve
o wv	Existing Water Valve Box
□ wmm	Existing Water Meter
o fh	Existing Fire Hydrant
—s-12—	Existing Sewer Line
—S-12—	New 12" Sewer Line
o smh	Existing Sewer Manhole
—g-6—	Existing 6" Gas Line
o gv	Existing Gas Valve Box
o gmh	Existing Gas Manhole
⊙ mon	Existing Monument
---d-24---	Existing 24" Drain Line
o admh	Existing Storm Drain Manhole
□ gdi	Existing Grated Drop Inlet
□ cb	Existing Catch Basin
□ sign	Existing Traffic Sign
o hl	Existing Highway Lighting Standard
□ hlpb	Existing Highway Lighting Pullbox
⊙	Monkeypod Tree
⊕	Coconut Palm

ORIGINAL PLAN	SURVEY PLOTTED BY	DATE
NOTE BOOK	DRAWN BY	
ADDRESS	DESIGNED BY	
REVISIONS	QUANTITIES BY	
	CHECKED BY	

STATE OF HAWAII DEPARTMENT OF TRANSPORTATION HIGHWAYS DIVISION	
GENERAL NOTES AND LEGEND	
NIMITZ HIGHWAY MEDIAN EROSION CONTROL Sumner Street to Richards Street Project No. 92A-02-09M	
Date: April, 2009	
SHEET No. 1 OF 2 SHEETS	