

**STATE OF HAWAII
DEPARTMENT OF TRANSPORTATION
HIGHWAYS DIVISION**

**ADDENDUM NO. 1
for
EROSION CONTROL AND BEST MANAGEMENT PRACTICES FOR STORM
WATER PERMIT COMPLIANCE, PHASE 2
PROJECT NO. HWY-O-02-21**

The following is provided for information.

A. PRE-BID MEETING MINUTES

Attached are the June 6, 2022 pre-bid meeting minutes and attendance for your information.

**B. CLARIFICATION QUESTIONS/REQUEST FOR INFORMATION AND
HDOT RESPONSE**

Attached are RFIs and responses for your information.

Please acknowledge receipt of this Addendum No. 1 by recording the date of its receipt in the space provided on Page P-4 of the Proposal.



JADE T. BUTAY
Director of Transportation

PRE-BID MEETING MINUTES

EROSION CONTROL AND BEST MANAGEMENT PRACTICES FOR STORM WATER PERMIT COMPLIANCE, PHASE 2 PROJECT NO. HWY-O-02-21

Date, Time & Place: June 6, 2022; 10:00 A.M., Pre-bid meeting was held virtually via Microsoft TEAMS.

Attendees:

Name	Company/Office	Email
Keith Miyashiro	HDOT	keith.miyashiro@hawaii.gov
Rodney Gerard	HDOT	rodney.gerard@hawaii.gov
Trevor Vagay	The Limtiaco Consulting Group	trevor@tlcghawaii.com
Ben Phillips	ETC	bphillips@gotoetc.com
Bobby Balais	Integrated Construction, Inc.	bobby@integratedhawaii.com
Justin Tanouye	Hawaii Operators Engineers Stabilization	justin@hoeisf.com

Items of Discussion:

Project Manager Keith Miyashiro opened the meeting at 10:00 A.M. The following reminders were announced:

- This meeting is being recorded. The recording will not be part of the addendum.
- Please identify yourself, the company you are representing, and your e-mail address if different from the registration on HlePRO.
- Anything said at this meeting is for clarification only. The bid documents shall govern over anything said today and discrepancies shall be clarified by addendum.
- Scope of Work for this project consists of reconstruction of asphalt pavement; demolition and removal of existing material storage bay and foundation; installation of chain link fence, chain link rolling gate, trench drain, material storage bay; and installation and maintenance of temporary BMPs.

Project Site:

- State of Hawaii, Department of Transportation's Keehi Maintenance Baseyard: Under H-1 Freeway, along Nimitz Highway in Mapunapuna.

Notes:

- "Work at Keehi Baseyard shall be confined to the hours of 7:00 A.M. to 2:30 P.M., Monday to Friday, except holidays and other days as directed by the Engineer" as mentioned on page 645-1a of the Special Provisions.
- Bid Offer Due Date and Time is June 29, 2022, 2:00 P.M. Hawaii Standard Time.
- Please submit all questions through HlePRO by June 15, 2022 Hawaii Standard Time.

Questions:

- Is the 2:30 P.M. stop time when the facility is open?
 - Working hours specified is based on the hours of operation for the baseyard.
- What is the procedure if they want to see the site?
 - Check in with the security guard at the entrance of the baseyard; maintenance personnel at the baseyard were notified of potential bidders visiting the site.

Meeting was adjourned when prospective bidders had no additional comments at 10:06 A.M.

RESPONSE TO RFIS

EROSION CONTROL AND BEST MANAGEMENT PRACTICES FOR STORM WATER PERMIT COMPLIANCE, PHASE 2 PROJECT NO. HWY-O-02-21

The following RFI/questions were submitted via HlePRO by prospective bidders as of June 15, 2022. The questions and responses are as follows:

1. Clarify the size of the angle track for the new gate. Plan states 1 1/2" x 1 1/2" x 3/4" angle. This size angle does not exist. We recommend standard 1 1/2" x 1 1/2" x 3/16". Please confirm this change as the size shown cannot be done

Response: 1-1/2" x 1-1/2" x 3/16" angle may be used for the angle track.

2. Clarify the size of the top rail for the new chain link fence. one detail states 1 7/8" OD top rail, and one detail states standard 1 5/8" OD. Is the 1 7/8" OD top rail required? If so, custom made fittings must be made to fit. Will standard 1 5/8" OD top rail be acceptable for the whole job?

Response: 1-5/8" OD top rail can be used for new fencing.

3. Clarify the size of the fence line post. plans only show the size of the end and pull post as 3 1/2" OD. But, what about the line post which does not show what size.

Response: Line posts shall be 2-3/8" OD.

4. Is domestic material required for this project?

Response: This is not a Federal-Aid project. Materials required for the project shall follow Section 106 – Material Restrictions and Requirements of the Hawaii Standard Specifications for Road and Bridge Construction and as amended by the contract documents.