STATE OF HAWAII DEPARTMENT OF TRANSPORTATION HIGHWAYS DIVISION

ADDENDUM NO. 2 for

FARRINGTON HIGHWAY, REPLACEMENT OF MAIPALAOA BRIDGE FEDERAL-AID PROJECT NO. BR-093-1(21)

The following amendments shall be made to the Bid Documents:

A. NOTICE TO BIDDERS

Prospective bidders are hereby notified that the receiving of sealed bids, scheduled for 2:00 P.M., November 5, 2015 is <u>HEREBY POSTPONED</u> until 2:00 P.M., November 12, 2015. The attached Notice to Bidders shall be incorporated and made a part of the original Notice to Bidders.

B. PLANS

Replace Plan Sheet No. 19, with the attached Plan Sheet No. ADD. 19.

C. PROPOSAL SCHEDULE

Replace page P-11 dated 3/03/15, with the attached page P-11 dated r10/30/15.

The attached 1969 Boring Log sheet from the Farrington Highway Widening project is provided for your reference and information.

Please acknowledge receipt of this Addendum No. 2 by recording the date of its receipt in the space provided on page P-4 of the Proposal.

Director of Transportation

NOTICE TO BIDDERS

(Chapter 103D, HRS)

The receiving of SEALED BIDS for FARRINGTON HIGHWAY, REPLACEMENT OF MAIPALAOA BRIDGE, Federal-Aid Project No. BR-093-1(21), scheduled for 2:00 P.M., November 5, 2015, at the Contracts Office, Department of Transportation, 869 Punchbowl Street, Honolulu, Hawaii 96813 is HEREBY POSTPONED until 2:00 P.M. November 12, 2015, at which time and places they will be publicly opened and read.

FORD FUCHIGAMI Director of Transportation

Internet Posting:

PROPOSAL SCHEDULE					
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
511.0515	Trial Shaft	89	L.F.	\$	\$
511.0516	Coring for Integrity Testing for Acceptable Drilled Shaft	303	L.F.	\$	\$
602.0100	Reinforcing Steel for Bridge Topping	L.S.	L.S.	L.S.	\$
602.0200	Reinforcing Steel for Bridge Beams	L.S.	L.S.	L.S.	\$
602.0300	Reinforcing Steel for Abutments, Wingwalls, and Retaining Walls	L.S.	L.S.	L.S.	\$
602.0400	Reinforcing Steel for Approach Slabs	L.S.	L.S.	L.S.	\$
602.0500	Reinforcing Steel for Railings	L.S.	L.S.	L.S.	\$
603.1000	Bed Course Material for Culvert	L.S.	L.S.	L.S.	\$
603.2000	24-Inch Reinforced Concrete Pipe, Class III, or 24-Inch High Density Polyethylene Pipe, Type S	L.S.	L.S.	L.S.	\$
603.3000	18-Inch Reinforced Concrete Pipe, Class III, or 18-Inch High Density Polyethylene Pipe, Type S	L.S.	L.S.	L.S.	\$
604.1000	Type 1211216P Grated Drop Inlet, 5'-1" feet to 10'-0" feet	3	EA	\$	\$
606.1000	Guardrail Type - Strong Post W-Beam	L.S.	L.S.	L.S.	\$
606.2000	Terminal Section Type - Type G	L.S.	L.S.	L.S.	\$
606.3000	Terminal Section - SKT-350 or Approved Equal	L.S.	L.S.	L.S.	\$
607.1000	6-Feet, Chain Link Fence	L.S.	L.S.	L.S.	\$
612.0200	Grouted Rubble Paving	L.S.	L.S.	L.S.	\$