

### PROPOSAL SCHEDULE

ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
202.0200	Removal of Existing Metal Guardrails, Concrete Blocks, Concrete Sidewalk, QuadGuard, and Concrete Pad	L.S.	L.S.	L.S.	\$ _____
203.0100	Roadway Excavation	11,000	C.Y.	\$ _____	\$ _____
204.2060	Trench Excavation for Electric System	L.S.	L.S.	L.S.	\$ _____
209.0100	Installation, Maintenance, Monitoring, and Removal of BMP	L.S.	L.S.	L.S.	\$ _____
209.0200	Additional Water Pollution, Dust, and Erosion Control	F.A.	F.A.	F.A.	\$ <u>10,000.00</u>
220.1000	Contractor's Archaeologist	L.S.	L.S.	L.S.	\$ _____
220.2000	Contractor's Cultural Monitor	L.S.	L.S.	L.S.	\$ _____
220.3000	Additional Cultural Monitor Work	F.A.	F.A.	F.A.	\$ <u>25,000.00</u>
220.4000	Protective Measures for Archaeological, Historic, Cultural, and Burial Site Findings	F.A.	F.A.	F.A.	\$ <u>25,000.00</u>
304.1000	Aggregate Base	L.S.	L.S.	L.S.	\$ _____
401.0100	HMA Pavement, Mix No. V	L.S.	L.S.	L.S.	\$ _____
411.1000	Concrete Pavement (9" Cast-in-Place PCCP)	L.S.	L.S.	L.S.	\$ _____
411.2000	Concrete Pavement (10" Cast-in-Place PCCP)	L.S.	L.S.	L.S.	\$ _____
415.1000	Cold Planing	L.S.	L.S.	L.S.	\$ _____

STP-7415(001)

8/19/14

P-8

<b>PROPOSAL SCHEDULE</b>					
<b>ITEM NO.</b>	<b>ITEM</b>	<b>APPROX. QUANTITY</b>	<b>UNIT</b>	<b>UNIT PRICE</b>	<b>AMOUNT</b>
416.1000	Jointed Precast Concrete Pavement (9" JPCP)	L.S.	L.S.	L.S.	\$ _____
416.2000	Jointed Precast Concrete Pavement (10" JPCP)	L.S.	L.S.	L.S.	\$ _____
417.1000	Precast Prestressed Concrete Pavement (PPCP)	L.S.	L.S.	L.S.	\$ _____
503.0060	Concrete for Electric System (Class A)	L.S.	L.S.	L.S.	\$ _____
503.1000	Concrete for Barrier at Sign Post	L.S.	L.S.	L.S.	\$ _____
603.0100	Clean Existing Culverts	F.A.	F.A.	F.A.	\$ <u>10,000.00</u>
604.0100	Type 61614 Steel Frame and Grate	1	Each	\$ _____	\$ _____
604.1000	Adjusting Electric Manhole Frame and Cover	3	Each	\$ _____	\$ _____
604.2000	Adjusting Signal Corps Manhole Frame and Cover	2	Each	\$ _____	\$ _____
604.3000	Adjusting Storm Drain Manhole Frame and Cover	10	Each	\$ _____	\$ _____
604.4000	Adjusting Telephone Manhole Frame and Cover	9	Each	\$ _____	\$ _____
604.5000	Reconstruction of Manhole Top Slab	F.A.	F.A.	F.A.	\$ <u>140,000.00</u>
606.0100	Guardrail Type 3, Strong Post W-Beam Guardrail	L.S.	L.S.	L.S.	\$ _____
606.0200	Guardrail Type 3, Strong Post Modified Thrie Beam Guardrail	L.S.	L.S.	L.S.	\$ _____
606.3100	Terminal Section Type ET-2000 Plus	L.S.	L.S.	L.S.	\$ _____

**STP-7415(001)**

**8/19/14**

**P-9**

<b>PROPOSAL SCHEDULE</b>					
<b>ITEM NO.</b>	<b>ITEM</b>	<b>APPROX. QUANTITY</b>	<b>UNIT</b>	<b>UNIT PRICE</b>	<b>AMOUNT</b>
606.3200	Terminal Section Type Thrie Beam Section (Rounded)	L.S.	L.S.	L.S.	\$ _____
606.3300	Terminal Section Type W-Beam End Section (Rounded)	L.S.	L.S.	L.S.	\$ _____
610.0100	(8-inch) Reinforced Concrete Driveway	L.S.	L.S.	L.S.	\$ _____
622.0050	Roadway Lighting Standard, 38-Foot (Nominal) Pole Height, 12-Foot Luminaire Arm, One 113 Watt Luminaire, L.E.D. Lamp, and Transformer Base, Mounted on Concrete Foundation	L.S.	L.S.	L.S.	\$ _____
622.0051	Roadway Lighting Standard, 38-Foot (Nominal) Pole Height, 12-Foot Luminaire Arm, One 130 Watt Luminaire, L.E.D. Lamp, and Transformer Base, Mounted on Concrete Foundation	L.S.	L.S.	L.S.	\$ _____
622.0052	Roadway Lighting Standard, 38-Foot (Nominal) Pole Height, 12-Foot Luminaire Arm, Two 113 Watt Luminaire, L.E.D. Lamp, and Transformer Base, Mounted on Concrete Foundation	L.S.	L.S.	L.S.	\$ _____
622.0053	Demolish Roadway Lighting Standard, including Pole, Luminaire Arm, Luminaire, Transformer Base, Concrete Foundation, and Anchor Bolts	L.S.	L.S.	L.S.	\$ _____
622.5030	1-Inch PVC Schedule 40 Conduits	L.S.	L.S.	L.S.	\$ _____
622.5031	2-Inch PVC Schedule 40 Conduits	L.S.	L.S.	L.S.	\$ _____

**STP-7415(001)**

**8/19/14**

**P-10**

<b>PROPOSAL SCHEDULE</b>					
<b>ITEM NO.</b>	<b>ITEM</b>	<b>APPROX. QUANTITY</b>	<b>UNIT</b>	<b>UNIT PRICE</b>	<b>AMOUNT</b>
622.5040	Roadway Light Conductors - #10 RHW-USE	L.S.	L.S.	L.S.	\$ _____
622.5041	Roadway Light Conductors - #8 RHW-USE	L.S.	L.S.	L.S.	\$ _____
622.5042	Roadway Light Conductors - #2 RHW-USE	L.S.	L.S.	L.S.	\$ _____
622.5070	Electrical Power Apparatus, Lighting Control Equipment, and Wiring at Electrical Substation #1	L.S.	L.S.	L.S.	\$ _____
622.5090	Type A Highway Electric Pullbox	L.S.	L.S.	L.S.	\$ _____
622.5091	Type B Highway Signal Pullbox	L.S.	L.S.	L.S.	\$ _____
623.1100	Loop Detector Sensing Unit (6 Ft. x 6 Ft.) One Loop	1	Each	\$ _____	\$ _____
623.1200	Loop Detector Sensing Unit (6 Ft. x 6 Ft.) Two Loops	6	Each	\$ _____	\$ _____
623.1300	Loop Detector Sensing Unit (6 Ft. x 6 Ft.) Four Loops	6	Each	\$ _____	\$ _____
623.1400	Loop Detector Sensing Unit (6 Ft. x 6 Ft.) Six Loops	2	Each	\$ _____	\$ _____
623.2100	Traffic Signal Back Plates	18	Each	\$ _____	\$ _____
626.1100	Adjusting Water Manhole Frame and Cover	L.S.	L.S.	L.S.	\$ _____
626.1200	Adjusting Water Valve Box Frame and Cover	L.S.	L.S.	L.S.	\$ _____
629.1010	4-Inch Pavement Striping (Tape, Type I or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____

**STP-7415(001)**

**8/19/14**

**P-11**

<b>PROPOSAL SCHEDULE</b>					
<b>ITEM NO.</b>	<b>ITEM</b>	<b>APPROX. QUANTITY</b>	<b>UNIT</b>	<b>UNIT PRICE</b>	<b>AMOUNT</b>
629.1011	4-Inch Pavement Striping (Tape, Type II or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.1012	4-Inch Pavement Striping (Tape, Type III or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.1013	8-Inch Pavement Striping (Tape, Type I or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.1014	8-Inch Pavement Striping (Tape, Type II or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.1015	12-Inch Pavement Striping (Tape, Type II or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.1016	12-Inch Pavement Striping (Tape, Type III or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.1017	Double 4-Inch Pavement Striping (Tape, Type I or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.1018	Double 4-Inch Pavement Striping (Tape, Type II or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.1020	Crosswalk Marking (Tape, Type III or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.1030	Pavement Arrow (Tape, Type III or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____

**STP-7415(001)**

**8/19/14**

**P-12**

<b>PROPOSAL SCHEDULE</b>					
<b>ITEM NO.</b>	<b>ITEM</b>	<b>APPROX. QUANTITY</b>	<b>UNIT</b>	<b>UNIT PRICE</b>	<b>AMOUNT</b>
629.1040	Pavement Word (Tape, Type III or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.1050	Yield Line (Tape, Type III or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.2010	Type A Pavement Marker	L.S.	L.S.	L.S.	\$ _____
629.2020	Type C Pavement Marker	L.S.	L.S.	L.S.	\$ _____
629.2030	Type D Pavement Marker	L.S.	L.S.	L.S.	\$ _____
629.2040	Type F Pavement Marker	L.S.	L.S.	L.S.	\$ _____
629.2060	Type H Pavement Marker	L.S.	L.S.	L.S.	\$ _____
629.2070	Type J Pavement Marker	L.S.	L.S.	L.S.	\$ _____
634.0100	Sidewalk Extension	L.S.	L.S.	L.S.	\$ _____
634.0201	Sidewalk Improvements Sta. 32+00.68 to Sta. 32+03.28	L.S.	L.S.	L.S.	\$ _____
634.0202	Sidewalk Improvements Sta. 32+22.28 to Sta. 32+27.73	L.S.	L.S.	L.S.	\$ _____
634.0203	Sidewalk Improvements Sta. 32+51.07 to Sta. 32+54.28	L.S.	L.S.	L.S.	\$ _____
638.0100	Concrete Swale	L.S.	L.S.	L.S.	\$ _____
638.0200	Curb, Type C	L.S.	L.S.	L.S.	\$ _____

**STP-7415(001)**

**8/19/14**

**P-13**

### PROPOSAL SCHEDULE

ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
638.0300	Curb and Gutter, Type 2DG	L.S.	L.S.	L.S.	\$ _____
644.1000	Repair of Existing Sprinkler Systems	F.A.	F.A.	F.A.	\$ <u>10,000.00</u>
645.1000	Traffic Control	L.S.	L.S.	L.S.	\$ _____
645.2000	Additional Police Officers, Additional Traffic Control Devices, and Advertisement	F.A.	F.A.	F.A.	\$ <u>20,000.00</u>
648.1000	Field-Posted Drawings	L.S.	L.S.	L.S.	\$ _____
689.1000	Weigh-In-Motion Scale System	L.S.	L.S.	L.S.	\$ _____
691.1000	Nanotechnology Weigh-In-Motion System	F.A.	F.A.	F.A.	\$ <u>500,000.00</u>
693.1000	Terminal Impact Attenuator (QuadGuard QS 6906Y with Concrete Backup and Concrete Pad or Equivalent) @ SB Sta. 14+20.59	L.S.	L.S.	L.S.	\$ _____
693.2000	Terminal Impact Attenuator (QuadGuard QS 6906Y with Concrete Backup and Concrete Pad or Equivalent) @ SB Sta. 16+27.95	L.S.	L.S.	L.S.	\$ _____
694.1000	Project Signs	L.S.	L.S.	L.S.	\$ _____
695.1000	Just-in-Time Training	L.S.	L.S.	L.S.	\$ _____
696.0100	Maintenance of Trailers	F.A.	F.A.	F.A.	\$ <u>10,000.00</u>

STP-7415(001)

8/19/14

P-14

PROPOSAL SCHEDULE					
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
696.0200	Field Office Trailer (Not to Exceed \$32,000.00)	L.S.	L.S.	L.S.	\$ _____
697.1000	Public Education Materials or Services	F.A.	F.A.	F.A.	\$ <u>50,000.00</u>
699.1000	Mobilization (Not to Exceed 6 Percent of the Sum of All Items Excluding the Bid Price of this Item)	L.S.	L.S.	L.S.	\$ _____
<p>a. Sum of All Items ..... \$ _____</p> <p>b. Either Furnish Foreign Steel Not to Exceed Minimal Amount (Fill in '0') or Furnish Foreign Steel in Excess of Minimal Amount (Fill in 25% x a) ..... \$ _____</p> <p>c. Amount for Comparison of Bids (a + b) ..... \$ _____</p> <p>All bidders must fill in b and complete c</p>					
<p>NOTE: Bidders must complete all unit prices and amounts. Failure to do so may be grounds for rejection of bid.</p>					



1 **PROPOSAL SCHEDULE**

2  
3 The bidder is directed to Subsection 105.16 – Subcontracts.

4  
5 The bidder's attention is directed to Sections 696 - Field Office and Project  
6 Site Laboratory and 699 - Mobilization for the limitation of the amount bidders are  
7 allowed to bid.

8  
9 If the bid price for any proposal item having a maximum allowable bid  
10 indicated therefore in any of the contract documents is in excess of such a  
11 maximum amount, the bid price for such proposal item shall be adjusted to reflect  
12 the limitation thereon. The comparison of bids to determine the successful  
13 bidder and the amount of contract to be awarded shall be determined after such  
14 adjustments are made, and such adjustments shall be binding upon the bidder.

15  
16 The bidder is directed to Section 717 – Cullet and Cullet-Made Materials  
17 regarding recycling of waste glass.

18  
19 **INSTRUCTIONS TO COMPUTE THE AMOUNT FOR COMPARISON OF BIDS**  
20 **FOR FOREIGN STEEL**

21  
22 Each bidder shall indicate its intention to furnish foreign steel on this  
23 project by initialing after the AMOUNT for each of the items the bidder intends to  
24 use such foreign steel including lump sum items. A bidder not indicating such  
25 usage certifies that the bidder will furnish and use only domestic steel on this  
26 project. Also, the bidder shall add an additional 25% to the SUM OF ALL ITEMS  
27 if the bid submitted is based on furnishing foreign steel in excess of the minimal  
28 use specified in Subsection 106.11 - Steel and Iron Construction Material.  
29