



T.M.K. 2-7-28:03

TRUE NORTH  
Scale: 1" = 20'

Construct 6' Chain Link Fencing consisting of 62 Lf. New and 97 Lf. Salvaged Wire Mesh Fabric.



**PLAN**  
Scale: 1" = 20'



**TYPICAL CORNER POST FENCE DETAIL**  
Scale: 1/2" = 1'-0"

|                   |      |
|-------------------|------|
| SURVEY PLOTTED BY | DATE |
| DRAWN BY          |      |
| DESIGNED BY       |      |
| QUANTITIES BY     |      |
| CHECKED BY        |      |
| ORIGINAL PLAN     |      |
| NOTE BOOK         |      |
| No.               |      |

STATE OF HAWAII  
DEPARTMENT OF TRANSPORTATION  
HIGHWAYS DIVISION

**REHABILITATION OF  
RETAINING WALL NO 3 & NO 4**







**PHASE I**

Scale: As Shown      Date: Oct. 1969


**SHEET No. 1 OF 3 SHEETS**

| FED. ROAD DIST. NO. | STATE | FED. AID PROJ. NO. | FISCAL YEAR | SHEET NO. | TOTAL SHEETS |
|---------------------|-------|--------------------|-------------|-----------|--------------|
| HAWAII              | HAW.  |                    |             |           |              |

REV. 5-5-69



- NOTES:**
- Salvage and reuse existing metal railings, railing post, metal guard rail & conc. posts and anchor bolts. Damaged items shall be replaced.
  - Use 1:3 mix grout. See Section 47 of the Standard Specifications.
  - All vert. reinf. in existing drip section to be cleaned and embedded into new drip.
  - Removal of existing drip and end post to be incidental to concrete and shall not be paid for separately.



**NOTE**  
Exact location and number of cracks in wall shall be determined in field. Where cracks extend below existing ground, remove earth to extent of crack and clean and fill cracks with liquid epoxy under pressure. Smooth finish to match existing face of wall.

| ESTIMATED QUANTITIES   |                        |
|--|------------------------|
| class A-1 conc   | --- (8 cy) Lump Sum    |
| Reinforcing Steel  | --- (700 lbs) Lump Sum |
| Reconstruct Metal Railing, Light Standard & Metal Guard Rail (Old & New) | --- Lump Sum           |

STATE OF HAWAII  
DEPARTMENT OF TRANSPORTATION  
HIGHWAYS DIVISION

**REHABILITATION OF  
RETAINING WALL NO 3 & NO 4**

**PHASE I**

SCALE: AS SHOWN DATE: Nov. 4, 1969

SHEET No. 2 OF 3 SHEETS

DATE: \_\_\_\_\_  
SURVEY PLOTTED BY: \_\_\_\_\_  
DRAWN BY: \_\_\_\_\_  
CHECKED BY: \_\_\_\_\_  
ORIGINAL PLAN NO. \_\_\_\_\_  
NOTE BOOK NO. \_\_\_\_\_

