
PAVEMENT MARKING NOTES:

- 1. Location of pavement markers is shown schematically. For exact location of markers in relation to stripe, see Standard Plans T-7, T-8, T-9 \& T-10.
- 2. All pavement striping, legends and symbols shall be retroreflective thermoplastic compound pavement markings.
- 3. Removal of existing pavement markings shall be considered incidental to the various contract items.
- 4. Layout of pavement markings and striping shall be done by the Contractor and approved by the Engineer prior to any installation work.
- 5. Existing pavement markings not incorporated in the final traffic pattern shall be removed as directed by the Engineer. The costs shall be incidental to the various pavement marking items.
- 6. All pavement striping shall be as noted on the legend or plans.
- 7. All preformed pavement marking tapes over existing pavement shall be applied with an approved primer as recommended by the tape's manufacturer and as approved by the Engineer. The primer shall be allowed to dry to the tacky stage prior to tape application.
- 8. Dimension reference point for pavement markings shall be bottom of inside parapet (i.e., location where parapet intersects top of deck).



Not to Scale

<u>LEGEND</u>

4" White Guide Lines (Tape, Type III or Thermoplastic Extrusion except for bus bays)

6" or 8" White Edge Stripe with Type C Raised Pavement Markers @ 40'-0" o.c. (Tape, Type I or Thermoplastic Extrusion)

6" Yellow Edge Stripe with Type H Raised Pavement Markers @ 40'-0" o.c. (Tape, Type I or Thermoplastic Extrusion)

8" White Stripe with Type C Raised Pavement Markers @ 20'-0" o.c. (Tape, Type I or Thermoplastic Extrusion)

10' White Profiled Thermoplastic Stripe Type C Raised Pavement Markers @ 40'-0" o.c.

Channelizing Island or Deceleration Lane Gore (Tape, Type III or Thermoplastic Extrusion)

Lane Drop Marking

Lane Change Restriction Marking -10' White Profiled Thermoplastic Stripe — Type C Raised Pavement Markers @ 20'-0" o.c. 4" White Stripe (Tape, Type I or Thermoplastic Extrusion)

1" White Stripe for Zipper Barrier Guide Line (Tape, Type I or Thermoplastic Extrusion)

Transverse Shoulder Marking (Tape, Type III or Thermoplastic Extrusion)


4" Double Solid White Stripe with Type C Raised Pavement Markers @ 20'-0" o.c. (Tape, Type I or Thermoplastic Extrusion)

HOV Pavement Marking (Tape, Type III or Thermoplastic Extrusion)

LANE Pavement Word (Thermoplastic Extrusion)

Pavement Arrow (Tape, Type III or Thermoplastic Extrusion)

Mile Marker (Tape, Type III or Thermoplastic Extrusion)



FED. ROAD DIST. NO.

FISCAL SHEET YEAR NO.

245

FEDERAL AID PROJ. NO.

HAWAII HAW. NH-H1-1(273) 2022 25

STATE OF HAWAII DEPARTMENT OF TRANSPORTATION PAVEMENT MARKINGS NOTES \$ LEGEND INTERSTATE ROUTE H-1 AIRPORT VIADUCT IMPROVEMENTS

VICINITY OF VALKENBURGH ST. TO MIDDLE ST., PH. 3 FEDERAL-AID PROJECT NO. NH-H1-1(273) Date: Sept. 2022 Scale: None

SHEET No. *P-1* OF *18* SHEETS