

PROPOSAL SCHEDULE

| ITEM NO. | ITEM DESCRIPTION | APPROX. QUANTITY | UNIT | UNIT PRICE | AMOUNT |
|----------|---|------------------|---------|------------|---------------|
| 209.1000 | Installation, Maintenance, Monitoring and Removal of BMP | L.S. | L.S. | L.S. | \$ _____ |
| 209.2000 | Additional Water Pollution, Dust, and Erosion Control | F.A. | F.A. | F.A. | \$ 70,000.00 |
| 629.1011 | 4-Inch Pavement Striping (Tape, Type I or Thermoplastic Extrusion) | L.S. | L.S. | L.S. | \$ _____ |
| 629.1013 | 8-Inch Pavement Striping (Tape, Type I or Thermoplastic Extrusion) | L.S. | L.S. | L.S. | \$ _____ |
| 629.1020 | 12-Inch Pavement Striping (Tape, Type I or Thermoplastic Extrusion) | L.S. | L.S. | L.S. | \$ _____ |
| 629.1050 | Pavement Word (Tape, Type III Thermoplastic Extrusion) | L.S. | L.S. | L.S. | \$ _____ |
| 629.1060 | Pavement Symbol (Pavement Diamond) (Tape, Type III or Thermoplastic Extrusion) | L.S. | L.S. | L.S. | \$ _____ |
| 629.2010 | Type A Pavement Markers | L.S. | L.S. | L.S. | \$ _____ |
| 629.2030 | Type C Pavement Markers | L.S. | L.S. | L.S. | \$ _____ |
| 629.2070 | Type H Pavement Markers | L.S. | L.S. | L.S. | \$ _____ |
| 629.2090 | Type J Pavement Markers | L.S. | L.S. | L.S. | \$ _____ |
| 645.0100 | Traffic Control | L.S. | L.S. | L.S. | \$ _____ |
| 645.0200 | Additional Police Officers, Additional Traffic Control Devices, and Advertisement | F.A. | F.A. | F.A. | \$ 210,000.00 |
| 648.0100 | Field Posted Drawings | L.S. | L.S. | L.S. | \$ _____ |
| 676.1000 | Deck Repair, Eastbound Viaduct | 13,693 | SQ. FT. | \$ _____ | \$ _____ |
| 676.1100 | Deck Repair, Westbound Viaduct | 80,400 | SQ. FT. | \$ _____ | \$ _____ |

PROPOSAL SCHEDULE

| ITEM NO. | ITEM DESCRIPTION | APPROX. QUANTITY | UNIT | UNIT PRICE | AMOUNT |
|--|--|---------------------|------|------------|--------------|
| 676.2000 | Concrete Sealer, Eastbound Viaduct | L.S. | L.S. | L.S. | \$ _____ |
| 676.2100 | Concrete Sealer, Westbound Viaduct | L.S. | L.S. | L.S. | \$ _____ |
| 676.3100 | Repair of Joint Armor | F.A. | F.A. | F.A. | \$ 50,128.00 |
| 677.1100 | Polyester Concrete Overlay, Eastbound Viaduct | L.S. | L.S. | L.S. | \$ _____ |
| 699.1000 | Mobilization (Not to Exceed 6% of the Sum of All Items Excluding the Bid Price of This Item.) | L.S. | L.S. | L.S. | \$ _____ |
| a. SUM OF ALL ITEMS | | | | | \$ _____ |
| b. Either Furnish Foreign Steel Not to Exceed Minimal Amount (Fill in "0") or Furnish Foreign Steel In Excess of Minimal Amount (Fill in 25% x a) | | | | | \$ _____ |
| c. Amount for Comparison of Bids (a + b) | | | | | \$ _____ |
| All bidders must fill in b and complete c. | | | | | |
| NOTE: Bidders must complete all unit prices and amounts. Failure to do so may be ground for rejection of bid. | | | | | |

PROPOSAL SCHEDULE

The bidder is directed to Subsection 105.16 - Subcontracts.

The bidder's attention is directed to Section 699 - Mobilization for the limitation of the amount bidders are allowed to bid.

If the bid price for any proposal item having a maximum allowable bid indicated therefore in any of the contract documents is in excess of such a maximum amount, the bid price for such proposal item shall be adjusted to reflect the limitation thereon. The comparison of bids to determine the successful bidder and the amount of contract to be awarded shall be determined after such adjustments are made, and such adjustments shall be binding upon the bidder.

The bidder is directed to Section 717 - Cullet and Cullet-Made Materials regarding recycling of waste glass.

INSTRUCTIONS TO COMPUTE THE AMOUNT FOR COMPARISON OF BIDS FOR FOREIGN STEEL

Each bidder shall indicate its intention to furnish foreign steel on this project by initialing after the AMOUNT for each of the items the bidder intends to use such foreign steel including lump sum items. A bidder not indicating such usage certifies that the bidder will furnish and use only domestic steel on this project. Also, the bidder shall add an additional 25% to the SUM OF ALL ITEMS if the bid submitted is based on furnishing foreign steel in excess of the minimal use specified in Subsection 106.11 - Steel and Iron Construction Material.