

# TABULATION OF BIDS

<b>PROJECT:</b> Interstate Route H-1 Rehabilitation, Eastbound Lanes, Waiau Interchange to Kaimakani Street  <b>PROJECT NO.:</b> IM-H1-1(245) <b>Net Length of Project:</b> 2.8 Miles  <b>ISLAND:</b> Oahu <b>DISTRICT:</b> Ewa <b>** NOTE:</b> <b>DATE ADVERTISED:</b> Internet Posting - March 28, 2006 <b>BIDS OPENED:</b> June 1, 2006  <b>COMPLETION TIME:</b> One Hundred Twenty (120) Working Days				<b>HAWAIIAN DREDGING CONSTRUCTION CO., INC.</b>		<b>STATE OF HAWAII DEPARTMENT OF TRANSPORTATION HIGHWAYS DIVISION</b>	
ITEM NO.	ITEM	**APPROX. QUANTITY	UNIT USED	UNIT PRICE	AMOUNT	UNIT PRICE	AMOUNT
206B.6100	Structure Excavation for Existing Approach Slab Retrofit	195 CU YD	L.S.	L.S.	\$500,000.00	L.S.	\$50,000.00
206C.2000	Excavation for Drainage System	17 CU YD	L.S.	L.S.	\$100,000.00	L.S.	\$1,360.00
X 208.1000	Leveling Surfaces	F.A.	F.A.	F.A.	\$100,000.00	F.A.	\$100,000.00
X 209.1000	Installation, Maintenance, Monitoring, and Removal of BMP	L.S.	L.S.	L.S.	\$5,271,711.00	L.S.	\$200,000.00
X 209.2000	Additional Water Pollution, Dust, and Erosion Control	F.A.	F.A.	F.A.	\$500,000.00	F.A.	\$500,000.00
305.1110	Aggregate Subbase	2050 CU YD	L.S.	L.S.	\$802,000.00	L.S.	\$205,000.00
312.1000	Plant Mix Glassphalt Concrete Base Course	5700 TON	L.S.	L.S.	\$7,200,000.00	L.S.	\$570,000.00
401.0500	Asphalt Concrete Pavement, Mix No. IV	2240 TON	L.S.	L.S.	\$225,000.00	L.S.	\$336,000.00
402.1000	Superpave Asphalt Concrete Pavement	3870 TON	L.S.	L.S.	\$8,300,000.00	L.S.	\$1,161,000.00
414.3000	Transverse Contraction Joint	910	LIN FT	\$25.00	\$22,750.00	\$1.30	\$1,183.00
414.4100	9, 9-1/2, or 10-Inch Concrete Pavement	550 CU YD	L.S.	L.S.	\$7,600,000.00	L.S.	\$302,500.00
503.7100	Concrete for Existing Concrete Railing Spall Repair	144 SQ FT	L.S.	L.S.	\$50,000.00	L.S.	\$12,960.00
503.7200	Concrete for Existing Light Standard Support Upgrade	6 EACH	L.S.	L.S.	\$100,000.00	L.S.	\$90,000.00
503.7300	Concrete for Existing Approach Slab Retrofit	195 CU YD	L.S.	L.S.	\$3,500,000.00	L.S.	\$266,000.00
503.7400	Concrete for Drilled Shaft Cap	15 CU YD	L.S.	L.S.	\$48,000.00	L.S.	\$30,000.00
507.7100	Existing Bridge Concrete Railing Upgrade (Excl. Exist. Concrete End Post Upgrade)	1312 LIN FT	L.S.	L.S.	\$444,000.00	L.S.	\$400,000.00

# TABULATION OF BIDS

<b>PROJECT:</b> Interstate Route H-1 Rehabilitation, Eastbound Lanes, Waiiau Interchange to Kaimakani Street  <b>PROJECT NO.:</b> IM-H1-1(245) <b>Net Length of Project:</b> 2.8 Miles  <b>ISLAND:</b> Oahu <b>DISTRICT:</b> Ewa <b>** NOTE:</b>  <b>DATE ADVERTISED:</b> Internet Posting - March 28, 2006      Quantities shown in this column are for in-house use only. <b>BIDS OPENED:</b> June 1, 2006  <b>COMPLETION TIME:</b> One Hundred Twenty (120) Working Days				<b>HAWAIIAN DREDGING CONSTRUCTION CO., INC.</b>		<b>STATE OF HAWAII DEPARTMENT OF TRANSPORTATION HIGHWAYS DIVISION</b>	
ITEM NO.	ITEM	**APPROX. QUANTITY	UNIT USED	UNIT PRICE	AMOUNT	UNIT PRICE	AMOUNT
507.7200	Existing Concrete End Post Upgrade	14 LIN FT	L.S.	L.S.	\$50,000.00	L.S.	\$7,300.00
511.0100	Drilled Shaft	104	LIN FT	\$1,200.00	\$124,800.00	\$3,300.00	\$343,200.00
511.0200	Coring for Integrity Testing	20	LIN FT	\$350.00	\$7,000.00	\$125.00	\$2,500.00
512.0100	Micropiles	5100	LIN FT	\$350.00	\$1,785,000.00	\$400.00	\$2,040,000.00
603.0100	Bed Course Material for Culvert	4 CU YD	L.S.	L.S.	\$1,000.00	L.S.	\$320.00
603.1100	24-Inch Reinforced Concrete Pipe, Class III, or 24-Inch High Density Polyethylene Pipe, Type S, or 24" Sprial Rib Aluminum Pipe, Sheet Thickness 0.105-Inch	15 LIN FT	L.S.	L.S.	\$2,000.00	L.S.	\$975.00
X 603.9000	Clean Existing Culverts	F.A.	F.A.	F.A.	\$100,000.00	F.A.	\$100,000.00
604.2311	Type A-9 Steel Grate	10	EACH	\$1,000.00	\$10,000.00	\$1,000.00	\$10,000.00
604.2331	Type 61614 Steel Grate	44	EACH	\$1,000.00	\$44,000.00	\$2,100.00	\$92,400.00
604.2341	Type 61616 Steel Grate	4	EACH	\$1,000.00	\$4,000.00	\$2,500.00	\$10,000.00
604.2351	Type 6:1 Steel Grate for Type 61214 Steel Frame	3	EACH	\$1,000.00	\$3,000.00	\$3,000.00	\$9,000.00
604.2352	Type 2:1 Steel Grate for Type 61214 Steel Frame	3	EACH	\$500.00	\$1,500.00	\$1,400.00	\$4,200.00
604.2353	Type 61214 Steel Frame	1	EACH	\$500.00	\$500.00	\$5,600.00	\$5,600.00
604.2361	Type GF I Steel Grate	11	EACH	\$1,000.00	\$11,000.00	\$2,100.00	\$23,100.00
604.2362	Type GF II Steel Grate	1	EACH	\$1,000.00	\$1,000.00	\$1,800.00	\$1,800.00
604.4020	Adjusting Frame	8	EACH	\$6,000.00	\$48,000.00	\$5,500.00	\$44,000.00

# TABULATION OF BIDS

PROJECT: Interstate Route H-1 Rehabilitation, Eastbound Lanes, Waiau Interchange to Kaimakani Street  PROJECT NO.: IM-H1-1(245)      Net Length of Project: 2.8 Miles  ISLAND: Oahu      DISTRICT: Ewa  DATE ADVERTISED: Internet Posting - March 28, 2006 BIDS OPENED: June 1, 2006  COMPLETION TIME: One Hundred Twenty (120) Working Days				HAWAIIAN DREDGING CONSTRUCTION CO., INC.		STATE OF HAWAII DEPARTMENT OF TRANSPORTATION HIGHWAYS DIVISION	
				** NOTE:  Quantities shown in this column are for in-house use only.			
ITEM NO.	ITEM	**APPROX. QUANTITY	UNIT USED	UNIT PRICE	AMOUNT	UNIT PRICE	AMOUNT
604.5100	Type 61614 Inlet, 5.00 feet to 5.99 feet	1	EACH	\$10,000.00	\$10,000.00	\$7,200.00	\$7,200.00
604.6100	Type E Storm Drain Manhole, 6.00 feet to 6.99 feet	1	EACH	\$25,000.00	\$25,000.00	\$9,000.00	\$9,000.00
606.3110	Guardrail Type 3 - Strong Post W-Beam Guardrail	100 LIN FT	L.S.	L.S.	\$7,000.00	L.S.	\$5,000.00
606.3210	Guardrail Type 3 - Strong Post W-Beam Guardrail (Modified)	2500 LIN FT	L.S.	L.S.	\$225,000.00	L.S.	\$175,000.00
606.7100	Type "A" Flare	3 EACH	L.S.	L.S.	\$31,500.00	L.S.	\$13,800.00
606.7200	Type "G" Flare	3 EACH	L.S.	L.S.	\$13,500.00	L.S.	\$4,500.00
606.8100	Thrie Beam Connection	2 EACH	L.S.	L.S.	\$12,600.00	L.S.	\$8,400.00
609B.6100	Curb, Type 6 (Modified)	1810 LIN FT	L.S.	L.S.	\$125,000.00	L.S.	\$39,820.00
613.0300	Adjusting Centerline and Reference Survey Monuments	5	EACH	\$2,000.00	\$10,000.00	\$500.00	\$2,500.00
621A.0200	Panel for Destination Sign	370	SQ FT	\$90.00	\$33,300.00	\$60.00	\$22,200.00
621A.0300	Panel for Guide Sign	21	SQ FT	\$110.00	\$2,310.00	\$60.00	\$1,260.00
621A.1210	Galvanized Steel Post (W6x12) and Foundation for Ground Mounted Destination Sign	4 EACH	L.S.	L.S.	\$26,000.00	L.S.	\$960.00
621A.1220	Galvanized Steel Post (W6x16) and Foundation for Ground Mounted Destination Sign	2 EACH	L.S.	L.S.	\$14,600.00	L.S.	\$560.00
621A.1310	Galvanized Steel Post (W6x9) and Foundation for Ground Mounted Destination Sign	2 EACH	L.S.	L.S.	\$11,500.00	L.S.	\$400.00
621A.1320	Galvanized Steel Post (W6x16) and Foundation for Ground Mounted Destination Sign	2 EACH	L.S.	L.S.	\$12,900.00	L.S.	\$560.00

# TABULATION OF BIDS

PROJECT: Interstate Route H-1 Rehabilitation, Eastbound Lanes, Waiiau Interchange to Kaimakani Street

PROJECT NO.: IM-H1-1(245) Net Length of Project: 2.8 Miles

ISLAND: Oahu DISTRICT: Ewa

DATE ADVERTISED: Internet Posting - March 28, 2006  
BIDS OPENED: June 1, 2006

COMPLETION TIME: One Hundred Twenty (120) Working Days

\*\* NOTE:

Quantities shown in this column are for in-house use only.

HAWAIIAN DREDGING  
CONSTRUCTION CO., INC.

STATE OF HAWAII  
DEPARTMENT OF  
TRANSPORTATION  
HIGHWAYS DIVISION

ITEM NO.	ITEM	**APPROX. QUANTITY	UNIT USED	UNIT PRICE	AMOUNT	UNIT PRICE	AMOUNT
621A.1500	4.00 lbs/ft. Flanged Channel Post for Guide Sign	3 EACH	L.S.	L.S.	\$525.00	L.S.	\$600.00
621B.5010	Regulatory Sign (10 Square Feet or Less)	2 EACH	L.S.	L.S.	\$300.00	L.S.	\$320.00
621B.5020	Warning Sign (10 Square Feet or Less)	3 EACH	L.S.	L.S.	\$450.00	L.S.	\$480.00
621B.5210	Regulatory Sign (More than 10 Square Feet)	13 EACH	L.S.	L.S.	\$9,750.00	L.S.	\$4,810.00
621B.5310	Regulatory Sign (More than 10 Square Feet) with Post	16 EACH	L.S.	L.S.	\$29,700.00	L.S.	\$11,200.00
621B.5320	Warning Sign (More than 10 Square Feet) with Post	3 EACH	L.S.	L.S.	\$5,000.00	L.S.	\$2,100.00
621C.4010	Reflector Marker RM-5	12 EACH	L.S.	L.S.	\$6,000.00	L.S.	\$240.00
621C.4020	Reflector Marker OM2	4 EACH	L.S.	L.S.	\$300.00	L.S.	\$80.00
621C.4030	Reflector Marker OM3	5 EACH	L.S.	L.S.	\$900.00	L.S.	\$825.00
621C.4110	Reflector Marker OM2 with Post	45 EACH	L.S.	L.S.	\$7,900.00	L.S.	\$4,050.00
621C.4510	Reflector Marker OM2 Mounted on Bridge Parapet	6 EACH	L.S.	L.S.	\$1,050.00	L.S.	\$1,200.00
621C.7600	Mile Post Marker with Post	2 EACH	L.S.	L.S.	\$800.00	L.S.	\$420.00
622.1000	Roadway Lighting System	L.S.	L.S.	L.S.	\$1,699,000.00	L.S.	\$680,360.00
622.2000	Power and Communication Duct System	L.S.	L.S.	L.S.	\$1,033,000.00	L.S.	\$580,825.00
629.1031	Pavement Symbol (Paint, Tape, Type III or Thermoplastic Extrusion)	27 EACH	L.S.	L.S.	\$8,100.00	L.S.	\$6,750.00
629.1041	Pavement Word (Tape, Type III or Thermoplastic Extrusion)	20 EACH	L.S.	L.S.	\$8,800.00	L.S.	\$7,000.00

# TABULATION OF BIDS

PROJECT: Interstate Route H-1 Rehabilitation, Eastbound Lanes, Waiau Interchange to Kaimakani Street  PROJECT NO.: IM-H1-1(245)      Net Length of Project: 2.8 Miles  ISLAND: Oahu      DISTRICT: Ewa      ** NOTE:  DATE ADVERTISED: Internet Posting - March 28, 2006 BIDS OPENED: June 1, 2006  COMPLETION TIME: One Hundred Twenty (120) Working Days      Quantities shown in this column are for in-house use only.				HAWAIIAN DREDGING CONSTRUCTION CO., INC.		STATE OF HAWAII DEPARTMENT OF TRANSPORTATION HIGHWAYS DIVISION	
ITEM NO.	ITEM	**APPROX. QUANTITY	UNIT USED	UNIT PRICE	AMOUNT	UNIT PRICE	AMOUNT
629.2010	Type A Pavement Marker	5380 EACH	L.S.	L.S.	\$50,004.00	L.S.	\$46,270.00
629.2030	Type C Pavement Marker	1940 EACH	L.S.	L.S.	\$20,170.00	L.S.	\$17,170.00
629.2070	Type H Pavement Marker	340 EACH	L.S.	L.S.	\$3,500.00	L.S.	\$3,660.00
629.2080	Type J Pavement Marker	970 EACH	L.S.	L.S.	\$11,400.00	L.S.	\$8,350.00
629.4010	4-Inch Pavement Striping (Tape, Type I or Thermoplastic Extrusion	13,800 LIN FT	L.S.	L.S.	\$13,900.00	L.S.	\$29,670.00
629.4020	4-Inch Pavement Striping (Tape, Type II or Thermoplastic Extrusion	27,100 LIN FT	L.S.	L.S.	\$97,300.00	L.S.	\$46,070.00
629.8010	8-Inch Pavement Striping (Tape, Type I or Thermoplastic Extrusion	4600 LIN FT	L.S.	L.S.	\$40,100.00	L.S.	\$11,040.00
629.8020	8-Inch Pavement Striping (Tape, Type II or Thermoplastic Extrusion	1530 LIN FT	L.S.	L.S.	\$26,200.00	L.S.	\$3,980.00
629.9020	12-Inch Pavement Striping (Tape, Type II or Thermoplastic Extrusion	240 LIN FT	L.S.	L.S.	\$3,700.00	L.S.	\$1,440.00
X 636.1000	Maintenance of Field Office and Project Site Laboratory	F.A.	F.A.	F.A.	\$20,000.00	F.A.	\$20,000.00
X 636.2000	Project Site Laboratory Trailer (Not to Exceed \$22,000)	L.S.	L.S.	L.S.	\$22,000.00	L.S.	\$22,000.00
X 645.1000	Traffic Control	L.S.	L.S.	L.S.	\$8,800,000.00	L.S.	\$800,000.00
X 645.2000	Additional Police Officers, Additional Traffic Control Devices, and Advertisement	F.A.	F.A.	F.A.	\$200,000.00	F.A.	\$200,000.00
X 648.1000	Lane Rental	Allowance	Allowance	Allowance	\$4,000,000.00	Allowance	\$4,000,000.00

# TABULATION OF BIDS

<b>PROJECT:</b> Interstate Route H-1 Rehabilitation, Eastbound Lanes, Waiau Interchange to Kaimakani Street  <b>PROJECT NO.:</b> IM-H1-1(245) <b>Net Length of Project:</b> 2.8 Miles  <b>ISLAND:</b> Oahu <b>DISTRICT:</b> Ewa <b>** NOTE:</b>  <b>DATE ADVERTISED:</b> Internet Posting - March 28, 2006 <b>BIDS OPENED:</b> June 1, 2006  <b>COMPLETION TIME:</b> One Hundred Twenty (120) Working Days      Quantities shown in this column are for in-house use only.				HAWAIIAN DREDGING CONSTRUCTION CO., INC.		STATE OF HAWAII DEPARTMENT OF TRANSPORTATION HIGHWAYS DIVISION	
ITEM NO.	ITEM	**APPROX. QUANTITY	UNIT USED	UNIT PRICE	AMOUNT	UNIT PRICE	AMOUNT
X 649.1000	Field-Posted Drawings	L.S.	L.S.	L.S.	\$10,000.00	L.S.	\$10,000.00
651.1000	Portable Concrete Guardrail - Intermediate	120	EACH	\$2,500.00	\$300,000.00	\$1,500.00	\$180,000.00
652.0100	Excavation of Weakened Pavement Areas	5010	CU YD	\$700.00	\$3,507,000.00	\$130.00	\$651,300.00
652.0100	Cold Planing	25,000 SQ YD	L.S.	L.S.	\$5,700,000.00	L.S.	\$400,000.00
X 656.1000	Maintenance of Existing Landscape Areas	F.A.	F.A.	F.A.	\$58,800.00	F.A.	\$58,800.00
X 657.1000	Repair of Existing Sprinkler Systems	F.A.	F.A.	F.A.	\$174,000.00	F.A.	\$174,000.00
660.1000	Raising Portland Cement Concrete Pavements or Slabs Using Polyurethane Expanding Resins	720	SQ FT	\$84.00	\$60,480.00	\$50.00	\$36,000.00
X 672.1000	Reset Portable Concrete Guardrail Section	L.S.	L.S.	L.S.	\$670,000.00	L.S.	\$377,000.00
X 696.1000	Weigh-In-Motion System	L.S.	L.S.	L.S.	\$39,000.00	L.S.	\$2,600.00
698.1000	Training (1 Trainee)	500	HOUR	\$0.80	\$400.00	\$0.80	\$400.00
X 699.1000	Mobilization (Not to Exceed 10% of the Sum of All Items Excluding Bid Price of this Item, Project Site Laboratory Trailer, Allowances , and Force Account Items	L.S.	L.S.	L.S.	\$5,000,000.00	L.S.	\$1,043,776.80
	SUM OF ALL ITEMS				\$69,156,000.00		\$16,656,344.80

TABULATION OF BIDS

PROJECT: Interstate Route H-1 Rehabilitation, Eastbound Lanes, Waiau Interchange to Kaimakani Street

PROJECT NO.: IM-H1-1(245)      Net Length of Project: 2.8 Miles

ISLAND: Oahu      DISTRICT: Ewa

DATE ADVERTISED: Internet Posting - March 28, 2006  
BIDS OPENED: June 1, 2006


COMPLETION TIME: One Hundred Twenty (120) Working Days

\*\* NOTE:

Quantities  
shown in this  
column are for  
in-house use  
only.

HAWAIIAN DREDGING  
CONSTRUCTION CO., INC.

STATE OF HAWAII  
DEPARTMENT OF  
TRANSPORTATION  
HIGHWAYS DIVISION

ITEM NO.	ITEM	**APPROX. QUANTITY	UNIT USED	UNIT PRICE	AMOUNT	UNIT PRICE	AMOUNT
	A. Sum of All Items				\$69,156,000.00		\$16,656,344.80
	B. Either Furnish Foreign Steel Not to Exceed Minimal Amount (Fill in '0') or Furnish Foreign Steel in Excess of Minimal Amount (Fill in 25% x A)				\$0.00		\$0.00
	C. Amount for Comparison of Bids (A + B)				\$69,156,000.00		\$16,656,344.80
	I certify that this is a true and correct tabulation of bids for this project.   Robert Sun, Project Manager  7/25/06 Date  * NOTE: THE PROJECT WAS NOT AWARDED - READVERTISEMENT RECOMMENDED						