	PROPOSAL SCHEE	DULE			
	BASE BID (ALL WORK IN THE OUT	BOUND DI	RECTIO)N)	
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
202.1000	Removal of Existing Opiuma Trees (Sta. 102+60 to 109+60 Lt.)	12	EA	\$	\$
209.1000	Installation, Maintenance, Monitoring, and Removal of BMP	L.S.	L.S.	L.S.	\$
209.2000	Additional Water Pollution, Dust, and Erosion Control	F.A.	F.A.	F.A.	\$_50,000.00
219.1000	Determination and Characterization of Fill Material	L.S.	L.S.	L.S.	\$
301.1000	Hot Mix Asphalt Base Course	16,340	Tons	\$	\$
302.1000	#2 Coarse Aggregate	2,120	C.Y.	\$	\$
303.1000	Lightweight Aggregate	685	C.Y.	\$	\$
304.1000	Aggregate Base Course	355	C.Y.	\$	\$
305.1000	Aggregate Subbase	35	C.Y.	\$	\$
315.1000	Nonwoven Geotextile Fabric	6,700	S.Y.	\$. \$
316.1000	Polypropylene Biaxial Geogrid	22,590	S.Y.	\$	\$
401.1000	2 Inch PMA Pavement	640	Tons	\$	\$
401.2000	HMA Pavement, Mix No. IV (Under Guardrail)	50	Tons	\$	\$

	PROPOSAL SCH	EDULE				
BASE BID (ALL WORK IN THE OUTBOUND DIRECTION)						
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT	
401.3000	HMA Pavement, Mix No. V, Leveling	1,010	Tons	\$	\$	
401.4000	Pavement Smoothness Incentive	Allowance	Allowance	Allowance	\$ 49,950.00	
406.1000	2 Inch SMA Pavement	8,500	Tons	\$	\$	
414.1000	Excavation of Weakened Pavement Areas	3,690	C.Y.	\$	\$	
415.1000	5 Inch Cold Planing	60,400	S.Y.	\$	\$	
415.2000	6 Inch Cold Planing	14,500	S.Y.	\$	\$	
415.3000	10 Inch Cold Planing	1,840	S.Y.	\$	\$	
415.3100	1.5 Inch Cold Planing	5,410	S.Y.	\$	\$	
415.4000	Planing Pavement Profile	L.S.	L.S.	L.S.	\$	
416.1000	Paving Grid	6,505	S.Y.	\$	\$	
606.1000	Midwest Guardrail System (MGS) Guardrail (Type 3)	2,413	L.F.	\$	\$	
606.1100	MGS Guardrail (Type 3) with 8' Posts at 6'-3" o.c.	2,220	L.F.	\$	\$	
606.2000	MGS End Treatment	2	Each	\$	\$	

NH-H1-1(275) Addendum No. 7 r2/2/2022 P-9

	PROPOSAL SCHEE	DULE				
	BASE BID (ALL WORK IN THE OUTBOUND DIRECTION)					
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT	
606.3000	Trailing End Anchorage	3	Each	\$. \$	
606.4000	Transition Section Type Thrie Beam to MGS Guardrail	3	Each	\$. \$	
615.0300	12-Inch Milled Rumble Strip, Shoulder	7,939	L.F.	\$	\$	
626.1000	Adjusting (Water) Standard Valve Box	2	Each	\$. \$	
629.1010	Double 4-Inch Pavement Striping (Thermoplastic Extrusion)	1,606	L.F.	\$. \$	
629.1011	1-Inch White Guide Stripe (Thermoplastic Extrusion)	19,330	L.F.	\$. \$	
629.1020	4-Inch Pavement Striping (Thermoplastic Extrusion)	2,959		\$. \$	
629.1022	4-Inch Pavement Striping - Guide Line (Thermoplastic Extrusion)	374	L.F.	\$	\$	
629.1023	4-Inch Lane Striping, 10-Foot Profiled (Thermoplastic Extrusion)	31,640	L.F.	\$. \$	
629.1110	6-Inch Pavement Striping (Thermoplastic Extrusion)	20,980	L.F.	\$	\$	
629.1111	6-Inch Pavement Striping - Dashed Extension Line (Thermoplastic Extrusion)	1,122	L.F.	\$. \$	
629.1210	8-Inch Pavement Striping (Thermoplastic Extrusion)	1,936	L.F.	\$	\$	
629.1212	8-Inch Pavement Striping - Lane Drop (Thermoplastic Extrusion)	528	L.F.	\$	\$	

Addendum No. 7

NH-H1-1(275) r2/2/2022 P-10

	PROPOSAL SCHEI	DULE			
	BASE BID (ALL WORK IN THE OUT	FBOUND DI	RECTIC)N)	
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
629.1300	12-Inch Pavement Striping - Diagonal (Thermoplastic Extrusion)	1,916	L.F.	\$	\$
629.3011	Pavement Arrow (Thermoplastic Extrusion)	16	Each	\$	\$
629.3013	Pavement Symbol - Diamond (Thermoplastic Extrusion)	9	Each	\$	\$
629.4010	Type "C" Pavement Markers	1,293	Each	\$	\$
629.4013	Type "H" Pavement Markers	313	Each	\$	\$
630.0150	New Exit Signs (Ground Mounted) with three 2-1/2" Square Tube Posts (for sign width greater than 60")	96	S.F.	\$	\$
630.0250	Overlay Panel for Zipper Lane Signs (Overhead Mounted)	32.5	S.F.	\$	\$
631.1030	Regulatory Sign (More than 10 Square Feet)	7	Each	\$	\$
631.1040	Regulatory Sign (More than 10 Square Feet) with Post(s)	3	Each	\$	\$
631.2010	Warning Sign (10 Square Feet or Less)	1	Each	\$	\$
631.2030	Warning Sign (More than 10 Square Feet)	1	Each	\$	\$
631.2040	Warning Sign (More than 10 Square Feet) with Post(s)	3	Each	\$	\$
631.4010	Removal of Existing Sign	1	Each	\$	\$


	PROPOSAL SCHE	DULE					
	BASE BID (ALL WORK IN THE OUTBOUND DIRECTION)						
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT		
631.4020	Removal of Existing Sign & Post(s)	1	Each	\$	_ \$		
631.5202	"Hospital" (D9-2) Symbol Sign with Post(s)	2	Each	\$	\$		
631.5203	"Hospital" (D9-13a) Word Sign	2	Each	\$	\$		
631.5204	"Straight Arrow" (IM6-3) Symbol Sign	2	Each	\$	\$		
632.0300	Mile Post Marker with Post	4	Each	\$	\$		
632.4200	Reflector Marker (RM-5, White) Mounted on Guardrail	136	Each	\$	\$		
636.1000	E-Construction License	F.A.	F.A.	F.A.	\$ <u>275,000.0</u>		
639.1000	Reconstruct Existing Asphalt Concrete Gutter (6 to 8 Feet)	1,587	L.F.	\$	\$		
639.2000	Reconstruct Existing Asphalt Concrete Gutter (4 to 5.99 Feet)	1,624	L.F.	\$	\$		
639.3000	Reconstruct Existing Asphalt Concrete Gutter Transition	77	L.F.	\$	_ \$		
643.1000	Maintenance of Existing Landscape Areas	F.A.	F.A.	F.A.	\$_50,000.0		
645.0100	Traffic Control	L.S.	L.S.	L.S.	\$		
645.0200	Additional Police Officers and Additional Traffic Control Devices	F.A.	F.A.	F.A.	\$_230,000.0		

NH-H1-1(275)	Addendum No.
r2/2/2022	
P-12	

	PROPOSAL SCHEDULE						
	BASE BID (ALL WORK IN THE OUTBOUND DIRECTION)						
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE			
648.0100	Field-Posted Drawings	L.S.	L.S.	L.S.			
657.1000	Handling and Disposal of Contaminated or Hazardous Items and Material	F.A.	F.A.	F.A.			
696.1000	Maintenance of Trailers	F.A.	F.A.	F.A.			
697.1000	Public Communication and Coordination	L.S.	L.S.	L.S.			
699.1000	Mobilization (Not to Exceed 6 Percent of the Sum of All Items Excluding the Bid Price of this Item)	L.S.	L.S.	L.S.			
	Sum of All Base Bid Items						

NH-H1-1(275) r2/2/2022 P-13

Addendum No. 7



1		
1.1		
1)	

	PROPOSAL SCHEE	DULE			
	ADDITIVE ALTERNATE (ALL WORK IN T	HE INBOU	ND DIRI	ECTION)	
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
209.1000	Installation, Maintenance, Monitoring, and Removal of BMP	L.S.	L.S.	L.S.	\$
209.2000	Additional Water Pollution, Dust, and Erosion Control	F.A.	F.A.	F.A.	\$_50,000.00
219.1000	Determination and Characterization of Fill Material	L.S.	L.S.	L.S.	\$
301.1000	Hot Mix Asphalt Base Course	17,020	Tons	\$. \$
302.1000	#2 Coarse Aggregate	980	C.Y.	\$. \$
303.1000	Lightweight Aggregate	705	C.Y.	\$. \$
304.1000	Aggregate Base Course	165	C.Y.	\$. \$
305.1000	Aggregate Subbase	35	C.Y.	\$. \$
315.1000	Nonwoven Geotextile Fabric	5,085	S.Y.	\$. \$
316.1000	Polypropylene Biaxial Geogrid	12,420	S.Y.	\$. \$
401.1000	2 Inch PMA Pavement	640	Tons	\$	\$
401.2000	HMA Pavement, Mix No. IV (Under Guardrail)	70	Tons	\$	\$
401.3000	HMA Pavement, Mix No. V, Leveling	790	Tons	\$	\$

DODOGAL COUEDINE

	PROPOSAL SCH	EDULE				
	ADDITIVE ALTERNATE (ALL WORK IN THE INBOUND DIRECTION)					
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT	
401.4000	Pavement Smoothness Incentive	Allowance	Allowance	Allowance	\$	
406.1000	2 Inch SMA Pavement	8,700	Tons	\$	\$	
414.1000	Excavation of Weakened Pavement Areas	2,090	C.Y.	\$	\$	
415.1000	5 Inch Cold Planing	60,810	S.Y.	\$	\$	
415.2000	6 Inch Cold Planing	15,850	S.Y.	\$	\$	
415.3000	10 Inch Cold Planing	4,160	S.Y.	\$	\$	
415.3100	1.5 Inch Cold Planing	3,120	S.Y.	\$	\$	
415.4000	Planing Pavement Profile	L.S.	L.S.	L.S.	\$	
416.1000	Paving Grid	6,530	S.Y.	\$	\$	
606.1000	Midwest Guardrail System (MGS) Guardrail (Type 3)	3,958	L.F.	\$	\$	
606.1100	MGS Guardrail (Type 3) with 8' Posts at 6'-3" o.c.	810	L.F.	\$	\$	
606.2000	MGS End Treatment	4	Each	\$	\$	
606.3000	Trailing End Anchorage	4	Each	\$	\$	

NH-H1-1(275)	Addendum No. 7
r2/2/2022	
P-15	

DDODOGAL COULDINE

	ADDITIVE ALTERNATE (ALL WORK IN T	HE INBOU	ND DIRI	ECTION)	
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
606.4000	Transition Section Type Thrie Beam to MGS Guardrail	6	Each	\$	\$
615.0300	12-Inch Milled Rumble Strip, Shoulder	6,674	L.F.	\$	\$
626.1100	Adjusting Non-Potable Water Manhole Frame and Cover	10	Each	\$	\$
629.1010	Double 4-Inch Pavement Striping (Thermoplastic Extrusion)	748	L.F.	\$	\$
629.1020	4-Inch Pavement Striping (Thermoplastic Extrusion)	3,053	L.F.	\$	\$
629.1022	4-Inch Pavement Striping - Guide Line (Thermoplastic Extrusion)	1,012	L.F.	\$	\$
629.1023	4-Inch Lane Striping, 10-Foot Profiled (Thermoplastic Extrusion)	32,977	L.F.	\$. \$
629.1110	6-Inch Pavement Striping (Thermoplastic Extrusion)	19,011	L.F.	\$. \$
629.1210	8-Inch Pavement Striping (Thermoplastic Extrusion)	2,976	L.F.	\$	\$
629.1212	8-Inch Pavement Striping - Lane Drop (Thermoplastic Extrusion)	2,904	L.F.	\$	\$
629.1300	12-Inch Pavement Striping - Diagonal (Thermoplastic Extrusion)	2,371	L.F.	\$	\$
629.3011	Pavement Arrow (Thermoplastic Extrusion)	13	Each	\$	\$
629.3012	Pavement Word (Thermoplastic Extrusion)	2	Each	\$	\$

NH-H1-1(275) r2/2/2022 P-16

Addendum No. 7

-	_		
	1		Г
	-		
		22	Г
_			

	ADDITIVE ALTERNATE (ALL WORK IN T	HE INBOU	ND DIRI	ECTION)	
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT	AMOUNT
629.3013	Pavement Symbol - Diamond (Thermoplastic Extrusion)	8	Each	\$	\$
629.4010	Type "C" Pavement Markers	1,360	Each	\$	\$
629.4013	Type "H" Pavement Markers	323	Each	\$	\$
630.0150	New Exit Signs (Ground Mounted) with three 2-1/2" Square Tube Posts (for sign width greater than 60")	45	S.F.	\$	\$
630.0200	Overlay Panel for Destination Signs (Overhead Mounted)	336	S.F.	\$	\$
631.1010	Regulatory Sign (10 Square Feet or Less)	4	Each	\$	\$
631.1030	Regulatory Sign (More than 10 Square Feet)	8	Each	\$	\$
631.1040	Regulatory Sign (More than 10 Square Feet) with Post(s)	1	Each	\$	\$
631.4010	Removal of Existing Sign	2	Each	\$	\$
631.4020	Removal of Existing Sign & Post(s)	1	Each	\$	\$
632.0100	Reflector Marker RM-3 with Flexible Post (Type A, 36" high, Yellow)	13	Each	\$	\$
632.0200	Reflector Marker RM-3 with Flexible Post (Type A, 48" high, Yellow)	28	Each	\$	\$
632.0300	Mile Post Marker with Post	4	Each	\$	\$

DODOGAL COUEDINE

'E (ALL WORK IN T	APPROX. QUANTITY	UNIT		AMOUNT
ounted on Guardrail	175	Each	\$	\$
crete Gutter (6 to 8 Feet)	1,322	L.F.	\$	\$
crete Gutter (4 to 5.99	565	L.F.	\$	\$
	L.S.	L.S.	L.S.	\$
itional Traffic Control	F.A.	F.A.	F.A.	\$_220,000.00
nated or Hazardous	F.A.	F.A.	F.A.	\$ 250,000.00
cent of the Sum of All is Item)	L.S.	L.S.	L.S.	\$
				\$

	ITEM	APPROX.	UNIT		AMOUNT
÷		QUANTITY		PRICE	
632.4200	Reflector Marker (RM-5, White) Mounted on Guardrail	175	Each	\$. \$
639.1000	Reconstruct Existing Asphalt Concrete Gutter (6 to 8 Feet)	1,322	L.F.	\$	\$
	Reconstruct Existing Asphalt Concrete Gutter (4 to 5.99 Feet)	565	L.F.	\$	\$
645.0100	Traffic Control	L.S.	L.S.	L.S.	\$
645 0200	Additional Police Officers and Additional Traffic Control Devices	F.A.	F.A.	F.A.	\$ <u>220,000.0</u>
nn/ 1000 -	Handling and Disposal of Contaminated or Hazardous Items and Material	F.A.	F.A.	F.A.	\$_250,000.0
	Mobilization (Not to Exceed 6 Percent of the Sum of All Items Excluding the Bid Price of this Item)	L.S.	L.S.	L.S.	\$

Addendum No. 7

Sum of All Base Bid Items	
Sum of Additive Alternate	
Sum of All Items	

Addendum No. 7

NH-H1-1(275) r2/2/2022 P-19

PROPOSAL SCHEDULE SUMMARY

		\$
	•	\$
• •	•	\$

1		
	Notes	
	1. 2. 3.	Bidders must complete all unit prices and amoun All bidders are required to bid on the BASE BID I Evaluation of Bids and Award:
		Prior to opening bids, the State will announce the same alternate item.
		The ADDITIVE ALTERNATE ITEMS is added to to project control budget and the State will verify if it
		The bidder with the lowest aggregate amount, wit ADDITIVE ALTERNATE Bid price, is the lowest re
		If the sum of the ADDITIVE ALTERNATE ITEMS responsible bidders, the ADDITIVE ALTERNATE considered. The bidder with the lowest SUM OF
		The State reserves the right to remove the Additive
	4.	No price adjustments will be made by the State for ADDITIVE ALTERNATE.
- 1		

NH-H1-1(275) r2/2/2022 P-20 Addendum No. 7

its. Failure to do so may be grounds for rejection of bid. ITEMS and the ADDITIVE ALTERNATE ITEMS to be considered responsive.

estimated project control budget. All bids will be evaluated on the basis of the

the SUM OF ALL BASE BID ITEMS price. This sum is compared to the estimated t falls within the final project control budget.

thin the final project control budget, for the SUM OF ALL BASE BID price, plus responsible bidder.

would make the aggregate amount exceed the final project control budget for ALL ITEMS will be removed, and only the SUM OF ALL BASE BID ITEMS will be ALL BASE BID ITEMS, is the lowest responsible bidder.

ive Alternate scope of work.

or losses, including overhead and profit, resulting from the non-award of the

PROPOSAL SCHEDULE The bidder is directed to Subsection 105.16 – Subcontracts. The bidder's attention is directed to Sections 696 - Field Office and Project Site Laboratory and 699 - Mobilization for the limitation of the amount bidders are allowed to bid. If the bid price for any proposal item having a maximum allowable bid indicated therefore in any of the contract documents is in excess of such a maximum amount, the bid price for such proposal item shall be adjusted to reflect the limitation thereon. The comparison of bids to determine the successful bidder and the amount of contract to be awarded shall be determined after such adjustments are made, and such adjustments shall be binding upon the bidder. The bidder is directed to Section 717 – Cullet and Cullet-Made Materials regarding recycling of waste glass.