

Sediment and Erosion Control BMP measures shown in the Contract Documents are minimum BMPs requirements and do not constitute an acceptable and/or complete Sediment and Erosion Control Plan. The Contractor shall incorporate additional BMPs based upon their means and methods considering site conditions and construction sequence in accordance with the Contract Documents including applicable permit document requirements. Costs shall be included in Pay Item 209.1000, Installation, Maintenance, Monitoring, and Removal of BMP and shall not be paid for separately.

STATE OF HAWAII
DEPARTMENT OF TRANSPORTATION
HIGHWAYS DIVISION

## 

INTERSTATE ROUTE H-1 REHABILITATION


SALT LAKE BOULEVARD TO AIRPORT VIADUCT


FEDERAL-AID PROJECT NO. NH-H1-1(275)


Scale: 1" = 40'


Date: October, 2021


SHEET No. 2 OF 8 SHEETS











|  |  |   |  |      | FED. ROAD STATE | FED. AID<br>PROJ. NO. | FISCAL SHE<br>YEAR N | EET TOT. |
|--|--|---|--|------|-----------------|-----------------------|----------------------|----------|
|  |  |   |  |      | HAWAII HAW.     | NH-H1-1(275)          | 2021 17              | 17 65    |
|  |  |   |  |      |                 |                       |                      |          |
|  |  |   |  |      |                 |                       |                      |          |
|  | STATE OF THE PARTY |   |  |      |                 |                       |                      |          |
|  |  | FND   | PROJECT /                              |      |                 |                       |                      |          |
|  | 8  | Fed. Aid  | Proj. No. NH-H1-1(275)                 |      |                 |                       |                      |          |
|  |  | ∖   | Proj. No. NH-H1-1(275)<br>111+60±      |      |                 |                       |                      |          |
|  | <b>,</b>   |   |  |      |                 |                       |                      |          |
|  | 175 164  |   |  |      |                 |                       |                      |          |
|  |  |   |  |      |                 |                       |                      |          |
| Install Inlet<br>Protection——  | 1 COMM TO COMM TO COMM TO COMM   |   |  |      |                 |                       |                      |          |
|  | TO STATE OF THE ST |   |  |      |                 |                       |                      |          |
|  |  |   | r/W                                    |      |                 |                       |                      |          |
|  | 1 SKO  | top I   |  |      |                 |                       |                      |          |
| To Pearl City  |  |   | box culvert                            |      |                 |                       |                      |          |
| City   | RAMO RAMO  |   |  |      |                 |                       |                      |          |
|  |  |   | ====================================== |      |                 |                       |                      |          |
|  | RAMP "EN"  |   |  |      |                 |                       |                      |          |
| 24   | "EN"   | KAME  |  |      |                 |                       |                      |          |
| 24   | "EN"   | Admin | PANELLA                                | \    |                 |                       |                      |          |
| CS ————————————————————————————————————  | CO L   |   | ====================================== | AX g |                 |                       |                      |          |
| CS ————————————————————————————————————  | CO L   |   | ====================================== | AX g |                 |                       |                      |          |
| H-1 OUTBOUND LANES  CS  OF STREET OF THE FIRST CONTROL OF THE FIRST CONT | ep 24  |   | 115+00                                 | A X  |                 |                       |                      |          |
| H-1 OUTBOUND LANES  CS  OF STREET OF THE FIRST CONTROL OF THE FIRST CONT | ep 24  |   | 115+00                                 | A X  |                 |                       |                      |          |
| H-1 OUTBOUND LANES  CS  WHO DO DO THE SERVE WE   | ep 24  |   | 115+00                                 | A X  |                 |                       |                      |          |
| H-1 OUTBOUND LANES  CS  OF STREET OF THE FIRST CONTROL OF THE FIRST CONT | CO L   |   | 115+00                                 | A X  |                 |                       |                      |          |

 SURVEY PLOTTED BY
 DATE

 DRAWN BY
 "

 TRACED BY
 "

 QUANTITIES BY
 "

 CHECKED BY
 "

Note:
Sediment and Erosion Control BMP measures shown in the Contract Documents are minimum BMPs requirements and do not constitute an acceptable and/or complete Sediment and Erosion Control Plan. The Contractor shall incorporate additional BMPs based upon their means and methods considering site conditions and construction sequence in accordance with the Contract Documents including applicable permit document requirements. Costs shall be included in Pay Item 209.1000, Installation, Maintenance, Monitoring, and Removal of BMP and shall not be paid for separately.

Install Inlet Protection —

STATE OF HAWAII
DEPARTMENT OF TRANSPORTATION

## SEDIMENT & EROSION CONTROL PLANS

HIGHWAYS DIVISION

INTERSTATE ROUTE H-1 REHABILITATION

SALT LAKE BOULEVARD TO AIRPORT VIADUCT

FEDERAL-AID PROJECT NO. NH-H1-1(275)

Scale: 1" = 40'

SHEET No. 8 OF 8 SHEETS

Date: October, 2021