ITEM NO.	ITEM DESCRIPTION	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
209.0100	Installation, Maintenance, Monitoring and Removal of BMP	LS	LS	LS	\$
209.1100	Additional Water Pollution, Dust, and Erosion Control	FA	FA	FA	\$100,000.00
515.1000	Deck Expansion Joint, Pearl City Viaduct	4,920	LIN FT	\$	\$
515.2000	Deck Expansion Joint, Waimalu Viaduct	890	LIN FT	\$	\$
602.1000	Reinforcing Steel for Defective Concrete	FA	FA	FA	\$50,000.00
604.1000	Type A-12 Steel Grates	124	EACH	\$	\$
604.1100	Type A-11 Steel Grates	29	EACH	\$	\$
604.1200	Type PC-1 Steel Grates	28	EACH	\$	\$
604.1300	Type GF-I Steel Grates	11	EACH	\$	\$
604.1400	Type GF-II Steel Grates	1	EACH	\$	\$
629.1011	4-inch Pavement Striping (Tape, Type I or Thermoplastic Extrusion)	180	LIN FT	\$	\$
629.1014	6-inch Pavement Striping (Tape, Type I or Thermoplastic Extrusion)	30,100	LIN FT	\$	\$
629.1015	8-inch Pavement Striping (Tape, Type I or Thermoplastic Extrusion)	940	LIN FT	\$	\$
629.1016	12-inch Pavement Striping (Tape, Type III or Thermoplastic)	40	LIN FT	\$	\$
629.1017	4-inch Pavement Striping (Profiled Thermoplastic)	67,240	LIN FT	\$	\$

ITEM NO.	ITEM DESCRIPTION	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
629.1018	1-inch White Stripe for Zipper Barrier Guide Line (Tape Type I or Thermoplastic Extrusion)	15,040	LIN FT	\$	\$
629.1040	HOV Pavement Symbol (Type III Tape or Thermoplastic Extrusion)	28	EACH	\$	\$
629.1041	Pavement Word (Type III Tape or Thermoplastic Extrusion)	24	EACH	\$	\$
629.2030	Type C Raised Pavement Markers	2,100	EACH	\$	\$
629.2070	Type H Raised Pavement Markers	380	EACH	\$	\$
636.1000	Additional E-Construction Programs, Additional Licenses or Additional Equipment	FA	FA	FA	\$10,000.00
645.1000	Traffic Control	LS	LS	LS	\$
645.0200	Additional Police Officers, Additional Traffic Control Devices, and Advertisement	FA	FA	FA	\$500,000.00
648.0100	Field Posted Drawings	LS	LS	LS	\$
678.1000	Hybrid Polymer Concrete (HPC) Overlay, Pearl City Viaduct	812,754	SF	\$	\$
678.1100	Hybrid Polymer Concrete (HPC) Overlay, Waimalu Viaduct	201,019	SF	\$	\$
680.1000	Surface Treatment, Pearl City Viaduct	22,523	SF	\$	\$
680.1100	Surface Treatment, Waimalu Viaduct	10,049	SF	\$	\$
682.1000	Defective Concrete Repairs, Partial Depth	1,920	CU FT	\$	\$
682.1100	Defective Concrete Repairs, Full Depth	4,745	CU FT	\$	\$

ITEM NO.	ITEM DESCRIPTION	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
683.1000	Penetrating Sealer, Pearl City Viaduct	22,523	SF	\$	\$
683.2000	Crack Repair, Pearl City Viaduct	FA	FA	FA	\$100,000.00
696.1000	Maintenance of Trailers	FA	FA	FA	\$50,000.00
696.2000	Field Office Trailer (Not to Exceed \$32,000.00)	LS	LS	LS	\$
699.1000	Mobilization (Not to Exceed 6 Percent of the Sum of All Items Excluding the Bid Price of this Item)	LS	LS	LS	\$

SUM OF ALL ITEMS

Note: Bidders must complete all unit prices and amounts. Failure to do so may be grounds for rejection of bids.

The bidder is directed to Subsection 105.16 – Subcontracts.

4 5

The bidder's attention is directed to Sections 696 - Field Office and Project Site Laboratory and 699 - Mobilization for the limitation of the amount bidders are allowed to bid.

If the bid price for any proposal item having a maximum allowable bid indicated therefore in any of the contract documents is in excess of such a maximum amount, the bid price for such proposal item shall be adjusted to reflect the limitation thereon. The comparison of bids to determine the successful bidder and the amount of contract to be awarded shall be determined after such adjustments are made, and such adjustments shall be binding upon the bidder.

The bidder shall submit the proposal in HlePRO. The proposal shall be UPLOADED to HlePRO prior to the bid opening date and time. Proposals received after said due date and time shall not be considered. Original (wet ink) proposal documents are not required to be submitted. The award will be made based on proposals uploaded in HlePRO. Any and all other additional documents explicitly designated and labeled as CONFIDENTIAL OR PROPRIETARY shall be UPLOADED SEPARATELY to HlePRO. If there is a conflict between this specification and its HlePRO solicitation, the specifications shall govern and control unless otherwise specified.