


| FED. ROAD DIST. NO. | STATE | FED. AID PROJ. NO. | FISCAL YEAR | SHEET NO. | TOTAL SHEETS |
|---------------------|-------|--------------------|-------------|-----------|--------------|
| HAWAII              | HAW.  | NH-H201(005) Ph2   | 2020        | 117       | 140          |



|                   |         |
|-------------------|---------|
| SURVEY PLOTTED BY | DATE    |
| DRAWN BY          | 2 2 2 2 |
| TRACED BY         |         |
| DESIGNED BY       |         |
| QUANTITIES BY     |         |
| CHECKED BY        |         |

ORIGINAL PLAN  
NOTE BOOK  
No.

H-201 LIGHTING CALCULATIONS-1  
Scale 1' = 40'-0"


40 20 0 40 80  
Graphic Scale in Feet (Scale: 1' = 40')



Glenn D. Oyama  
EXPIRATION DATE OF THE LICENSE 4/30/2022  
THIS WORK WAS PREPARED BY  
ME OR UNDER MY SUPERVISION

STATE OF HAWAII  
DEPARTMENT OF TRANSPORTATION  
HIGHWAYS DIVISION  
H-201 LIGHTING CALCULATIONS  
STA. 205+00 TO 215+00  
MOANALUA FREEWAY, HIGHWAY LIGHTING IMPROVEMENTS  
Halawa Heights Off-ramp to Middle St. Overpass  
FAP NO. NH-H201(005) PHASE 2  
Scale: 1' = 40'-0"  
Date: July 2020  
SHEET NO. E-16 OF 39 SHEETS


| FED. ROAD DIST. NO. | STATE | FED. AID PROJ. NO. | FISCAL YEAR | SHEET NO. | TOTAL SHEETS |
|---------------------|-------|--------------------|-------------|-----------|--------------|
| HAWAII              | HAW.  | NH-H201(005) Ph2   | 2020        | 118       | 140          |



|               |      |
|---------------|------|
| ORIGINAL PLAN | DATE |
| DRAWN BY      |      |
| TRACED BY     |      |
| DESIGNED BY   |      |
| QUANTITIES BY |      |
| CHECKED BY    |      |
| NOTE BOOK     |      |
| No.           |      |

H-201 LIGHTING CALCULATIONS-2  
Scale 1"=40'-0"


40 20 0 40 80  
Graphic Scale in Feet (Scale: 1"=40')



STATE OF HAWAII  
DEPARTMENT OF TRANSPORTATION  
HIGHWAYS DIVISION  
H-201 LIGHTING CALCULATIONS  
STA. 215+00 TO 225+00  
MOANALUA FREEWAY, HIGHWAY LIGHTING IMPROVEMENTS  
Halawa Heights Off-ramp to Middle St. Overpass  
FAP NO. NH-H201(005) PHASE 2  
Scale: 1" = 40'-0"  
Date: July 2020  
SHEET NO. E-17 OF 39 SHEETS

| FED. ROAD DIST. NO. | STATE | FED. AID PROJ. NO. | FISCAL YEAR | SHEET NO. | TOTAL SHEETS |
|---------------------|-------|--------------------|-------------|-----------|--------------|
| HAWAII              | HAW.  | NH-H201(005) Ph2   | 2020        | 119       | 140          |


TRUE NORTH  
SCALE: 1" = 40'



|               |      |
|---------------|------|
| ORIGINAL PLAN | DATE |
| DRAWN BY      |      |
| TRACED BY     |      |
| DESIGNED BY   |      |
| QUANTITIES BY |      |
| CHECKED BY    |      |
| NOTE BOOK     |      |
| No.           |      |

H-201 LIGHTING CALCULATIONS-3  
Scale 1"=40'-0"

40 20 0 40 80  
Graphic Scale in Feet (Scale: 1"=40')




Glenn D. Oyama  
EXPIRATION DATE OF THE LICENSE 4/30/2022  
THIS WORK WAS PREPARED BY  
ME OR UNDER MY SUPERVISION

STATE OF HAWAII  
DEPARTMENT OF TRANSPORTATION  
HIGHWAYS DIVISION  
H-201 LIGHTING CALCULATIONS  
STA. 225+00 TO 235+00  
MOANALUA FREEWAY, HIGHWAY LIGHTING IMPROVEMENTS  
Halawa Heights Off-ramp to Middle St. Overpass  
FAP NO. NH-H201(005) PHASE 2  
Scale: 1" = 40'-0"  
Date: July 2020  
SHEET NO. E-18 OF 39 SHEETS

| FED. ROAD DIST. NO. | STATE | FED. AID PROJ. NO. | FISCAL YEAR | SHEET NO. | TOTAL SHEETS |
|---------------------|-------|--------------------|-------------|-----------|--------------|
| HAWAII              | HAW.  | NH-H201(005) Ph2   | 2020        | 120       | 140          |


TRUE NORTH  
SCALE: 1" = 40'



|               |      |
|---------------|------|
| ORIGINAL PLAN | DATE |
| DRAWN BY      | "    |
| TRACED BY     | "    |
| DESIGNED BY   | "    |
| QUANTITIES BY | "    |
| CHECKED BY    | "    |
| NOTE BOOK     | "    |
| No.           | "    |

H-201 LIGHTING CALCULATIONS-4  
Scale 1"=40'-0"


40 20 0 40 80  
Graphic Scale in Feet (Scale: 1"=40')



Glenn D. Oyama  
THIS WORK WAS PREPARED BY  
ME OR UNDER MY SUPERVISION

STATE OF HAWAII  
DEPARTMENT OF TRANSPORTATION  
HIGHWAYS DIVISION  
H-201 LIGHTING CALCULATIONS  
STA. 235+00 TO 245+00  
MOANALUA FREEWAY, HIGHWAY LIGHTING IMPROVEMENTS  
Halawa Heights Off-ramp to Middle St. Overpass  
FAP NO. NH-H201(005) PHASE 2  
Scale: 1" = 40'-0"  
Date: July 2020  
SHEET NO. E-19 OF 39 SHEETS

| FED. ROAD DIST. NO. | STATE | FED. AID PROJ. NO. | FISCAL YEAR | SHEET NO. | TOTAL SHEETS |
|---------------------|-------|--------------------|-------------|-----------|--------------|
| HAWAII              | HAW.  | NH-H201(005) Ph2   | 2020        | 121       | 140          |



|               |      |
|---------------|------|
| ORIGINAL PLAN | DATE |
| DRAWN BY      |      |
| TRACED BY     |      |
| DESIGNED BY   |      |
| QUANTITIES BY |      |
| CHECKED BY    |      |
| NOTE BOOK     |      |
| No.           |      |

H-201 LIGHTING CALCULATIONS-5  
Scale 1"=40'-0"


40 20 0 40 80  
Graphic Scale in Feet (Scale: 1"=40')



Glenn D. Oyama  
EXPIRATION DATE OF THE LICENSE 4/30/2022  
THIS WORK WAS PREPARED BY  
ME OR UNDER MY SUPERVISION

STATE OF HAWAII  
DEPARTMENT OF TRANSPORTATION  
HIGHWAYS DIVISION  
H-201 LIGHTING CALCULATIONS  
STA. 245+00 TO 255+00  
MOANALUA FREEWAY, HIGHWAY LIGHTING IMPROVEMENTS  
Halawa Heights Off-ramp to Middle St. Overpass  
FAP NO. NH-H201(005) PHASE 2  
Scale: 1" = 40'-0"  
Date: July 2020  
SHEET NO. E-20 OF 39 SHEETS

| FED. ROAD DIST. NO. | STATE | FED. AID PROJ. NO. | FISCAL YEAR | SHEET NO. | TOTAL SHEETS |
|---------------------|-------|--------------------|-------------|-----------|--------------|
| HAWAII              | HAW.  | NH-H201(005) Ph2   | 2020        | 122       | 140          |



|                   |      |
|-------------------|------|
| ORIGINAL PLAN     | DATE |
| SURVEY PLOTTED BY | 2020 |
| DRAWN BY          |      |
| TRACED BY         |      |
| DESIGNED BY       |      |
| QUANTITIES BY     |      |
| CHECKED BY        |      |
| NOTE BOOK         |      |
| No.               |      |

H-201 LIGHTING CALCULATIONS-6  
Scale 1"-40'-0"


40 20 0 40 80  
Graphic Scale in Feet (Scale: 1"-40')



Glenn D. Oyama  
EXPIRATION DATE OF THE LICENSE 4/30/2022  
THIS WORK WAS PREPARED BY  
ME OR UNDER MY SUPERVISION

STATE OF HAWAII  
DEPARTMENT OF TRANSPORTATION  
HIGHWAYS DIVISION  
H-201 LIGHTING CALCULATIONS  
STA. 255+00 TO 265+00  
MOANALUA FREEWAY, HIGHWAY LIGHTING IMPROVEMENTS  
Halawa Heights Off-ramp to Middle St. Overpass  
FAP NO. NH-H201(005) PHASE 2  
Scale: 1" = 40'-0"  
Date: July 2020  
SHEET NO. E-21 OF 39 SHEETS


| FED. ROAD DIST. NO. | STATE | FED. AID PROJ. NO. | FISCAL YEAR | SHEET NO. | TOTAL SHEETS |
|---------------------|-------|--------------------|-------------|-----------|--------------|
| HAWAII              | HAW.  | NH-H201(005) Ph2   | 2020        | 123       | 140          |



|                   |      |
|-------------------|------|
| SURVEY PLOTTED BY | DATE |
| ORIGINAL PLAN     | 2020 |
| DRAWN BY          |      |
| TRACED BY         |      |
| DESIGNED BY       |      |
| QUANTITIES BY     |      |
| CHECKED BY        |      |
| NOTE BOOK         |      |
| No.               |      |


H-201 LIGHTING CALCULATIONS-7  
Scale 1''=40'-0"

40 20 0 40 80  
Graphic Scale in Feet (Scale: 1''=40')





STATE OF HAWAII  
DEPARTMENT OF TRANSPORTATION  
HIGHWAYS DIVISION  
H-201 LIGHTING CALCULATIONS  
STA. 265+00 TO 275+00  
MOANALUA FREEWAY, HIGHWAY LIGHTING IMPROVEMENTS  
Halawa Heights Off-ramp to Middle St. Overpass  
FAP NO. NH-H201(005) PHASE 2  
Scale: 1'' = 40'-0"  
Date: July 2020  
SHEET No. E-22 OF 39 SHEETS

| FED. ROAD DIST. NO. | STATE | FED. AID PROJ. NO. | FISCAL YEAR | SHEET NO. | TOTAL SHEETS |
|---------------------|-------|--------------------|-------------|-----------|--------------|
| HAWAII              | HAW.  | NH-H201(005) Ph2   | 2020        | 124       | 140          |



|                         |
|-------------------------|
| Survey plotted by _____ |
| Date _____              |
| Original plan _____     |
| Drawn by _____          |
| Traced by _____         |
| Note book _____         |
| Designed by _____       |
| Quantities by _____     |
| Checked by _____        |
| No. _____               |


H-201 LIGHTING CALCULATIONS-8  
Scale 1"=40'-0"



Glenn D. Oyama  
EXPIRATION DATE OF THE LICENSE 4/30/2022  
THIS WORK WAS PREPARED BY  
ME OR UNDER MY SUPERVISION

STATE OF HAWAII  
DEPARTMENT OF TRANSPORTATION  
HIGHWAYS DIVISION  
H-201 LIGHTING CALCULATIONS  
STA. 275+00 TO 286+00  
MOANALUA FREEWAY, HIGHWAY LIGHTING IMPROVEMENTS  
Halawa Heights Off-ramp to Middle St. Overpass  
FAP NO. NH-H201(005) PHASE 2  
Scale: 1" = 40'-0"  
Date: July 2020  
SHEET No. E-23 OF 39 SHEETS


| FED. ROAD DIST. NO. | STATE | FED. AID PROJ. NO. | FISCAL YEAR | SHEET NO. | TOTAL SHEETS |
|---------------------|-------|--------------------|-------------|-----------|--------------|
| HAWAII              | HAW.  | NH-H201(005) Ph2   | 2020        | 125       | 140          |



|                   |      |
|-------------------|------|
| ORIGINAL PLAN     | DATE |
| SURVEY PLOTTED BY |      |
| DRAWN BY          |      |
| TRACED BY         |      |
| DESIGNED BY       |      |
| QUANTITIES BY     |      |
| CHECKED BY        |      |
| NOTE BOOK         |      |
| No.               |      |

H-201 LIGHTING CALCULATIONS-9  
Scale 1"-40'-0"


40 20 0 40 80  
Graphic Scale in Feet (Scale: 1"-40')



Glenn D. Oyama  
EXPIRATION DATE OF THE LICENSE 4/30/2022  
THIS WORK WAS PREPARED BY  
ME OR UNDER MY SUPERVISION


STATE OF HAWAII  
DEPARTMENT OF TRANSPORTATION  
HIGHWAYS DIVISION  
H-201 LIGHTING CALCULATIONS  
STA. 286+00 TO 296+00  
MOANALUA FREEWAY, HIGHWAY LIGHTING IMPROVEMENTS  
Halawa Heights Off-ramp to Middle St. Overpass  
FAP NO. NH-H201(005) PHASE 2  
Scale: 1" = 40'-0"  
Date: July 2020  
SHEET NO. E-24 OF 39 SHEETS

| FED. ROAD DIST. NO. | STATE | FED. AID PROJ. NO. | FISCAL YEAR | SHEET NO. | TOTAL SHEETS |
|---------------------|-------|--------------------|-------------|-----------|--------------|
| HAWAII              | HAW.  | NH-H201(005) Ph2   | 2020        | 126       | 140          |



|                   |      |
|-------------------|------|
| SURVEY PLOTTED BY | DATE |
| ORIGINAL PLAN     | 2020 |
| DRAWN BY          |      |
| TRACED BY         |      |
| DESIGNED BY       |      |
| QUANTITIES BY     |      |
| CHECKED BY        |      |
| NOTE BOOK         |      |
| No.               |      |

H-201 LIGHTING CALCULATIONS-10  
Scale 1''=40'-0"




Glenn D. Oyama  
EXPIRATION DATE OF THE LICENSE 4/30/2022  
THIS WORK WAS PREPARED BY  
ME OR UNDER MY SUPERVISION

STATE OF HAWAII  
DEPARTMENT OF TRANSPORTATION  
HIGHWAYS DIVISION  
H-201 LIGHTING CALCULATIONS  
STA. 296+00 TO 306+00  
MOANALUA FREEWAY, HIGHWAY LIGHTING IMPROVEMENTS  
Halawa Heights Off-ramp to Middle St. Overpass  
FAP NO. NH-H201(005) PHASE 2  
Scale: 1'' = 40'-0"  
Date: July 2020  
SHEET NO. E-25 OF 39 SHEETS

| FED. ROAD DIST. NO. | STATE | FED. AID PROJ. NO. | FISCAL YEAR | SHEET NO. | TOTAL SHEETS |
|---------------------|-------|--------------------|-------------|-----------|--------------|
| HAWAII              | HAW.  | NH-H201(005) Ph2   | 2020        | 127       | 140          |


TRUE NORTH  
SCALE: 1" = 40'



|               |      |
|---------------|------|
| ORIGINAL PLAN | DATE |
| DRAWN BY      | "    |
| TRACED BY     | "    |
| DESIGNED BY   | "    |
| QUANTITIES BY | "    |
| CHECKED BY    | "    |

H-201 LIGHTING CALCULATIONS-11  
Scale 1"=40'-0"


40 20 0 40 80  
Graphic Scale in Feet (Scale: 1"=40')



Glenn D. Oyama  
EXPIRATION DATE OF THE LICENSE 4/30/2022  
THIS WORK WAS PREPARED BY  
ME OR UNDER MY SUPERVISION

STATE OF HAWAII  
DEPARTMENT OF TRANSPORTATION  
HIGHWAYS DIVISION  
H-201 LIGHTING CALCULATIONS  
STA. 306+00 TO 315+00  
MOANALUA FREEWAY, HIGHWAY LIGHTING IMPROVEMENTS  
Halawa Heights Off-ramp to Middle St. Overpass  
FAP NO. NH-H201(005) PHASE 2  
Scale: 1" = 40'-0"  
Date: July 2020  
SHEET NO. E-26 OF 39 SHEETS

| FED. ROAD DIST. NO. | STATE | FED. AID PROJ. NO. | FISCAL YEAR | HEET NO. | TOTAL SHEETS |
|---------------------|-------|--------------------|-------------|----------|--------------|
| HAWAII              | HAW.  | NH-H201(005) Ph2   | 2020        | 128      | 140          |



| FED. ROAD DIST. NO. | STATE | FED. AID PROJ. NO. | FISCAL YEAR | HEET NO. | TOTAL SHEETS |
|---------------------|-------|--------------------|-------------|----------|--------------|
| HAWAII              | HAW.  | NH-H201(005) Ph2   | 2020        | 129      | 140          |

#### Luminaire Schedule

| Symbol | Qty | Label              | Arrangement | Lum. Watts | LLF   | Description                   |
|--------|-----|--------------------|-------------|------------|-------|-------------------------------|
| —●—    | 8   | GE ERS1 - E1 78    | SINGLE      | 78         | 0.850 | GE ERS1 78W E1 - 12' Arm      |
| —●—    | 9   | GE ERS1 - E1       | SINGLE      | 108        | 0.850 | GE ERS1 108W E1 - 12' Arm     |
| ●—●—   | 16  | GE ERL2 16C340 BTB | BACK-BACK   | 120        | 0.850 | GE ERL2 120W C3 BTB - 12' Arm |

#### Calculation Summary

| Label                        | CalcType    | Units | Avg  | Max | Min | Avg/Min | Max/Min |
|------------------------------|-------------|-------|------|-----|-----|---------|---------|
| Eastbound to Ala Kapuna St   | Illuminance | Fc    | 1.36 | 2.9 | 0.7 | 1.94    | 4.14    |
| Westbound from Ala Kapuna St | Illuminance | Fc    | 1.62 | 3.4 | 0.7 | 2.31    | 4.86    |

#### Luminaire Schedule

| Symbol | Qty | Label              | Arrangement | Lum. Watts | LLF   | Description                   |
|--------|-----|--------------------|-------------|------------|-------|-------------------------------|
| —●—    | 4   | GE ERS1 - E1 78    | SINGLE      | 78         | 0.850 | GE ERS1 78W E1 - 12' Arm      |
| —●—    | 10  | GE ERS1 - E1       | SINGLE      | 108        | 0.850 | GE ERS1 108W E1 - 12' Arm     |
| —●—    | 8   | GE ERL2 16C340     | SINGLE      | 120        | 0.850 | GE ERL2 120W C3 - 12' Arm     |
| ●—●—   | 47  | GE ERL2 16C340 BTB | BACK-BACK   | 120        | 0.850 | GE ERL2 120W C3 BTB - 12' Arm |

#### Calculation Summary

| Label                    | CalcType    | Units | Avg  | Max | Min | Avg/Min | Max/Min |
|--------------------------|-------------|-------|------|-----|-----|---------|---------|
| Eastbound to Puuloa Rd   | Illuminance | Fc    | 1.33 | 3.2 | 0.6 | 2.22    | 5.33    |
| Westbound from Puuloa Rd | Illuminance | Fc    | 1.27 | 3.2 | 0.6 | 2.12    | 5.33    |

#### Luminaire Schedule

| Symbol | Qty | Label          | Arrangement | Lum. Watts | LLF   | Description               |
|--------|-----|----------------|-------------|------------|-------|---------------------------|
| —●—    | 4   | GE ERL2 16C340 | SINGLE      | 120        | 0.850 | GE ERL2 120W C3 - 12' Arm |

#### Calculation Summary

| Label                         | CalcType    | Units | Avg  | Max | Min | Avg/Min | Max/Min |
|-------------------------------|-------------|-------|------|-----|-----|---------|---------|
| Eastbound to Puuloa on ramp   | Illuminance | Fc    | 1.20 | 2.2 | 0.7 | 1.71    | 3.14    |
| Westbound from Puuloa on ramp | Illuminance | Fc    | 1.25 | 2.5 | 0.6 | 2.08    | 4.17    |

#### Luminaire Schedule

| Symbol | Qty | Label              | Arrangement | Lum. Watts | LLF   | Description                   |
|--------|-----|--------------------|-------------|------------|-------|-------------------------------|
| —●—    | 1   | GE ERS1 - E1 78    | SINGLE      | 78         | 0.850 | GE ERS1 78W E1 - 12' Arm      |
| —●—    | 22  | GE ERL2 16C340     | SINGLE      | 120        | 0.850 | GE ERL2 120W C3 - 12' Arm     |
| —●—    | 13  | GE ERL2 16C340 15  | SINGLE      | 120        | 0.850 | GE ERL2 120W C3 - 15' Arm     |
| ●—●—   | 1   | GE ERL2 16C340 BTB | BACK-BACK   | 120        | 0.850 | GE ERL2 120W C3 BTB - 12' Arm |

#### Calculation Summary

| Label                           | CalcType    | Units | Avg  | Max | Min | Avg/Min | Max/Min |
|---------------------------------|-------------|-------|------|-----|-----|---------|---------|
| Eastbound to Kikowaena overpass | Illuminance | Fc    | 1.50 | 3.1 | 0.6 | 2.50    | 5.17    |
| Westbound from Kaua overpass    | Illuminance | Fc    | 1.56 | 3.2 | 0.8 | 1.95    | 4.00    |

SURVEY PLOTTED BY \_\_\_\_\_  
 DRAWN BY \_\_\_\_\_  
 TRACED BY \_\_\_\_\_  
 DESIGNED BY \_\_\_\_\_  
 QUANTITIES BY \_\_\_\_\_  
 CHECKED BY \_\_\_\_\_  
  
 ORIGINAL PLAN  
 NOTE BOOK  
 No. \_\_\_\_\_



Glenn D. Oyama  
EXPIRATION DATE OF THE LICENSE: 4/30/2022  
THIS WORK WAS PREPARED BY  
ME OR UNDER MY SUPERVISION

STATE OF HAWAII  
DEPARTMENT OF TRANSPORTATION  
HIGHWAYS DIVISION  
H-201 LIGHTING  
CALCULATIONS SUMMARY  
MOANALUA FREEWAY, HIGHWAY LIGHTING IMPROVEMENTS  
Halawa Heights Off-ramp to Middle St. Overpass  
FAP NO. NH-H201(005) PHASE 2  
Scale: \_\_\_\_\_ Date: July 2020  
SHEET No. E-28 OF 39 SHEETS